



Top UN

Your ultimate solution for LAPTOP BATTERY & ADAPTER

- Green product, no mercury, free from contamination.
- Recycling plan to fulfill society responsibility.



topon@iqfuture.com

for common questions about our production,
 our quality management and other technical information

wholesale@iqfuture.com

 for partners which want to achieve dealer status in appropriate region: prices, catalogues and Qty demands

international@iqfuture.com

 for questions about delivery methods, shipping conditions and other information related with cargo support



BUSINESS Path

- Treat Customer with Courtesy
- With confidence in the integrity of our customers
- Focus on customers satisfaction with an attention to responsiveness reliability and quality
- Committed to providing leading edge technology to satisfy market need
- Our strong team ethic to deliver customer satisfaction
- Honesty and integrity are TopON core values



BRIEF INTRODUCTION





COMPANY >>

Through the four-year development, TopON Hong Kong Co., Ltd. (hereinafter referred to as TopON), formally established in Hong Kong in June 2005, has now grown into an enterprise integrating R&D, production and sale and possessing professional solutions for laptop batteries, adapters and batteries of digital products and has walked through a steady development road from OEM and ODM business to its own brands and from partially to fully actualizing independent R&D and production of high-performance products. Our factory, Shenzhen TopON Science & Technology Co., Ltd. is located at Hongpai Technological & Industrial Park, Tianfu Road, Fuyong Town, Baoan District, Shenzhen (only 2km away from Shenzhen Baoan International Airport), which presently covers the area of 6,00Qm2. The products are oriented to middle and high-grade consumers and are mainly sold to countries and regions in Europe, America, Asia, etc. The monthly capacity for laptop batteries is 100,000, for laptop adapters 200,000 and for digital products and chargers 550,000. The company has advanced production equipment and technologies, fully introduces such international management systems as ISO9001:2008 and ISO14001:2 and persists in innovative and enterprising spirits, which guarantee our company to provide customers with the optimal products and services.

Main products:

1.Laptop battery/ adapter series:

There are over 600 kinds of laptop batteries and adapters that can substitute those of DELL, IBM, TOSHIBA, SONY, COMPAQ, HP, APPLE, ASUS, ACER, SAMSUNG, etc. The products have stable quality, good compatibility, long life time, high capacity, overcharge resistance performance and low self-discharge. In July 2009, our company initiated laptop batteries with three-year warranty period and more than 1000 cycle lives, which have smoothly passed the identification and acceptance of experts and are being popularized towards the world.

2. Digital battery/charger series:


There are over 300 kinds of digital batteries and chargers that can substitute those of Canon, Sony, Fuji, Kodak, Nikon, Olympus, Konica, Panasonic, Kyocera, Sanyo, Sharp, JVC, Samsung, Casio, Minolta, Pentax, Patriot, BenQ, etc. The products have stable quality, good compatibility, long life time, overcharge resistance performance and low self-discharge.

3. Intelligent charger series:

They are specially designed for lithium ion batteries of laptops and medical equipment, which can charge and discharge lithium ion battery packs (2S, 3S, 4S, etc.) with different capacities and voltages and can activate batteries with too low voltages due to long time storage. There is no need to set parameter When being used. Each charge box can charge and discharge five batteries with different models at a time; they can be equipped with charge interface cables for batteries with various models according to the needs of consumers.

Features & Advantages:

- 1. "TopON", as our major brand, has become one focus at electric exhibitions for its excellent quality and perfect services and also has become the best-sellers throughout the world.
- 2. Take up OEM orders, produce various tailor-made batteries and pack brand products for you.
- 3. Conform to market demands and constantly launch new products by direct sale from the factory, at Reasonable prices and with high quality and sincere services.




Our quality concept:

A person's destiny is determined by his character; An enterprise' destiny is determined by the quality of its products; The key to quality lies in how to prevent hidden problems; 100% quality assurance, cultivation of zero defects; Reject the defect habits that can be confirmed.

FACILITY ENVIRONMENT







STRATEGIC PARTNER

TopON constantly adheres to such a core value as "creating values for customers and assisting employees in achieving dreams", which serves as a core guideline in directing our all business operations. So far, we have successfully established cooperation relationships with approximate 200 dealers and distributors in Russia, USA, Germany, Canada, Poland, France, UK, Turkey, Malaysia, Singapore, etc. Our business agents and technical representatives conduct close cooperation and exchanges with customers so as to further deeply know the demands of customers and develop the next-generation solutions. Moreover, we have also built strategic cooperation relationships with the world-class leaders who overcome arduous difficulties and achieve success by technologies.









COMPANY STRUCTURE



TopON has nearly 300 employees with the average age of 27, more than 60% of whom have bachelor degrees or above, except for employees at the production line. TopON advocates the work style of "preciseness, practicality and high efficiency" and establishes a perfect talent cultivation system by virtue of such a talent concept as "making achievements at posts and occupying posts by achievements".

SMART Laptop Battery Charger Unit (T4)

Spec: Input 110V/220V AC 50/60Hz







Product Feature: This product is designed for lithium ionization cells such as laptop battery and medical equipment battery cells, which can charge/discharge lithium ionization cell units of various capacities and voltages (e.g.: 2S, 3S and 4S), with the capability of battery reactivation that may enable and charge/discharge the low voltage battery cell of too long storage time, and the modes of which are also constant current and voltage charge and constant current discharge. The unit is operating simply through the only three buttons free of any parameter setting. There are 5 independent charge ports on every charger unit, which are capable of charging/discharging 5 battery cells of different models of laptop, and it can also be equipped with charging port cable of different types of battery cell according to the client's requirements.

Top UN

Notebook battery

for ACER	1
for APPLE ······	6
for ASUS	8
for BENQ ······	12
for CLEVO ······	13
for DELL	13
for FOUNDER	20
for FUJITSU&UNWILL	20
for GATEWAY ·····	22
for HASEE	23
for HP&COMPAQ ······	23
for IBM ·····	3:
for LENOVO	36
for MSI ·····	38
for MITAC ·····	38
for NEC	39
for PACKARD BELL	4(
for SAMSUNG	4
for SONY	43
for TSINGHUA TONGFANG ·····	46
for TOSHIBA	46

Notebook adapter

tor IBM	52
for DELTA	53
for SONY	54
for GATEWAY ······	55
for HP/COMPAQ ······	56
for MSI	61
for DELL	62
for FUJI	64
for ASUS	64
for LITEON	65
for APPLE	66
for TFT	67
for SAMSUNG	69
for TOSHIBA	70
for ACER	71
for Other	72
for Universal Adapter	75

Notebook battery

- "Environmental Protection and Smart Chip control" technology, energic power, longer useing time, higher stability, no memory effect,
- We have spent large fund on development and research of the "Environmental Protection and Smart IC controlled" to guarantee the safety and reliability of each battery after 72-hour aging test.
- · PC and Anti-Shock case combined with accurate Ultro-sonic welding technology could prevent any damage and aging, thus help You to use the battery in a easy way and longer using time.
- 5 auto-protection functions on over charge, over discharge, over current, over heating and short circuit
- The production line includes more than 300 batteries QC controls on quality, compatibility, long life, high capacity, little self-discharge and overcharge endurable, applicable to Laptops of different brands such as IBM、TOSHIBA、SONY、DELL、COMPAQ、HP、 APPLE, ASUS, ACER, SAMSUNG.

Notebook adapter

- The adapter has been passed the aging test over 24 hours to guarantee the safety and reliability.
- Rated Input: 100-240V 50/60HZ
- · Please kindly match the adapter to correct notebook model.
- Please confirm the standard of adapter AC plug and make a proper choice for your notebook adapter.
- Inside AC Plug: China Standard、European Standard、U.K. Standard、U.S.A. Standard、Australia Standard .
- The production line includes more than 200 AC Adapters controls on quality, compatibility, long life, applicable to Laptops of different Brands such as IBM、TOSHIBA、SONY、DELL、COMPAQ、HP、APPLE、ASUS、ACER、SAMSUNG.





F	FOR ACER			
Code	Image	Specification	Part No.	Replacement for
Acer One(L)		Cell Type: Li-ion Voltage: 11.1V Capacity:2400mAh Weight: 168g 198.00 x 26.00 x 19.00 mm Color: Black / White		
Acer One		Cell Type: Li-ion Voltage: 11.1V Capacity:4800mAh Weight: 311g 198.00 x 40.00 x 34.00 mm Color: Black / White	UM08A31, UM08A51, UM08A71, UM08A72, UM08A73, UM08A74, UM08B71, UM08B72, UM08B73, UM08B74, LCBTP00.017	Aspire One 10.1" (Black), Aspire One 8.9" (Black), A110, A150, D150, D250, P531h Series
Acer One(H)		Cell Type: Li-ion Voltage: 10.8V Capacity:7200mAh Weight: 456g 198.00 x 44.00 x 38.00 mm Color: Black/White		
AC-270		Cell Type: Li-ion Voltage: 14.8V Capacity:4400mAh Weight:420g 123.00 x 94.00 x 17.00 mm Color: Black	BTP-550P, BAT30N3L, BTP1400	For Acer TravelMate 270, 270XV, 272, 272LC, 272X, 272XV, 272XVi, 273, 273X, 273XV, 275, 275LC series / Aspire 1200 Series / TravelMate A550 Series
AC-290 BATCL50L		Cell Type: Li-ion Voltage:14.8V Capacit: 4400mAh Weight:411g 130.00 x 85.00 x 15.00 mm Color: Grey	BATCL50L, BATCL50L4, BT.3506.001, BTT3504.001, BTT3506.001, BT.00803.005, LC.BTP04.001	For Acer Aspire 9100, 9500 / TravellMate 290, 291, 292, 293, 2350, 4050, 4150, 4650 Series Laptop Battery
AC-2200 BATELW80L8		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 453g 149.00 x 110.00 x 19.00 mm Color: Black	BATELW80L8H	For Age Appire 1670 and Age Travell Mate 2000, 2700 agrics
AC-2200(H) BATELW80L8H		Cell Type: Li-ion Voltage: 14.8V Capacity: 6600mAh Weight: 624g 149.00 x 110.00 x 16.00 mm Color: Black	BATELW80L8 LC.BTP05.004	For Acer Aspire 1670 and Acer TravelMate 2200, 2700 series
AC-4000		Cell Type: Li-ion Voltage: 14.4V Capacity: 4400mAh Weight: 425g 206.00 x 65.00 x 20.00 mm Color: Black	BT.T5003.001, BT.T5003.002, BT.T5005.001, BT.T5005.002, BT.T5007.001, BT.T5007.002, LCBTP03003	For Acer Aspire 1410, 1640, 1650, 1680, 1690, 3000, 3500, 5000, 5510 Series / Extensa 2300, 3000, 4100 Series/ TravelMate 2300, 2310, 4000, 4010, 4020, 4060, 4100, 4500, 4600 Series Laptop Battery; SQU-401SQU-525.





	50D 105D			
	FOR ACER			
Code	Image	Specification	Part No.	Replacement for
AC Ferrari 4000	En and a second	Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 401g 209.70 x 64.50 x 25.00 mm Color: Black	4UR18650F-2- QC185, 4UR18650F-2-QC145, 916C4310F, BATSQU410, BT.00603.002, BT.00803.006, BT.00803.012, BT.00806.006, BT.00807.002, LC.BTP03.001, LC.BTP03.008, LC.BTP03.009, LC.BTP03.011, SQU-410	Replacement for Acer Farrari 4005WLMi, TravelMate 2100, ACER Ferrari 4000, TravelMate 8000, 8100 Series Laptop Battery
AC-4710		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight:314g 204.00 x 50.00 x 15.00 mm Color: Black	AS07A31, AS07A32, AS07A51,	Acer Aspire 4315, 4520, 4520G, 4710, 4710G, 4720, 4720G,
AC-4710(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 8800mAh Color: Black	AS07A72	4720Z, 4920, 4920G, ACER Aspire 4310 Series
AC-5500		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight:315g 198.00 x 43.00 x 28.00 mm Color:Black	BATEFL50L6C40	Travelmate 2400, Travelmate 2403, Travelmate 3210 Travelmate 3220,
AC-5500(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 6600mAh Weight: 456g 198.00 x 64.00 x 19.00 mm Color: Black	BATEFL50L9C72 BATEFL50L6C48	Travelmate 3274 Series, Aspire 5500, Aspire 5600, Aspire 3600 Series
AC-5920(6)		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight:324g 200.00 x 66.00 x 16.00 mm Color: Black	AS07B41	for Acer Aspire 5520G, 5520,5920G,7520G,7720G,AS07B41
AC-5920(8)		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight:414g 200.00 x 66.00 x 16.00 mm Color: Black	AS07B72	for Acer Aspire 5520, 5920 Series Laptop Battery
AC-8000		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 416g 139.00 x 86.00 x 18.00 mm Color: Gray	916-2320, 916-2450, 916- 2480, 916-2750, BT.FR103.001, BT.FR103.002, BT.FR107.001, BT.T2306.001, BT.T2905.001, BTP-650, BTP- 800SV, BTT2303001, SQ-1100, SQ-2100, SQU-202	For ACER TravelMate 650, 660, 800, 6000, 8000 Series / Ferrari 3000, 3200, 3400 / Asplire 1450 /Quanta Laptop Battery

FOR ACER

F	FOR ACER			
Code	Image	Specification	Part No.	Replacement for
AC-9300	Control of the last of the las	Cell Type: Li-ion Voltage: 10.8V Capacity:4800mAh 211.20 x 60.30 x 20.65 mm Color: Black	3UR18650Y-2-QC236	ACER Aspire 5600, 7000, 7100, 7110, 9300, 9400, 9410, 9420 Series, ACER TravelMate 4220, 5100, 5110, 5600, 5610, 5620 Series
AC-TM3000	M. Maraga	CellType: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 307g 199.00 x 56.00 x 19.00 mm Color: Black	CGR-B/350CW, CGR- B/6G8AW, LC.BTP01.025	Replacement for ACER Ferrari 1000 Series Laptop Battery (Ferrari 1000 SeriesFerrari 1000-5123Ferrari 1000-5612Ferrari 1000WTMiFerrari 1003Ferrari 1003WTMiFerrari 1004WTMiFerrari 1005Ferrari 1005WLMiFerrari 1005WTMi)
AC-TM3200		CellType: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight:302g 198.00 x 44.00 x 17.00 mm Color: Grey	916-3060, 916C3060, BT.00907.001, BT.T4803.001, LC.BTP03.005, LC.BTP03.006, SQU-405, SQU-406	Acer TravelMate 3200 Series Laptop Acer TravelMate 3200, 3200XCi, 3200XMi Series Laptop Acer TravelMate 3201, 3201XCi, 3201XMi Series Laptop Acer TravelMate 3201NXCi Series Laptop Acer TravelMate 3202, 3202XCi, 3202XMi Series Laptop Acer TravelMate 3203, 3203XCi, 3203XMi Series Laptop Acer TravelMate 3204, 3204XCi, 3204XMi Series Laptop Acer TravelMate 3205, 3205XMi Series Laptop
AC-TM5520		CellType: Li-ion Voltage: 11.1V Capacity:4800mAh Weight:321g 135.00 x 85.00 x 18.00 mm Color: Black	GRAPE34, LC.BTP00.006	ACER Extensa 5210, 5220, 5420G, 5620Z, 5630, 5630G, 7220, 7620, 7620G Series, TravelMate 5220, 5220G, 5230, 5310, 5320, 5520, 5520G, 5530G, 5530G, 5710, 5710G, 5720, 5720G, 5730, 5730G, 6592, 6592G, 7220, 7220G, 7320, 7520
AC-TM8200		Cell Type: Li-ion Voltage: 11.1V Capacity:6600mAh 201.70 x 67.55 x 20.40 mm Color: Black	3UR18650F-3-0C228, BT.00903.005, LC.BTP01.015, LC.BTP01.016	ACER Ferrari 5000, TravelMate 8200, TravelMate 8210 Series
BATBL50L6		Cell Type: Li-ion Voltage: 11.1V Capacity:4800mAh Weight: 309g 131.00 x 84.00 x 14.00 mm Color: Black	BATBL50L6, BATBL50L8H,	ACER Aspire 3100, 3690, 5100, 5110, 5210, 5510, 5610, 5630, 5650, 5680, 9110, 9120, 9800, 9810 Series, ACER TravellMate 2490, 3900, 4200, 4230,
BATBL50L8		CelType: Li-ion Voltage: 14.8V Capacity:4400mAh Weight: 408g 131.00 x 84.00 x 14.00 mm Color: Black	BT.00803.015, LC.BTP01.017, LC.BTP01.019	9110, 9120, 9900, 9810 Series, AUEH ITAVERRIALE 2490, 3900, 4200, 4230, 4260, 4280 Series
BATCL32L		CelType: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight:415g 124.00 x 98.00 x 15.00 mm Color: Black	BATCL32, BATCL32L, BT.A1401.001, BT.A1401.002, BT.A1405.001, BT.A2401.001, BT.A2401.002, BT.A2401.003, BT.A2501.001, BT.A2501.002, BTP-AS2000, LC.BTP05.001	ForACER Aspire 2000 Series Laptop Battery



F	FOR ACER			
Code	Image	Specification	Part No.	Replacement for
BTP-ARJ1		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight:312g 197.00 x 44.00 x 20.00 mm Color: Blue	BT.00604.006, BTP ANJ1, BTP-AMJ1, BTP-AOJ1, BTP- APJ1, BTP-ACJ1, BTP-ARJ1,	Replacement for ACER Extensa 3100, TravelMate 4320 / Aspire 3600, 3620, 5540, 5550, 5660 5590 Series, TravelMate 2420, 2470, 3240, 3250, 3280,
BTP-ARJ1(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 465g 198.00 x 63.00 x 19.00 mm Color: Blue	BTP-AS3620, BTP-ASJ1, BTP- B2J1, LC.BTP01.010, Ms2180	3290, 6290 Series Laptop Battery
BTP-34A1		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight:395g 128.00 x 85.00 x 17.00 mm Color: Black	60.41H15.001, BTP-34A1	For ACER TravelMate 520, 521, 524, 525, 527, 528, 529, 530 Series
BTP-36D1		Cell Type: Li-ion Voltage: 11.1V Capacity:3600mAh Weight:300g 127.00 x 123.00 x 10.00 mm Color: Grey	BTP-36D1/BTP-41D1	Acer TravelMate 350 Acer TravelMate 360
BTP-37D1		Cell Type: Li-ion Voltage: 11.1V Capacity: 3600mAh Weight: 296g 167.00 x 70.00 x 16.00 mm Color: Gray	BTP-37D1 (6M.41Q16.001 909-2140 909-2150 91.41Q28.004 BTP-3761 BTP37D1)	For ACER TravelMate 610,611,612,613,614,615
BTP-39D1		Cell Type: Li-ion Voltage: 14.8V Capacity:4400mAh Weight:406g 159.00 x 72.00 x 21.00 mm Color: Black	60.42S16.001,BTP-39D1	For Acer Travelmate 620 630 Battery BTP-39D1
BTP-42C1		Cell Type: Li-ion Voltage: 14.8V Capacity: 1800mAh Weight:196g 138.00 x 66.00 x 12.00 mm Color:Dark Blue	6M.48RBT.001,91.48R28.001, BT.T2703.001, BTP-42C1	For Acer TravelMate C100, C102, C104, C110, C111, C112 Series
BTP-43D1		Cell Type: Li-ion Voltage: 14.8V Capacity:4400mAh Weight:417g 127.00 x 85.00 x 17.00 mm Color: Dark Grey	60.46W18.001,60.49S17.001 60.49S17.021,60.49S22.011, 91.46W28.001,91.49S28.001, BTP-43D1	For Acer TravelMate 220, 222, 223, 225, 230, 233, 234, 260, 261, 261XV-XP, 280, 281 Series Laptop Battery

FOR ACER

F	FOR ACER			
Code	Image	Specification	Part No.	Replacement for
BTP-44A3		Cell Type: Li-ion Voltage: 14.8V Capacity:6600mAh Weight:617g 140.00 x 117.00 x 15.00 mm Color:Black	6T226,BTP-44A3, FHS2111, MS2111	For Fujitsu Siemens Amilo D8820 ,D6800,D7800,D7820 , D7830 ,D7850 ,D8800 ,D8830 Laptop Battery For ACER Aspire 1400 Series For DELL: 200N,250N Series
BTP-52EW	F (A 2. F)	Cell Type: Li-ion Voltage: 14.8V Capacity:4400mAh Weight:419g 122.00 x 103.00 x 17.00 mm Color: Black	40008236, 805N00005 90.NBi61.001, 90.NBi61.011, BTP-52EW, BTP-89BM, BTP- 90BM, BTP52EW, BTP89	ACER BTP-52EW, MS2128, MS2137, MS2141, 1556, 1557
BTP-58A1		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 459g 269.00 x 64.00 x 17.00 mm Color: Black	909-2420, 91.49V28.001, BT.0803.004, BT.T3004.001, BT.T3007.001, BT.T3007.003,	For ACER TravelMate 240, 250, 2000, 2500 Series / Aspire 1360, 1520, 1610,
BTP-58A1(H)		Cell Type: Li-ion Voltage: 14.8V Capacity: 6600mAh Weight: 627g 269.00 x 64.00 x 17.00 mm Color: Black	BTP-58A1, BTP-59A1, BTP-60A1, BTP-84A1, BTP-85A1, LCBTP01.003, LCBTP03.002	1620, 1660, 3010, 5010 Series / TravelMate 242FX (MS2138) Laptop Battery
BTP-63D1		Cell Type: Li-ion Voltage:14:8V Capacity: 4400mAh Weight:419g 135:00 x 84:00 x 20:00 mm Color: Black	60.49Y02.001, 91.49Y28.001, 91.49Y28.002, BT.00803.007, BT.00805.002, BT.12803.001, BTP-63D1, BTP-AHD1, BTP- AID1,BTP01.005	For Acer Aspire 3610 3613 3614 5020 5024 and TravelMate 2410 2413 4400 C300 C310 and much more laptop battery
BTP-73E1		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight:334g 218.00 x 69.00 x 19.00 mm Color:Dark Grey	BTP-73E1 BTP73E1 BTP-50T3 60.48T22.001 91.48T28.002 BT.T3907.002 BT.T5807.001	For Acer TravelMate 370,371,372,374, 380,381,382,383 Series Laptop Battery
ACR-SP1		Cell Type: Li-ion Voltage: 11.1V Capacity:4800mAh Weight: 313g 198.00 x 48.00 x 20.00 mm Color: Black	um09B7D	Acer Aspire One 11.6 INCH Ao751h
SQU-302		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 449g 200.00 x 83.00 x 19.00 mm Color: Black	BTA1003.002, BTA1003.003, BTA1007.001, BTA1007.002, SQU-302	For Acer Aspire 1350,1510 series

FOR APPLE



F	FOR APPLE					
Code	Image	Specification	Part No.	Replacement for		
A1022/A1079	1 2000	Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 332g 124.00 x 76.00 x 15.00 mm Color: Silver & White	A1022, A1079, M8984, M8984G, M9324, M9324G, M9324J/A, M9572G/A, M9572J/A	For Apple 12" PowerBook G4 Laptop Battery		
A1057		Cell Type: Li-ion Voltage: 10.8V Capacity: 5400mAh Weight: 437g 142.00 x 110.00 x 9.00 mm Color: Silver	A1039, A1057, M8983, M8983G/A, M9326, M9326G/A, MC-G4/17	For Apple PowerBook G4 17-inch Series Laptop Battery		
A1078	1:34	Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 318g 115.00 x 79.00 x 14.00 mm Color:Silver	A1045, A1078, M9325, M9325G, M9325G-A, M9325G/A, M9325GA, M9756, M9756G, M9756G/A, M9756GA	For Apple PowerBook G4 15-inch Aluminum series Laptop Battery		
A1175		Cell Type: Li-Properly Voltage: 10.8V Capacity: 5800mAh Weight: 311g 135.00 x 108.00 x 9.00 mm Color:Silver	A1175, MA348G/A, MA463LL/A, MA464LL/A, MA600LL/A, MA680LL/A, MA601LL, MA466LL/A, MA681LL/A	For MacBook Pro 15" Series		
A1185		Cell Type: Li-Properly Voltage: 10.8V Capacity: 5600mAh Weight: 392g 206.00 x 173.00 x 10.00 mm Color: Silver & White and Black	A1185	For MacBook Pro 13" Series		
A1189		Cell Type: Li-Properly Voltage: 10.8V Capacity: 6400mAh Weight: 466g 162.00 x 116.00 x 10.00 mm Color: Silver & White	A1189	For MacBook Pro 17" Series		
A1245	NAME:	Cell Type: Li-ion Voltage: 7.2V Capacity: 5400mAh Weight: 295g 282.00 x 123.00 x 2.00 mm Color: Black	A1245	Replace 13* MacBook Air series		
A1280		Cell Type: Li-lion Voltage: 10.8V Capacity: 4800mAh Weight: 422g 200.00 x 110.00 x 45.00 mm Color: Sliver	A1280	Apple luminum Unibody SeriesApple 13" New Alum Unibody MacBook Pro Series		

F	OR APPLE			
Code	Image	Specification	Part No.	Replacement for
A1281		Cell Type: Li-ion Voltage: 10.8V Capacity: 5200mAh Weight: 358g 245.00 x 75.00 x 6.00 mm Color: Sliver	A1281	Apple luminum Unibody SeriesApple 15" New Alum Unibody MacBook Pro Series
M7385	N: M. K. M.	Cell Type: Li-ion Voltage: 10.8V Capacity: 7200mAh Weight: 455g 149.00 x 91.00 x 15.00 mm Color: Black	076-0719, 661-2183, 661- 2295, 661-2969, LBCAP8, M7318, M7385, M7385G, M7385G/A, MC-G3/99	For Apple PowerBook G3 (1999 models), (2000 models) / PowerBook G3 12.1-inch, G3 13.3-inch, G3 14.1-inch, G3 Series Laptop Battery
M7621G	The state of the s	Cell Type: Li-ion Voltage: 14.4V Capacity: 4400mAh Weight: 415g 285.00 x 47.00 x 15.00 mm Color: White	661-2391, 661-2395, 661- 2436, M6392, M7426, M7462G, M7462G/A, M7462GA, M7621, M7621G, M7621G/A, M7621G/B, M7621GA, M7621GB	For Apple iBook Clamshell, M2453, 1999 model, 2000 model / iBook Blueberry Series, FireWire Series, GraphiteSeries, Indigo Series, Lime Green Series, Tangerine Series Laptop Battery
M8244	STORY OF STREET	Cell Type: Li-ion Voltage: 14.4V Capacity: 4400mAh Weight: 377g 111.00 x 105.00 x 15.00 mm Color: Grey	616-0132, 616-0133, 616- 0139, 616-0151, 661-2441, 661-2561, 41012, M6091, M8244, M8244G, M8244GA, M8244G/A, M8244GB, M8244G/B, M8511	For Apple PowerBook G4 Series Laptop Battery
M8416	TO STATE OF THE PARTY OF THE PA	Cell Type: Li-ion Voltage: 14.4V Capacity: 4400mAh Weight: 425g 137.00 x 95.00 x 16.00 mm Color:French GREY	A1062, A1080 661-2611, 661-2896, 661-2998, 661- 3189, 661-3699, M8416, M84166/A, M8416J/A, M8665, M8665G, M8665G/A, M9140G/A, M9140J/A, M9338G/A, M9338J/A,	For Apple iBook - 14" LCD Series / G3 14-inch, G4 14-inch Series Laptop Battery
M8433	State of the state	Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 318g 118.00 x 76.00 x 15.00 mm Color: Silver and white	661-1764, 661-2472, 661- 2569, 661-2672, 661-2994, 8403, 6612472, A1008, A1061, M7692J/A, M7698J/A, M7699J/A, M8403, M8433, M8433G/B, M8520J/A, M8597J/A, M8597J/C, M8597J/A, M8597J/C, M8599LL/C, M8600J/A, M8599LL/C, M8600J/A, M8600LL/A, M862G/A, M8602LL/A, M862G/A, M8626GA, M8956, M8956G, M8956GA, M8956J/A, M9164LL/A, M9337, M9337G, M9337G/A, M9426LL/A	for Apple iBook - 12" LCD Series / iBook G4 12-inch Series, iBook 12.1" Screen Dual USB, iBook 12-inch Dual USB, iBook 32 VRAM, iBook Crystal White Series, iBook Late 2001 Model, iBook Opaque White 16 VRAM, iBook Snow White Series Laptop Battery



F	FOR ASUS			
Code	Image	Specification	Part No.	Replacement for
A31-S5		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight:309g 199.00 x 44.00 x 20.00 mm Color:Black & Grey	70-N8V1B1100, 70- N8V1B2100, 70-N8V1B3100, 90-N8V1B3000, 90- N8V1B3100, A31-S5, S5NBTB1A, S5NBTW1B	M5, M5A, M5N, M500A, M500N, M5000, 5000A, M5000N, S5, S5A, S5N, S5000, S5000A, S5000N Series Laptop Battery
A32-A8	The state of the s	Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight:310g 125.00 x 66.00 x 18.00 mm Color: Black	A32-A8	For Asus A8 A8JC A8Js A8JM A8F Z99 A32A8 Series
A32-M9		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 315g 199.00 x 45.00 x 16.00 mm Color: Black / White	A32-M9	For Asus M9V M94 A32-M9 M9A M9F M9.LW7
A32-M9(H)	The state of the s	Cell Type: Li-ion Voltage: 11.1V Capacity: 6600mAh Weight: 459g 200.00 x 64.00 x 16.00 mm Color: Black / White	POL-ING	TO FREE HE H
A32-S6	State William	Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 302g 205.00 x 44.00 x 17.00 mm Color: Metallic Grey	90-NEA1B1000, 90-NEA1B2000, A31-S6, A32-S6	For Asus S6 Series Laptop Battlery
A32-T12	New A	Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 318g 132.00 x 70.00 x 19.00 mm Color: Black	90-NQK1B1000Y, A32-T12, A32-X51	Replacement for Asus X51H, X51L, X51R, X51RL, T12, T12C, T12Er, T12Fg, T12Jg, T12Mg, T12Ug Laptop Battery
A32-U5F		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 303g 198.00 x 51.00 x 16.00 mm Color:Black	A32-U5, 90NE51B2000	For Asus U5, U5F Series
A32-Z94	TOWN PROPERTY PROPERTY.	Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight:344g 200.00 x 46.00 x 20.00 mm Color:Black	A32-Z94	For Asus A9T series

F	FOR ASUS			
Code	Image	Specification	Part No.	Replacement for
A32-U6	TOTAL MARKET	Cell Type: Li-ion Voltage:11.1V Capacity:4400mAh Weight: 320g 203.00 x 46.00 x 20.00 mm Color: Black	90-ND81B1000T, 90ND81B2000T, 90-ND81B3000T,	Asus U6S, U6Sg, U6V, U6Vc, U6E, U6Ep, Asus N2O Series
A32-U6(H)		Cell Type: Li-ion Voltage:11.1V Capacity:6600mAh Weight: 467g 202.00 x 63.00 x 20.00 mm Color: Black	A32-U6, A33-U6	
A33-W5F	The Name of Street, St	Cell Type: Li-ion Voltage: 11.1V Capacity: 6600mAh Weight: 448g 200.00 x 63.00 x 20.00 mm Color: White / Black	70-NHA2B1000, 70-NHA2B2000, 70-NHA2B3000, 90-NA12B1000, 90-NA12B2000, 90-NA12B3000, 90-NHA2B2000, 90-NHA2B2000, 90-NHA2B3000, A31-W5F, A32-W5F, A33-W5F	For Asus W5F, W5Fm, W5A, W5000A, W5600A Laptop Battery
A42-A2		Cell Type: Li-ion Voltage: 14.8V Capacity:4400mAh Weight:424g 262.00 x 46.00 x 21.00 mm Color: Black	90-N7V1B1000, 90-N7V1B1200, A42-A2	For Asus A2, A2C, A2D, A2G, A2H, A2K, A2L, A2S, A2T, A2000, A2000C, A2000D, A2000G, A2000H, A2000K, A2000L, A2000S, A2000T, A2508H, A2514H, A2534H, A2540H Series Laptop Battery
A42-A3		Cell Type: Li-ion Voltage: 14.8V Capacity:4400mAh Weight:424g 262.00 x 45.00 x 18.00 mm Color: Black	70-NA51B2100, 90-NA51B2000, 90-NA51B2100, 90-NA51B2200, 90-NA52B2000, A42-A3	For Asus A3, A3E, A3G, A3L, A3N, A3000, A3000E, A3000G, A3000L, A3000N, Z91, Z91E, Z91ER, Z91G, Z91L, Z91N, Z9100, Z9100E, Z9100ER, Z9100G, Z9100L, Z9100N Series Laptop Battery
A42-A4	10 to 10	Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 428g 119.00 x 103.00 x 16.00 mm Color: Black	70-N9X1B1000, 90-N9X1B1000, A42-A4	For Asus A4, A4D, A4G, A4Ga, A4K, A4Ka, A4L, A4S, A4000, A4000D, A4000G, A4000Ga, A4000K, A4000Ka , A4000L, A4000S Series Laptop Battery
A42-L5		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight:424g 261.00 x 43.00 x 17.00 mm Color: Black & White	15-100340000, 90-N7M1B1100, 90-N7P1B1100, A42-L5, A42l5	For Asus L5, L5C, L5D, L5G, L5000, L5000C, L5000D, L5000G, L5500, L5800, L5900 Series Laptop Battery
A42-M2		Cell Type: Li-ion Voltage:14.8V Capacity: 4400mAh Weight:407g 263.00 x 43.00 x 18.00 mm Color: Black / Silver	70-N651B1001, 90-N651B1010, A42-M2, AS-M2000NL, M2A/E-1A	For Asus M2, M2000, M2000-A, M2000-C, M2000-E, M2000-N, M2400 Series Laptop Battery



F	FOR ASUS			
Code	Image	Specification	Part No.	Replacement for
A42-M6		Cell Type: Li-lion Voltage: 14.8V Capacity: 4400mAh Weight:429g 265.00 x 46.00 x 19.00 mm Color: Black	15-100360301, 90-N951B1000, 90-N951B1100, 90-N951B1200, A42-M6	For Asus M6, M6N, M67, M67N, M68, M68N, M6000, M6000N, M6700, M6700N, M6800, M6800N Series Laptop Battery
A42-M7		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight:425g 263.00 x 47.00 x 17.00 mm Color: Black	A42-M7 70-N9Q1B1100 Z70VA Z70V Z7100A	Asus M7 SeriesASUS Z7, Z70, Z7000ASUS Z7000A, Z7000N, Z7000NE, Z7000VASUS Z7000VA, Z70A, Z70N, Z70NEASUS Z70V, Z70VA, Z71,Z7100ASUS Z7100A, Z7100N, Z7100NE, Z7100VASUS Z71A, Z71N, Z71NE, Z71V
A42-V6		Cell Type: Li-lion Voltage: 14.8V Capacity:4400mAh Weight:420g 266.00 x 51.00 x 21.00 mm Color: Black	90-NAA1B1000, S2691061 A42-V6	V6V6VV6000V6000V V6800 V6800V SeriesASUS VX1ASUS VX1-Lamborghin series
A42-W1		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 412g 266.00 x 43.00 x 15.00 mm Color: Silver	90-N901B1000, A42-W1	For Asus W1, W1000 Series Laptop Battery
W3		Cell Type: Li-lon Voltage: 14.8V Capacity: 4400mAh Weight: 421g 264.00 x 44.00 x 32.00 mm Color: Dark Silver	ASUS 90-NCA1B2000 W3- BATTERY 8 CELL	For Asus W3 Series Laptop Battery
EEEPC 701		Cell Type: Li-ion Voltage: 7.4V Capacity: 4400mAh Weight: 208g 134.00 x 40.00 x 30.00 mm Color: Black / White		
EEEPC 701(H)		Cell Type: Li-ion Voltage: 7.4V Capacity: 7200mAh Weight: 304g 133.00 x 42.00 x 37.00 mm Color: Black / White	A22-700B (EEE PC)	For Asus EeePC 701,900 Notebook4400mah Battery
ЕЕЕРС701(НН)		Cell Type: Li-ion Voltage: 7.4V Capacity: 10400mAh Weight: 403g 133.00 x 39.00 x 53.00 mm Color: Black		

F	FOR ASUS			
Code	Image	Specification	Part No.	Replacement for
EEEPC 900A		Cell Type: Li-ion Voltage: 7.4V Capacity: 4800mAh Weight: 212g 134.00 x 39.00 x 31.00 mm Color: Black / White		
EEEPC 900A(H)		Cell Type: Li-ion Voltage: 7.4V Capacity: 7200mAh Weight: 308g 134.00 x 53.00 x 30.00 mm Color: Black / White	AL22-703	Asus EeePC 900A 900HA 701SD 701SDX
EEEPC 900A(HH)		Cell Type: Li-ion Voltage:7.4V Capacity:10400mAh Weight: 397g 133.00 x 40.00 x 52.00 mm Color: Black / White		
EEEPC-901		Cell Type: Li-ion Voltage: 7. 4V Capacity: 6600mAh Weight: 307g 134.00 x 51.00 x 34.00 mm Color: Black / White	A22 001D	For Asia FEE DO 001 Notabask
EEEPC-901(H)	Will Company of the C	Cell Type: Li-ion Voltage: 7.4V Capacity: 1200mAh Weight: 491g 134.00 x 51.00 x 55.00 mm Color: Black / White	A22-901B	For Asus EEE PC 901 Notebook
EEEPC S101	San Marin Marin	Cell Type: Li-ion Voltage:7.4V Capacity:4900mAh Weight: 244g 233.00 x 64.00 x 8.00 mm Color: Black	ASUS EEE PC S101	AP22-U100 AP22-U1001
F3		Cell Type: Li-ion Voltage:11.1V Capacity:4400mAh Weight: 322g 200.00 x 48.00 x 21.00 mm Color: Black	90-NI11B1000, 90-NIA1B1000, A32-F3	Replacement for Asus M50Sa, M50Sr, M50Sv, ASUS F2, F3, M51, Z53 Series Laptop Battery
F5		Cell Type: Li-ion Voltage:11.1V Capacity:4400mAh Weight: 322g 145.00 x 72.00 x 15.00 mm Color: Black	90-NLF1B2000Y, A32-F5	Replacement for Asus F5, X50 Series Laptop Battery

FOR BENQ

F	FOR ASUS			
Code	Image	Specification	Part No.	Replacement for
F9		Cell Type: Li-ion Voltage:11.1V Capacity:4400mAh Weight: 321g 201.00 x 45.00 x 20.00 mm Color: Black	90-NER1B1000Y, 90-NER1B2000Y, A31-F9, A32-F9	Replacement for Asus F9 Series, F9Dc, F9E, F9F, F9J, F9S Laptop Battery
M3N	Waller de	Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 414g 263.00 x 46.00 x 19.00 mm Color: Silver	M3N4S2P, 90-N801B1000	For Asus M3N Series Laptop Battery
CN3		Cell Type: Li-ion Voltage:11.1V Capacity:4800mAh Weight: 306g 208.00 x 45.00 x 16.00 mm Color: Black	70-NLV1B2000M, 90-NLV1B1000T, 90-NLV1B2000T, 90-NQF1B1000T, 90-NQF1B2000T, A32-U1, NBP6A138	Asus U1,U3 Series,ASUS N10J,N10Jb, N10Jc,N10Jh,N10E

F	FOR BENQ			
Code	Image	Specification	Part No.	Replacement for
U101(H)	Mark Control	Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 312g 198.00 x 43.00 x 26.00 mm Color: Black	S0U-812; 916T7910F;	BenQ Joybook U101 Series
U101(HH)	The state of the s	Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 463g 200.00 x 64.00 x 16.00 mm Color: Black	2C.20E01.001;	Delia Jayouak OTOT Selles
SQU-409		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 315g 199.00 x 50.00 x 15.00 mm Color:Black	SQU-409	S52 S52E S53 T31 T31E S32 S31 S32W

F	FOR CLEVO			
Code	Image	Specification	Part No.	Replacement for
D220		Cell Type:Li-ion Voltage:14.8V Capacity:4400mAh Weight: 391g 271.00 x 32.00 x 15.00 mm Color:Blue	M22BAT-8, 87-22S8S-4EC	For CLEVO 2200, 2700, 2800 Series / D220S, D22ES, D270S, D27ES, M220S, M270S Laptop Battery
D400S		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 382g 105.00 x 98.00 x 15.00 mm Color:Blue	QXS-BAT-ION	For CLEVO Desknote, Portanote Series / D400, D410, D470 Series Laptop Battery
CL M375		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 332g 202.00 x 50.00 x 22.00 mm Color: Black / Sliver	87-M308S-4C5, M300BAT-6, M310BAT-6, M375BAT-6	For CLEVO M300 ,Inspiron M375 Inspiron M360 ,SINGHUA TONGFANG F3600 F5600 Series Laptop Battery

F	FOR DELL			
Code	Image	Specification	Part No.	Replacement for
640M		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 316g 202.00 x 44.00 x 19.00 mm Color: Black	Y9943, Y9947, Y9948, O9551, C9553, C9554,	For DELL Inspiron 630m, Inspiron 640m, PP19L, XPS M140 Laptop
640M(H)	The second state of the second	Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 463g 202.00 x 63.00 x 19.00 mm Color: Black	CC154, CC156, FC141, TC023, DC224, 312-0373	Battery
700M		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 420g 265.00 x 47.00 x 25.00 mm Color:Black	312-0305, C7786, F5136,Y4991	For DELL Inspiron 700m, 710m Series Laptop Battery
1310		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 310g 200.00 x 53.00 x 15.00 mm Color: Black	K738H T112C T114C T116C	Dell XPS M1310,Vostro 1510 Series

FOR **DEI**





F	FOR DELL			
Code	Image	Specification	Part No.	Replacement for
1310(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 457g 200.00 x 73.00 x 16.00 mm Color: Black	K738HT112CT114CT116C	Dell XPS M1310,Vostro 1510 Series
1691P		Cell Type: Li-ion Voltage: 14.8V Capacity: 4460mAh Weight: 405g 134.00 x 85.00 x 127.00 mm Color: Dark Grey	1691P, 312-0009, 312-0028, 312-3250, 5081P, 5208U, 53977, 66912, 75UVF, 3149C, 1K500, 2M400, 3H352, 3H625, 3K120, 6H410, 8M815, 77TCJ, 851UY	For DELL Inspiron 2500, 3700, 3800, 4000, 4150, 8000, 8100, 8200 Series / Latitude CP, CPI, CPIA, CPIC, CPID, CPIR, CPM, CPT, CPTV, CPX reises / Latitude C500, C510, C540, C600, C610, C640, C800, C810, C940, PPL, PPx / Precision M40, M50 / Precision Workstation M50 Laptop Battery
7012		Cell Type: Li-ion Voltage: 11.1V Capacity: 3600mAh Weight: 280g 200.00 x 81.00 x 14.00 mm Color: Dary Grey	7012P	DELL Latitude CS, Latitude CSX Series
C400		Cell Type: Li-ion Voltage: 11.1V Capacity: 3600mAh Weight: 279g 224.00 x 61.00 x 10.00 mm Color: Black	09H348, 0J245, 0J256, 0J268, 1J389, 1K300, 312-0025, 312-4609, 3J426, 451-10064, 4E368, 4E369, 4K001, 8H663, 9H348, 9H350, BDM01, Y0475	For DELL Latitude C400 Series Laptop Battery
D400		Cell Type: Li-ion Voltage: 11.1V Capacity: 3800mAh Weight: 282g 153.00 x 86.00 x 16.00 mm Color: Metallic Blue Grey	312-0095, 451-10142, 9T119, 9T255	For DELL Latitude D400 Series Laptop Battery
D410		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 328g 247.00 x 69.00 x 18.00 mm Color: Black	312-0314, 312-0315,	For DELL Latitude D410 Laptop Battery
D410(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 473g 247.00 x 95.00 x 18.00 mm Color: Black	Y5179, Y5180, Y6142	To DEEL Latitude D+TO Eaglity Dattedly
D420		Cell Type: Li-ion Voltage: 11.1V Capacity: 3600mAh Weight: 316g 271.00 x 83.00 x 12.00 mm Color: Black	JG172, KG046, CG386, 312- 0443, PG043, 312-0444, KG126, JG166, JG168, JG176, JG181, JG768, JG917.	For DELL Latitude D420 Series
D200		Cell Type: Li-ion Voltage: 11.1V Capacity: 4700mAh Weight: 314g 123.00 x 73.00 x 20.00 mm	0X217, 1X793, 310-4482, 310- 5195, 312-0068, 312-0191, 312-0309, 312-0408, 315- 0084, 3R305, 451-10132, 451-10194, 4P894, 6Y270, BAT1194, C1295, G2053A01, J2178, U1544, W1605, YD165	For DELL Inspiron 500m, 510m, 600m Series / Latitude D500, D505, D510, D520, D600, D610 Series / Precision M20, Mobile Workstation M20 Series Laptop Battery

F	FOR DELL			
Code	Image	Specification	Part No.	Replacement for
D620		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 321g 180.00 x 63.00 x 18.00 mm Color: Metallic Grey	312-0383, 312-0386, 451- 10297, 451-10298, J)634,	For DELL Latitude D620Laptop Battery
D620(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 490g 281.00 x 90.00 x 18.00 mm Color: Metallic Grey	PC764, TC030, TD175	
D800		Cell Type: Li-ion Voltage: 11.1V Capacity: 6600mAh Weight: 458g 268.00 x 63.00 x 19.00 mm Color: Grey	01X284, 2P700, 310-0083, 312-0083, 312-0101, 312-0121, 312-0195, 451-10125, 451-10130, 451-10151, 8N544, BAT1297, W2391, Y0956	For DELL Precision M60 Mobile Workstations / Latitude D800 Series / Inspiron 8500, 8600 Series Laptop Battery
D810		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 345g 182.00 x 72.00 x 18.00 mm Color: Black	310-5351, 312-0279,C5331, F5608, G5226, Y4367	DELL Latitude D810, Precision M70 Laptop
D810(H)	100	Cell Type: Li-ion Voltage: 11,1V Capacity: 7200mAh Weight: 454g 182.00 x 72.00 x 18.00 mm Color: Black		
D820		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 348g 206.00 x 78.00 x 19.00 mm Color: Metallic Grey	312-0393, 312-0394, 312- 0401, 312-0402, 451- 10308, 451-10309, 451-10326, 451-10327,	For DELL Latitude D531, Latitude D820, Precision M65 Laptop Battery
D820(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 468g 206.00 x 78.00 x 19.00 mm Color: Metallic Grey	CF623, Cf704, CF711, DF192, DF249, XD739, YD623, YD626	
D1300		Cell Type: Li-lion Voltage: 11.1V Capacity: 4800mAh Weight: 320 201.00 x 9 g 201.00 x 48.00 x 18.00 mm Color: Black	312-0416, 0XD184, XD184, KD186, TD611, TD612, UD535, XD184, XD186,	Replacement for DELL Inspiron 1300, Inspiron B120, Inspiron B130
D1300(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 8800mAh Weight: 584g 201.00 x 52.00 x 38.00 mm Color: Black	HD438, CGR-B-6E1XX, TD429.	



F	FOR DELL			
Code	Image	Specification	Part No.	Replacement for
D1000 D1200/D22000		Cell Type: Li-ion Voltage: 14,8V Capacity: 4400mAh Weight: 406 g 144,00 x 74,00 x 14,00 mm Color: Dark Grey	312-0292, 312-0326, 312-0335, G9812, H9566, M5701, T5443, W5543	Replacement for DELL Inspiron 1200, Inspiron 2200, Latitude 110L
D1400		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 311g 205.00 x 46.00 x 15.00 mm Color: Black	MN151,WW116	For Dell Inspiron 1400, 1420 Vostro 1400, 1420 Series Laptop Battery
D1400(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 468g 205.00 x 64.00 x 16.00 mm Color: Black		
D1520		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 315g 205.00 x 45.00 x 15.00 mm Color: Black	GK479,FK890	For DELL Inspiron 1500 1520 1521 1720 1721 e1520 Series Laptop Battery
D1520(H)	THE PARTY AND AND ADDRESS OF THE PARTY AND ADD	Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 463g 205.00 x 65.00 x 16.00 mm Color: Black		
D1525		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 312g 200.00 x 53.00 x 18.00 mm Color: Black	312-0625 , 312-0633 , 451-10478 451-10533	DELL Inspiron 1525 ,DELL Inspiron 1526
D1525(H)		Cell Type: Li-lion Voltage: 11.1V Capacity: 7200mAh Weight: 456g 216.00 x 74.00 x 17.00 mm Color: Black	451-10478 , 451-10533 , d608h , hp297 , m873	OLEE ROOMUT TOEO, IDEEL ROOMUT TOEU
D1535		Cell Type:Li-ion Voltage: 11.1V Capacity:4800mAh Weight: 31.4g 209.90 x 47.50 x 20.40 mm Color:Black	KM904 KM905 MT264 MT276 PW773 WU946 WU960 WU965 PW77	Dell Studio 1535 1536 Series
D2650		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 414g 116.00 x 107.00 x 19.00 mm Color: Dark Grey	1G222, 2G218, 2G248, 2N135, 312-0022, 461-7299, 7F948, 8F867, 8F871, 8F967, BAT-I2600, BAT3151L8, IM-M150290-GB	For DELL Inspiron 2600, 2650 Series Smart PC100N, Winbook N4Laptop Battery

F	FOR DELL			
Code	Image	Specification	Part No.	Replacement for
D3500		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 470g Color: Black	312-001, 3932D, BAT-I3500, IM-M150258-GB	Inspiron 3500 D233XT, Inspiron 3500 D266GT ,Inspiron 3500 D300GT
D5100		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 437g 152.00 x 110.00 x 18.00 mm Color: Grey	312-0296, 312-0079, 310-5205, 310-5206, 451-10117, 451-10183,	For DELL Inspiron 1100, 5100 / Dell Latitude 100L Laptop Battery
D5100(H)		Cell Type: Li-ion Voltage: 14.8V Capacity: 6600mAh Weight: 606g 152.00 x 110.00 x 18.00 mm Color: Grey	451-10117, 451-10183, 6T473, 717670, 8Y849, 9T686, BATDWOOL, F0590A01, J2328	To Deed regiment 1100, 01007 con equitate 1000 equipp equipy
D6400		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 320 g 205.00 x 68.00 x 18.00 mm Color: Black	GD761,KD476	For DELL Inspiron 6400, Inspiron E1505, Laptop Battery
D6400(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 465 g 205.00 x 68.00 x 18.00 mm Color: Black		
D7000		Cell Type: Li-ion Voltage: 14.8V Capacity: 7200mAh 142.00 x 93.00 x 18.00 mm Color: Black	Dell 2523T,Dell 2941E, Dell 312-0508,Dell 6171R, Dell 7491,Dell 8649R,Dell 8823E, Dell 9943E,DellBAT-2523T, Dell IM-M150171-FR, Dell IM-M150171-GB, HPBAT-301L,HP F1450-80002, HP F1450-80004,HP F1450A	Dell Inspiron 7000 D266GT,Dell Inspiron 7000 D300LT,Dell Inspiron 7000,Dell Inspiron 7500,HP OmniBook 7100,HP OmniBook 7150,COMPAL TS301,COMPAL TS3013,PIONEX TS301,QUANTEX i1410,QUINTEK i1401,SCEPTRE SoundX S5500T
ST		Cell Type: Li-ion Voltage: 11.1V Capacity: 3600mAh Weight: 279g 258.00 x 63.00 x 11.00 mm Color: Dark Grey	21KEV, 2834T, 312-7209, 451-10017, 4834T, 5819U, 942RV, BAFLS, IM-M150269, IM-M150269-GB	For DELL Latitude L400, LS, LST Series / Inspiron 2000, 2100, 2800, Z100 Series Laptop Battery
D9200		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 339g 205.00 x 68.00 x 18.00 mm Color: Black	310-6321,312-0340,D5318, 310-6322,312-0339, 312-0348, 312-0349312-0350,	For DELL Inspiron 6000, inspiron 9200, Inspiron 9300, Inspiron 9400,XPS M170, Inspiron XPS M1710, Inspiron XPS Gen 2, Inspiron E1705 Laptop Battery
D9200(H)	The same of the sa	Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 460g 205.00 x 68.00 x 18.00 mm Color: Black	312-03-961-2-03-90, C5974,D5318,F5635, G5260,G5266,U4873	





F	FOR DELL			
Code	Image	Specification	Part No.	Replacement for
Mini9		Cell Type: Li-ion Voltage: 14.8V Capacity: 2400mAh Weight: 219g 135.00 x 57.00 x 17.00 mm Color: Blackr	Mini 9	Dell Inspiron Mini 9 umpc 8.9" (all series) Dell Inspiron Mini 9n umpc 8.9" (all series)
Mini9(H)	Test Committee	Cell Type: Li-ion Voltage: 14.8V Capacity: 4800mAh Weight: 490g 135.00 x 57.00 x 35.00 mm Color: Blackr		Dell Inspiron Mini 910 umpc 8.9° (all series)
M1210		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 310 g 202.00 x 45.00 x 21.00 mm Color: Black	312-0435, 312-0436, 451-10356, 451-10357, 451-10370, 451-10371,	For Dell XPS M1210 Series Laptop Battery
M1210(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 461 g 201.00 x 64.00 x 21.00 mm Color: Black	451-1037/1, 451-10371, C6036, C6039, HF674, NF343	
M1330		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 318g 202.00 x 47.00 x 25.00 mm Color: Black	312-0566,312-0567, 451-10473,451-10474,	DELL XPS M1330 Laptop Battery
M1330(H)	The same of the sa	Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 471g 271.00 x 60.00 x 38.00 mm Color: Black	PU566,PU563,TT485, WR050	
M1530		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 320g 201.00 x 46.00 x 24.00 mm Color: Black	RU006 TK330 TK369	DELL: XPS M1530 M1500 Series
M1530(H)	Top of the second	Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 480g 313.00 x 49.00 x 41.00 mm Color: Black		

F	FOR DELL			
Code	Image	Specification	Part No.	Replacement for
V1200		Cell Type:Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 312g 199.00 x 57.00 x 15.00 mm Color: Black	RM628, BATFT00L4, BATFT00L6, 4UR18650-2-T0044, 3UR18650-2-T0044	Dell Vostro 1200 series, Compal JFT00 series
X1		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 294g 198.00 x 47.00 x 16.00 mm Color: Silver	312-0341,312-0342, T6840,U6256, X6753, Y6457	For DELL Latitude X1 Series Laptop Battery
X200(L)		Cell Type: Li-ion Voltage: 7.4V Capacity: 3600mAh Weight: 185g 207.00 x 45.00 x 10.00 mm Color: MetallicSilver	0K619, 0K630, 1J749, 1K090, 2K184, 312-0058,	Replacement for DELL Latitude X200 Laptop Battery
X200(H)		Cell Type: Li-ion Voltage: 7.4V Capacity: 8800mAh weight: 468g 268.00 x 92.00 x 20.00 mm Color: MetallicSilver	451-10213, 8U443, BAT-X200,IM-M150714-GB	nepiazemeni (ili DELL Latillude AZOO Lapiuly battery
X300		Cell Type: Li-ion Voltage: 14.8V Capacity: 1900mAh Weight: 197g 206.00 x 47.00 x 11.00 mm Color: Silver	312-0106, 312-0107, 312-0298, 451-10148, 451-10149, C6109, F0993,	For DELL Latitude X300,300M Series Laptop Battery
X300(H)		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 448g 268.00 x 90.00 x 20.00 mm Color: Silver	451-10149, 10993, G0767, P0382, W0465, X0057, Y0037	rui DEEE Eduiule ADUU,DUUMi JeileS Edplup Oditely

FOR **FOUNDER**

FOR FUJITSU&UNWILL

Laptop Batteries Top UN

FOR FUJITSU&UNWILL

	_	
Laptop Batteries	lop	ON

F	FOR FOUNDER			
Code	Image	Specification	Part No.	Replacement for
G10		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 319g 198.00 x 50.00 x 35.00 mm Color: Black White	G10-3S4400-S1B1,	BIG2 B102 B109
G10(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 457g 198.00 x 50.00 x 19.00 mm Color: Black White	G10-3S3600-S1A1.	nine ping ping

J		Color: Black White					
F	FOR FUJITSU&UNWILL						
Code	Image	Specification	Part No.	Replacement for			
BP49	A PERSONAL PROPERTY.	Cell Type: Li-ion Voltage: 11.1V Capacity: 2400mAh Weight: 162g 201.00 x 24.00 x 16.00 mm Color: Silver	FMVLBP103, FPCBP49	FMV-LifeBook 270LS,FMV-LifeBook 270LS,W1,LifeBook P1110,LifeBook P1120,LifeBook P2000 Series,LifeBook P2040,LifeBook P2046,LifeBook P2110,LifeBook P2120,LOOX S734W,LOOX S8770,LOOX S8770W,LOOX S80B,WLOOX S80C,WLOOX S9/70,LOOX S80F,WLOOX S80C,WLOOX S9/70,LOOX S9/70W,LOOX T8/80,LOOX T8/80,LOOX T9/80W,LOOX T9			
BP69	SQUAREST AND ADDRESS OF THE PARTY OF THE PAR	Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 315g 201.00 x 43.00 x 15.00 mm Color: Silver	FMVNBP117, FMVNBP118, FPCBP100AP, FPCBP68, FPCBP69AP	FMV-BIBLO LOOX T50E,FMV-BIBLO LOOX T50E/W,FMV-BIBLO LOOX T50G/W,FMV-BIBLO LOOX T50G/W,FMV-BIBLO LOOX T50G/W,FMV-BIBLO LOOX T60D,FMV-BIBLO LOOX T60D,FMV-BIBLO LOOX T70D,FMV-BIBLO LOOX T70E,FMV-BIBLO LOOX T70G,FMV-BIBLO LOOX T90D,FMV-LifeBook 7090MT4,LifeBook B3000D,LifeBook B3010D,LifeBook B3020D,LifeBook B5010,LifeBook P5010,LifeBook P5010D,LifeBook P5020,LifeBook P5020D			
BP96		Cell Type: Li-ion Voltage: 11.1V Capacit: 4800mAh Weight: 426g 204.80 x 49.00 x 20.50 mm Color: Black	FM/NBP123, FPCBP82, FPCBP82AP, FPCBP82Z, FPCBP96, FPCBP96Z	LifeBook S7011,LifeBook S7021,LifeBook S7025,Stylistic ST503			
BP8050	The state of the s	Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 317g 201.00 x 43.00 x 16.00 mm Color: Balck	441681700001 441681760001 441681772101	Advent 8050, BlueDisk Artworker 8050,8050D, Bullman A-Klasse 6 CEN, Packard Bell Easy Note R1004, R2 Series, R2000, R3 Series, R3320, R3400, R4 Series, R4250, R4340, R4355, R4360, R4510, R4622, R4650, R5 Series, R5155, R5175, R6 Series, R6512, R7 Series, R7710, R7720, R7725, R7745, R8 Series,			
BP8050(H)	Manual Property and a second	Cell Type: Li-ion Voltage: 11.1V Capacity: 6600mAh Weight: 4699 204.00 x 64.00 x 16.00 mm Color: Black	7035210000 BP-8050 BP-8050 (S) BP-8050(S) BP-8050i	R8720,R8740,R8770,R9 Series,R9200, R9252,R9500,QDI M-8050D,QDI Millennium 8050D Silmiline Widescreen,Siemens Amilo D1420,L1300,L1310,M1420,Systemax Neotach 3300,Winbook W300 Series (8050D), W320,W322,W340,W360,W362,W364,Yakumo 8050,Yakumo Q7M Mobilium Wide II YW, Yakumo Q7M Mobilium Wide YW			

F	FOR FUJITSU&UNWILL					
Code	Image	Specification	Part No.	Replacement for		
BP-8089		Cell Type:Li-ion Voltage:11.1V Capacity:4800mAh Weight:443g 200.00 x 65.00 x 16.00 mm Color: Black	442677000001 442677000003 442677000004 442677000005 442677000007 442677000010 442677000013 442682800001 442682800002 442682800004 442682800008 442682800014 442682800015 442682800018	Advent, Gericom, Medion, Mitac MiNote 8089, 8089P, 8389, 8889NEC Versa E680, M500 ;Fujitsu-Siemens Amilo K7600 ; Gericom Bellagio 8089 GERICOM - Bellagio 1440 GERICOM Bellagio 1540 ;Packard Bell Easy Note E1, E3, E5, E6, MIT-NYN0Z, MIT-LYN01 LYN02 LYN08, MIT-CAIO CAIOZ Series. Easy Note E1245 E1260 E1280 E1510, Easy Note E3204 E3208 E3215		
BP-8089(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 473g 200.00 x 65.00 x 16.00 mm Color: Black	442682800027 442682800030 442682840004 442683000001 6903120000 7001820000 7009510000 7018440000 7018840000 7038840000 3CGR18650A3-MSL BP-8089 8089P 8089X 8389, BP-LYN	E3220 E3225 E3227 E3228 E3240 E3242 E3244 E3245 E3246 E3248 E3250 E3255 E3256 E3256 E3265 E3265 E3265, Easy Note E5138 E5140 E5141 E5142 E5145 E5146 E5147 E5151LE E5155SE E5285 E5412, Easy Note E4710 E4, E6310 E6307 E6300 E6037 E6000 Series.		
BP-8X81	Remarks	Cell Type: Li-ion Voltage: 11,1V Capacity: 4400mAh Weight: 334g 200.00 x 46.00 x 18.00 mm Color: Black	44167730001,441677310001, 441677365001,441677365101, 441677365001,441677365101, 44167739001,441677393001, 441677392001,441677393001, 441677394002,441677398001, 441677397001,44167739801, 441677399001,441677399201, 441680000034,441680020002, 40004227,BP-8381,BP-8X81	Medion: MD41017,MAM2010,8381 Series Mitac: MiNote 8081,MiNote 8081P,MiNote 8381 Series Winbook: A100,C200,C220,C225,C226 C240 Series Cytron: MD40400		
L50-3S4000		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 323g 197.00 x 49.00 x 16.00 mm Color: Black	L50-3S4000-C1L1, L50-3S4000-C1S1	For Fujitsu-Siemens Amillo Pi1505 Pi1506 Series		
M1010	Altr1	Cell Type: Li-ion Voltage: 14.8V Capacity: 2400mAh Weight: 215g 135.00 x 50.00 x 18.00 mm Color: Black	CWXXXSYA4,NYNA-WJ,	Fuijitsu Lifebook M1010 CW0AO		
M1010(H)	1011	Cell Type: Li-ion Voltage: 14.8V Capacity: 4800mAh Weight: 410g 135.00 x 64.00 x 34.00 mm Color: Black	\$26393-V407-V341-01-0842	Topico Eloccock (TTO TO OTTO). Co		
N222	The second second	Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 322g 196.00 x 45.00 x 17.00 mm Color: Silver	Averatec / Twinhead / GERICOM: 222, SA84-8634000-00, 23-050000-12, 23-050000-18, 23-0500000-23, 23-050000-23, 23-050170-10, 63-040103-10, 84-606000-C5, AV-3150, BATN222, LBAVJSKL, SA230501700, SA23-050170-00, SA23-6500701, SA23-62500701, SA23-62500701, SA23-63400000, SA23-62500701, SA23-63400000-12, N222, Winhead 23-050000-12, N222, Efic 2300, 63-040103-10	BAYCOM Worldbook SUB 2, SUB III Gericom X5, X5 Force, P14, P14G, P14G-PS Hyperdata Ultra Slim 2300 Peacock Independer R, Independer R WW TARGA Traga Traveller XTR Twinhead Efb 121, efib 2300, 2310, 2390, 2400, 2500, 2600, 3200, 3210, 2600, efib2300 CTZ Combo, efib2300 CTZ Mobile, efib2310 P1Z Mobile, N222 Serie, N222, N228, 63-040103-10, BATN222, NOVAN 1012 Series, UN22, N222S, 63-040103-10, BATN222, NOVAN 1012 Series, UN22, N222S, 63-040103-10, BATN222, NOVAN 1012 Series, S3000 Series, 3300H, 3000HD, 3050HS, 3050HW, 3050F3, 120 Series, 3300 Series, 3300 Series, 3360EG, 3360EH, AV3220H1-01, AV3225HS-20, AV3250HY-01, AV3250FY-01, AV3255P1-01, AV3250EH-01, AV3350-EG1, AV3350-EH1, S13120V-01, S13150H-01, S13150HS-01, S13150HS-		

FOR GATEWAY

F	FOR FUJITSU&UNWIL	L		
Code	Image	Specification	Part No.	Replacement for
UN223		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 326g 197.00 x 49.00 x 16.00 mm Color: Black	223-3\$4000-\$1P1, 23-UF4A00-0A, 3\$4000-F1P1	For Uniwill 223, N223 Series For WinBook X510, X520,X530 Series For ROVERBOOK W200 Series
UN243	TO THE STATE OF TH	Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 417g 196.00 x 64.00 x 16.00 mm Color: Black	23-U74201-31,23-U74204-00 23-U74204-10,23-UB0201- 20,23-UD3202-00, 243-454400-520, BAT-24351,UN243,UN243S UN24351,UN243S1-T,UN243S8 UN243S8-P,UN243S9, UN243S9-P N243,N244 SERIES	For Fujitsu UN242S1-S1 Battery - Fits Amilo EL6800 and EL6810 Series
UN255		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 331g 197.00 x 49.00 x 18.00 mm Color: Black	255-3S4400-F1P1, 255-3S4400-G1L1, 255-3S4400-S1S1	For Fujitsu-Siemens: Amilo A-1640, Amilo A-7640, Amilo M-1405, Amilo M-1424, Amilo M1425, Amilo M1425(B), Amilo M7405, Amilo M7425
UN755	America Martin Parameter Control of the Control of	Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 410g 118.00 x 103.00 x 15.00 mm Color: Black	23-UD4000-3A,23-UD4200-00, 23UD40003A,63-UD4024-30, 755-4\$4000-F1P1, 755-4\$4000-S1P1, 755-4\$4400-S2M1, 755-4\$4400-C1S1, 755-4\$4400-S2M1, 7554\$4400-S2M1, 7554\$4400S2M1, A5527524,UN755	For Uniwll UN755, For Fujitsu-Siemens Amilo 755,Amilo A8620,Amilo D6830 For Gericom 755 Series.

F	OR GATEWAY			
Code	Image	Specification	Part No.	Replacement for
GTW 400		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 411g 130.00 x 93.00 x 15.00 mm Color: Gray	6500711,6500712,1528266, 61527196,6500671,6500710, 3UR18650F.2-QC-OA1A, 6500663,6500716,6500718, 6500719,6500760,6500761, 6500818,6500819,450SP, 450SX4,450X,450E,450RGH, 450ROG,450XL,SQU-203,400VTX.	For Gateway 400L,400SD4,400X,400XL,400VTX,450L,450R0G,450SX4, 450X,450XL Notebook Computers
GTW 600	11.25	Cell Type: Li-ion Voltage: 11.1V Capacity: 6600mAh Weight: 458g 168.00 x 83.00 x 18.00 mm Color: Silver	6500707, 6500650, 3UR18650F-3-QC-7A.	For Gateway Solo 600, Gateway Solo 600YG2, Gateway Solo 600YGR, Gateway M600,Series
SQU-517		Cell Type: Li-ion Voltage: 14.4V Capacity: 4800mAh Weight: 388g 265.00 x 44.00 x 17.00 mm Color: Black	AHA63224A34, AHA63224819, AHA63224614, AHA63226064	replacement for SQU-517,413, 412.

FOR HASEE For HP&COMPAQ		Lap	top Batteries	Top UN
OR HASEE				
-	Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh	1500 8028.	Q100 Q100C Q100P	

FOR **HASEE**

Q100		Cell Type: Li-lion Voltage: 11.1V Capacity: 4400mAh Weight: 325g 199.00 x 16.00 x 15.00 mm Color: White	1500 8028.	Q100 Q100C Q100P
	FOR HP&COMPAQ			
Code	Image	Specification	Part No.	Replacement for
2133		Cell Type: Li-ion Voltage: 11.1V Capacity: 2400mAh Weight: 169g 204.00 x 33.00 x 18.00 mm Color: Silver	HSTNN-DB63,AL225AA,	HP 2133 Mini PC series 2133 Mini-Note PC KX868AT2133 Mini-Note PC KR939UT2133 Mini-Note PC
2133(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 314g 204.00 x 34.00 x 38.00 mm Color: Silver	ku528AAHSTNN-IB64	KR954UT2133 Mini-Note PC KE948UT2133Pavilion dv 21332133 Mini PC2133 Mini-Note PC KX869AT2133 Mini-Note PC KR922UT
B1200(L)		Cell Type: Li-ion Voltage: 14.4V Capacity: 2400mAh Weight: 214g 141.00 x 49.00 x 17.00 mm Color: Black	447649-251, 454001,001	FOR HP B1200,B1216,B1217 SERIES.
B1200	344	Cell Type: Li-ion Voltage: 14.4V Capacity: 4800mAh Weight: 410g 140.00 x 59.00 x 36.00 mm Color: Black	454001-001, HSTNN-DB53.	TOTTII DIZOGDIZIO,DIZIT OLIILO.
B1900		Cell Type: Li-ion Voltage: 14.4V Capacity: 2400mAh Weight: 215g 260.00 x 51.00 x 25.00 mm Color: Black	HSTNN-DB36	For HP B1900 Series Laptop battery
B1900(H)	Annaly.	Cell Type: Li-ion Voltage: 14.4V Capacity: 4400mAh Weight: 430g 200.00 x 74.00 x 25.00 mm Color: Black	HSTNN-UB36	
B2000		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 298g 200.00 x 44.00 x 16.00 mm Color: Black	LG,LB32111B, LB52113B, LB52113D, LHBA0GANONE, LMBA06 AEX, LSBA06 AEX	For HP B2000 Series For LG LE50,LM Series,LM40,LM50,LM60,LM60 Express,LM60-3B5C1,LM60-CBJA,LM70 Express,LM70-CRXA,LS45,LS50 Series,LS50-AGHF1,LS50-AGHU1,LS55,LS55 Express ,LS55-1EFA,LS55-1GJA,LS70,LS70 Express,LS75,LS75,Express LW Series,LW40 Express,LW40 Express,LW60-B3M44A,LW60-BAJA,LW60-D2JA,LW60-DBJA, LW60-CCMA,LW65 Express,LW65 Series,LW70,LW70 Express LW70-QJMA,LW70-QLZA,LW75 Express,LW75 Series,R1 Pro Express,Dual R1 Series,R1-C001A9,R1-C002A9,S1 Express Dual S1 Pro Express Dual,S1 Series,T1 Express Dual,T1 Series,V1-W4WHV



	FOR HP&COMPAQ			
Code	Image	Specification	Part No.	Replacement for
B2800	- Marian A	Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 306g 204.30 x 45.20 x 21.21 mm Color:Black	405231-001, 407672-001, HSTNN-CB25.	For HP COMPAQ Presario B2800 Series, B2801TX, B2802TX, B2803TX, B2804TX, B2805TX, B2806TX, B2807TX, B2808TX, B2809TX, B2810TX, B2811TX, B2815TX, B2813TX, B2814TX, B2815TX, B2816TX, B2817TX, B2818TX, B2819TX, B2820TX, B2821TX, B2822TX, B2823TX, B2824TX, B2825TX, B2826TX, B2822TX, B2828TX, B2829TX, B2830TX, B2831TX.
CPQ 700		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 399g 148.00 x 72.00 x 15.00 mm Color: Black	196345-B21,196345-B22, 246437-001,246437-002, 247050-001,247051-001.	For COMPAQ EVO N105,N115 Series/Presario 700 Series Laptop Battery
CPQ N800		Cell Type: Li-ion Voltage: 14.4V Capacity: 4400mAh Weight: 417g 146.00 x 76.00 x 16.00 mm Color: Dark Gray	182281-001, 190336-001 191169-001, 191258-B21 191259-B21, 192835-001 198709-001, 200002-001 234219-B21, 239551-001 240258-001, 338669-001	For COMPAQ EVO N160, N800, Presario 2800 Series Laptop Battery
CPQ N1000		Cell Type: Li-ion Voltage: 14.4V Capacity: 4400mAh Weight: 417g 146.00 x 76.00 x 16.00 mm Color: Dark Blue	182281-001,190336-001, 191169-001,191258-B21, 191259-B21,192835-001, 198709-001,200002-001, 234219-B21,239551-001, 240258-001.	For COMPAQ N1000 Series/Presario 900 Series/Presario 1500 Series Laptop Battery
CPQ 1600		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 412g 148.00 x 77.30 x 20.10 mm Color: Black	197596-001,202960-001, 222115-001,222116-001, 292861-001,293768-002, 293818-001,293768-001, 330935-001,330986-B21, 332283-001,338647-001, 347737-001,347737-002, 388645-B21,388648-001.	For COMPAQ Presario 1200,1200XL,12XL,14XL,1600,1600XL,1800,1800XL, 18XLSeries Laptop Battery
CPQ 1700		Cell Type: Li-ion Voltage: 14.4V Capacity: 4400mAh Weight: 417g 146.00 x 76.00 x 16.00 mm Color: Dark Gray	182281-001,190336-001, 191169-001,191258-B21, 191259-B21,192835-001, 198709-001,200002-001, 234219-B21,239551-001, 240258-001.	For COMPAQ Presario 1700,17XL Series Laptop Battery
CPQ 2700	R. C. T. S.	Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 421g 138.00 x 82.00 x 16.00 mm Color: Black	233336-001,235883-B21	EVO N180 Series presario 2700
CQ40/CQ45		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 413g 166.00 x 82.00 x 16.00 mm Color: Black	HSTNN-Q34C,HSTNN-C51C, HSTNN-W48C,HSTNN-W49C, HSTNN-W50C	FOR HP Compaq CQ40,CQ45,CQ50.

FOR HP&COMPAQ

	FOR HP&COMPAQ			
Code	Image	Specification	Part No.	Replacement for
DV7	Market 15	Cell Type: Li-ion Voltage: 14.4V Capacity: 4800mAh Weight: 418g 266.00 x 47.00 x 16.00 mm Color: Black		HP Pavilion dv7-1240us,dv7/CT,dv7t,dv7t-1000,dv7z,dv7z-1000,dv7-
DV7(H)	F 1	Cell Type: Li-ion Voltage: 14.8V Capacity: 7200mAh Weight: 595g 265.00 x 47.00 x 36.00 mm Color: Black	464059-141, HSTNN-IB75	2011TX,HP Pavilion dv7-1000 Series dv7000 dv7100
DV1000		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 316g 200.00 x 47.00 x 16.00 mm Color:Black	367759-001,PF723A,	For HP Special Edition L2000/Pavilion DV1000,DV1600,DV1700,DV5000,DV5100,DV5200,ZE2000,ZE2000T,
DV1000(H)		Cell Type: Li-ion Voltage: 10.8V Capacity: 8800mAh Weight: 600g 200.00 x 55.00 x 34.00 mm Color: Black	HSTNN-IB09,PM579A.	ZE2000Z,ZE2100,ZE2200,ZE2300,ZT4000 Series Laptop Battery
DV2000	THE THIE	Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 309g 202.00 x 46.00 x 16.00 mm Color: Black	HSTNN-DB31,432306-001	For HP Pavilion Dv2000, Dv6000, Presario V3000, V6000 Laptop Battery
DV2000(H)		Cell Type: Li-ion Voltage: 10.8V Capacity: 8800mAh Weight: 612g 202.00 x 54.00 x 37.00 mm Color: Black		TOUGH EARLY STATES OF THE STAT
DV3000		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 312g 200.00 x 48.00 x 15.00 mm Color: Black	HSTNN-151C	For HP Pavilion DV3000
TC1000		Cell Type: Li-ion Voltage: 11.1V Capacity: 3600mAh Weight: 275g 122.00 x 104.00 x 8.00 mm Color: Black	301956-001, 302119-001, 303175-B25, 348333-001, DC907A	For COMPAQ Tablet PC TC100 / TC1000, TC1100 Series Laptop Battery



	FOR HP&COMPAQ			
Code	Image	Specification	Part No.	Replacement for
DV8000		Cell Type: Li-ion Voltage: 14.4V Capacity: 4400mAh Weight: 435g 201.00 x 65.00 x 17.00 mm Color: Black	395789-001, EF419A,EG417AA, HSTNN-DB20,	For HP Pavilion dv8000,dv8100,dv8200,dv8300 Series Laptop Battery
DV8000(H)		Cell Type: Li-ion Voltage: 14.4V Capacity: 7200mAh Weight: 609g 200.00 x 65.00 x 36.00 mm Color: Black	HSTNN-1B20, HSTNN-0B20.	
DV9000		Cell Type: Li-ion Voltage: 14.4V Capacity: 4400mAh Weight: 426g 267.00 x 47.00 x 17.00 mm Color: Black	416996-131,434674-001, 5,09744,5504244	Replacement for HP Pavilion dv9700/CT,HP Pavilion
DV9000(H)		Cell Type: Li-ion Voltage: 14.4V Capacity: 7200mAh Welght: 608g 267.00 x 50.00 x 35.00 mm Color: Black	EV087AA,EX942AA.	dv9000,dv9100,dv9200,dv9500,dv9600 Series Laptop Battery
E500		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 428g 139.00 x 94.00 x 17.00 mm Color: Black	146252-B25,159524-001, 159529-001,166355-002, 192017-001,230607-001.	For COMPAQ Armada V300,V500,E500 Series Laptop Battery
F1739A/XE2	CORN. AND THE SECOND	Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 422g 270.00 x 53.00 x 17.00 mm Color: Dark Grey	4UR18650-2-7, F1753-60978, F1739A.	For HP Omnibook XE,XE2 Series/Pavilion N3000,N3100,N3200,N3300,N3400 Series Laptop Battery
F2019A		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 422g 134.00 x 81.00 x 17.00 mm Color: Dark Grey	3UR18650F-2-QC-RT2, 3UR18650P-2-QC-RT, CGR-B/634AE,CGR-B/650AE, F2019,F2019-60901, F2019-60902,F2019A, F2019B,F2072-60906	For HP Omnibook 6000,6000B,6000C,6100,VT6200,XT6050,XT6200 Series/Pavilion N6000,N6100,N6195,N6490 Series Laptop Battery
F2024/XE3		Cell Type: Li-lion Voltage: 11.1V Capacity: 6600mAh Weight: 466g 175.00 x 28.00 x 17.00 mm Color: Ultramarine	2111,3933H,F2024, F2024-80001,F2024-80001A, F2024A,F2024B,F2111- 60901, F2193,F2193-80001, F2193-80001A,F3924HR, F3925-60901,F3928HR,	For HP Omnibook XE3, XE3B, XE3C, XE3-GB, XE3-GC, XE3-GD, XE3-GE, XE3-GF, XE3L Series / Pavilion 5000, N5000, N5100, N5200, N5300, N5400 Series Laptop Battery

FOR HP&COMPAQ

	FOR HP&COMPAQ			
Code	Image	Specification	Part No.	Replacement for
F2098	The state of the s	Cell Type: Li-ion Voltage: 11.1V Capacity: 3600mAh Weight: 278g 150.00 x 83.00 x 11.00 mm	F2098, F2098A	For: HP OmniBook 500,500B,510 series,Pavilion XU155,ZU175,ZU1155,ZU1175 series for Lenovo 3000 N Series N200 (F2098-60001)
F2299A	STATE OF THE SECOND	Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 320g 275.00 x 47.00 x 18.00 mm Color: Dark Blue	F2299A	For HP Pavilion Notebook XZ,ZT Series/Omnibook ZT Series Laptop Battery
F2299A(H)		Cell Type: Li-ion Voltage: 14.8V Capacity: 4800mAh Weight: 412g 275.00 x 47.00 x 18.00 mm Color: Black		Replacement for HP OmniBook XT1000M-F3434H,HP Omnibook XT100,XT1000,XT1000S,XT1500,XT1000,XZ,ZT,ZT1000,ZT1114,ZT1120,ZT1130,Z T1150,ZT1170,ZT1180,ZT1190,ZT1200,ZT1210,ZT1230,ZT1243,ZT1250, ZT1260,ZT1270,ZT1290 Series Laptop Battery
F4486		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 414g 128.00 x 89.00 x 17.00 mm Color: Black	CGR-B1870AE, F4486-60001, F4486, F4486A, F4486B.	For HP Pavilion XF,ze1100,ze1200 Series Laptop Battery,Acer Aspire 1300.
F4809A	-	Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 418g 129.00 x 89.00 x 17.00 mm Color: Black	361742-001,371785-001, 371786-001,383615-001, 916-2150,F4098A, F4809-60901,361742-001, F4809A.	For HP OmniBook xe4, xe4000, xe4100, xe4400, xe4400 BT0 Base Model, xe4400 BT0 Special,xe4500 Series/Pavilion xt1,xt2,xt3,xt4,xt5,xt4300,xt5300,xt5400,ze4000,ze4100,ze4200,ze4300,ze4400,ze4500,ze5400,ze500,ze5200,ze5300,ze5300,ze5600,ze5700 Series/Business,notebookrx9000,nx9005,nx9008,nx9010,nx9020,nx9030,nx90 40 Series Laptop Battery
HP500		Cell Type: Li-ion Voltage: 14.8V Capacity: 2200mAh Weight: 226g 263.00 x 34.00 x 19.00 mm Color: Black	434045-141,434045-621, HSTNN-IB39	HP 500,520
HP510		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 419g 264.00 x 55.00 x 19.00 mm Color: Black	434045-141,438518-001	HP 510,530
HP-B1800		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 321g 198.00 x 49.00 x 19.00 mm Color: Black	W22044LB,W22045LF	HP NX4300,B1800.COMPAQ B1800 Presario B1829TU(EP841PA)



	FOR HP&COMPAQ			
Code	Image	Specification	Part No.	Replacement for
HP-6520		Cell Type: LI-ion Voltage: 11.1V Capacity: 4800mAh Weight: 318g 264.00 x 45.00 x 16.00 mm Color: Black	HSTNN-0B51 HSTNN-0B51 P/N:NBP6A73/6520	Replacement For:6520S,6520,6820S Series
HP-6520(H)	The state of the s	Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 452g 263.00 x 44.00 x 34.00 mm Color: Black	NBP6A73 STL-CHA-SON	T SQUADON TO THE SQUA
HP-mini 1000	The Rate of Street, St	Cell Type: Li-ion Voltage:11.1V Capacity: 2350mAh Weight: 177g 137.00 x 83.00 x 5.00 mm Color: Black	HP FZ441AA, HSTNN-XB80 HP COMPAQ	HP COMPAQ Mini 700 Series, 700EA, 700ED, 700EE, 700EF, 700EI, 700EK, 700EL, 700EM, 700EN, 700EP, 700ER, 700ES, 700ET, 700EW, 701ED, 701EG, 701EI, 701EM, 701EN, 701ER, 701ES, 701ET, 702EA, 702EG, 703EA, 705EI, 705EL. HP Mini 1000, Mini 1000 Mobile Broadband, Mini 1000 Series, Mini 1000 Vivienne
HP-mini 1000(H)	STATE OF THE PARTY	Cell Type: LI-ion Voltage:11.1V Capacity: 4800mAh Weight: 333g 137.00 x 91.00 x 23.00 mm Color: Black	493529-371,504610-001, HSTNN-0B80	Tam Edition, Mini 1000 XP edition, 1001TU, 1001XX, 1002TU, 1002XX, 1003TU, 1004TU, 005TU, 1006TU, 1008TU, 1009TU, 1009TU, 1010LA, 1010TU, 1011TU, 1011TU, 1013TU, 1014TU, 1015TU, 1016TU, 1017TU, 1020LA, 1030NR, 1033CL, 1035NR. COMPAQ Mini 705ES, 730 Series, 730EA, 730EB, 730EE, 730EJ, 730EO, 730EO, 730EO, 730EV, 730EF, 731EH, 731EI, 731ET, 732EG, 732ET, 733EB, 733EF, 733EZ, 735ED, 735EF, 735EI, 735EJ, 735EO, 735ES.
M300		Cell Type: Li-ion Voltage: 14.8V Capacity: 2200mAh Weight: 224g 261.00 x 34.00 x 19.00 mm Color: Black	291694	For COMPAQ Armada M300 Series/EVO N400c Series/Presario 300,305 Series Laptop Battery
M700		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 420g 117.00 x 101.00 x 20.00mm Color: Black	134110-B21,134111-B21, 135213-001,135213-002, 135214-001,135214-002, 144558-B21,167299-002, 167935-001,205844-002, 230608-001.	For COMPAQ Armada M700 Series/Prosignia 170 Series Laptop Battery
N150		Cell Type: Li-ion Voltage: 14.8V Capacity: 4800mAh Weight: 407g 132.00 x 91.00 x 16.00 mm Color: Black	231962-001,232060-001, pp2111x	Compaq EVO N150 Series
N400		Cell Type: Li-ion Voltage: 14.8V Capacity: 2200mAh Weight: 220g 227.00 x 42.00 x 16.00 mm Color: Grey	213282-001,231445-001, 235596-001,292389-001, 293343-B25,291693-001.	For COMPAQ EVO N400,N400c,N410,N410c Series Laptop Battery

FOR HP&COMPAQ

	FOR HP&COMPAQ			
Code	Image	Specification	Part No.	Replacement for
N600		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 413g 139.00 x 84.00 x 19.00 mm Color: Black	229783-001,232633-001, 250848-B25.	For COMPAQ EVO N600,N600C,N610C,N610V,N620C Series Laptop Battery
NC2400		Cell Type: Li-ion Voltage: 10.8V Capacity: 2200mAh Weight: 154g 204.80 x 38.70 x 21.30 mm Color: Black	404887-241,	
NC2400(H)		Cell Type: Li-ion Voltage: 10.8V Capacity: 4800mAh Weight: 315g 200.00 x 54.00 x 18.00 mm Color: Black	404888-241, 411126-001, 41127-001, 412779-001, 441675-001, Replacement for HP COMPAQ Business Notebook 2	Replacement for HP COMPAQ Business Notebook 2510p, Business Notebook nc2400, HP COMPAQ Business Notebook 2400 Series Laptop Battery
NC2400(HH)		Cell Type: Li-ion Voltage: 10.8V Capacity: 7200mAh Weight: 455g 200.00 x 54.00 x 37.00 mm Color: Black	EH768AA.	
NC4000		Cell Type: Li-ion Voltage: 11.1V Capacity: 3600mAh Weight: 328g 205.00 x 57.00 x 12.00 mm Color: Black	320912-001,315338-001, 325527-001,335209-001, DD880A.	For HP COMPAQ Business Notebook nc4000,nc4010 Laptop Battery
NC4400		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 302g 121.00 x 68.00 x 19.00 mm Color: Black	381373-001,383510-001, HSTNN-C02C,HSTNN-IB12, HSTNN-UB12,PB991A.	For HP Notebook NC4200,NC4400 and Tablet TC4200,TC4400 series
NC6000		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 417g 146.00 x 76.00 x 16.00 mm Color: Dark Gray	182281-001,190336-001, 191169-001,191258-B21, 191259-B21,192835-001, 198709-001,20002-001, 234219-B21,239561-001, 240258-001,281766-001, 346886-001.	For HP/COMPAQ NC6000 ,NX5000,HV1000 Series Laptop Battery
NC8000		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 417g 146.00 x 76.00 x 16.00 mm Color: Dark Gray	182281-001,190336-001, 191169-001,191258-B21, 191259-B21,192835-001, 198709-001,200002-001, 234219-B21,239551-001, 240258-001,281766-001.	For HP/COMPAQ NC8000,NW8000,NX8000 Series Laptop Battery

FOR **IBM**



	FOR HP&COMPAQ			
Code	Image	Specification	Part No.	Replacement for
NX6120		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 312g 199.00 x 48.00 x 15.00 mm Color: Black	360483-004,364602-001, 365750-004,372772-001, 383220-001,PB994A.	For HP Compaq Business Notebook NC6400,NX5100/Business Notebook NC6100,NC6105,NC6200,NX6100,NX6300 Series laptop Battery
NX6120(H)	Signs the star Smith, one	Cell Type: Li-ion Voltage: 10.8V Capacity: 7200mAh Weight: 450g 200.00 x 66.00 x 16.00 mm Color: Black	360483-004,364602-001, 365750-004,372772-001, 383220-0016515b,PB994A.	NC6100,NC6105,NC6110,NC6115,NC6120,NC6200,NC6220,NC6230,NX6 100,NX6105,NX6110,NX6115,NX6120,NX6125,NX6130 Series.
000ZXN	B 333	Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 411g 123.00 x 98.00 x 17.00 mm Color: Black	336962-001,337607-001, 337607-002.	For COMPAQ Presario x1000,x1100,x1200,x1300,x1400 Series Laptop Battery
NX7400	Service Wards and Service	Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 314g 263.00 x 48.00 x 16.00 mm		
NX8200		Cell Type: Li-ion Voltage: 14,8V Capacity: 4400mAh Weight: 417g 236,00 x 48,00 x 17,00 mm Color: Black	381374-001, 398876-001, HSTNN-DB06, HSTNN-DB11, HSTNN-LB11, HSTNN-0B06, HSTNN-UB11, PB992A.	Replacement for HP COMPAQ 8510w,8710w,nw8240,nw8440,nw9440 Mobile Workstation,HP COMPAQ Business Notebook 7400,8200,8400,9400,nc,nw,nx Series Laptop Battery
NX8200(H)		Cell Type: Li-ion Voltage: 14.8V Capacity:7200mAh Weight: 608g 263.00 x 67.00 x 16.00 mm Color: Black		
TX1000		Cell Type: Li-ion Voltage: 7.4V Capacity: 4400mAh Weight: 221g 166.00 x 46.00 x 15.00 mm Color: Black	431325-321,441131-001, HSTNN-0B37,HSTNN-0B38,	Replacement for HP Pavilion tx1000,tx1100,tx1200,tx1300,tx1400,
TX1000(H)		Cell Type: Li-ion Voltage: 7.4V Capacity: 8800mAh Weight: 413g 166.00 x 81.00 x 16.00 mm Color: Black	HSTNN-UB37,RQ203AA, RQ204AA	tv2000,tv2100,tv2500 Series Laptop Battery

	FOR HP&COMPAQ			
Code	Image	Specification	Part No.	Replacement for
ZD7000		CellType: Li-ion Voltage: 14.8V Capacity: 6600mAh Weight: 653g 268.00 x 79.00 x 20.00 mm Color: Dark Grey	338794-001,342661-001, 345027-001,DM842A, PP2182D,PP2182L.	For HP COMPA0 Media Center ZD8210CA,ZD7000 Series/Business NX9500 Series/Pavilion ZD7000,ZD7100,ZD7200,ZD7300 ZD7900 Series Laptop Battery
ZV5000		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 445g 146.00 x 109.00 x 14.00 mm Color: Dark Gray	346970-001,371916-001,	For HP Pavilion zv5000,zv5000,zv6000,zd8000,and Compaq Presario X6000, R3000,R4000 Series for HP Compaq Business NX9100,NX9105,NX9110,
ZV5000(H)		Cell Type: Li-ion Voltage: 14.8V Capacity: 6600mAh Weight: 608g 146.00 x 109.00 x 14.00 mm Color: Dark Gray	HSTNN-DB02,HSTNN-UB02.	NX9600 Series Laptop Battery

F	OR IBM			
Code	Image	Specification	Part No.	Replacement for
A20		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 338g 264.00 x 59.00 x 18.00 mm Color: Black	02K6614,02K6615,02K6616, 02K6617,02K6618,02K6619, 02K6640,02K6246,02K6247	For Thinkpad A20,A21,A21e-2628,A21e-2632,A22,
A20(H)		Cell Type: Li-ion Voltage: 10.8V Capacity: 6600mAh Weight: 475g 264.00 x 59.00 x 18.00 mm Color: Black	02K6640,02K6746,02K6767, 02K6769,02K6770,08K8025, 08K8031	i1800-2628,i1800-2632 Series Laptop Battery
A21E		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 321g 140.00 x 85.00 x 19.00 mm Color:Black	02K6739, 02K6740, 02K6741, 02K6743, 02K6776, 02K6778, 02K6779, 08K8027.	For Thinkpad A21e,A21e-2655,A22e,A22e-2655,i1800, i1800-2655 Series Laptop Battery
A30		Cell Type: Li-ion Voltage: 10.8V Capacity: 4000mAh Weight: 323g 201.00 x 56.00 x 20.00 mm Color: Black	02K6793, 2K6794, 02K6795, 02K6796,02K6798,02K6878, 02K6879,02K6897,02K6898, 02K6899,02K67020,02K7020 02K7021,02K7022	For Thinkpad A30,A31 Series Laptop Battery

Laptop Batteries Top UN

Ţ	7	
)	
J	J	
=		
스	,	

F	FOR IBM				
Code	Image	Specification	Part No.	Replacement for	
G40		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 334g 202.00 x 85.00 x 17.00 mm Color: Black	08K8183, 08K8184, 08K8185, 92P1057,	For ThinkPad G40, G41 Series Laptop Battery	
G40(H)		Cell Type: Li-ion Voltage: 10.8V Capacity: 6600mAh Weight: 455g 202.00 x 85.00 x 17.00 mm Color: Black	08K8182, 08K8186.		
IB 390		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 340g 151.00 x 83.00 x 26 mm Color: Black	02K6513, 02K6520, 02K6535, 02K6536,	For ThinkPad 390 Series / ThinkPad i1700, i1720, i1721, i1750 Series Laptop Battery	
IB 390(H)		Cell Type: Li-ion Voltage: 10.8V Capacity: 6600mAh Weight: 601g 151.00 x 83.00 x 26 mm Color: Black	02K6537, 02K6610,	117:00 Senies Lapitup battery	
IB 600		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 330g 124.00 x 68.00 x 26.00 mm Color: Black	02K6919, 02K7016, 02K7018, 10L2158, 10L2159, 12J2464, ASM 12P4065, FRU 02K6506, FRU 02K6528, FRU 02K6904, FRU 12P4064	For ThinkPad 600, 660 Series Laptop Battery	
R30		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 318g 146.00 x 70.00 x 19.00mm Color: Black	02K6821, 02K6822, 02K6823, 02K6824, 02K6825, 02K6829, 02K6830, 02K6832.	For Thinkpad R, R30, R31 Series Laptop Battery	
R40		Cell Type: Li-ion Voltage: 14.4V Capacity: 4400mAh Weight: 415g 151.00 x 72.00 x 21.00 mm Color: Black	02K6928,02K7052 02K7053,02K7054 02K7055,02K7056 02K7057,02K7058 02K7059,02K7060 02K7061	For ThinkPad R32, R40 Series Laptop Battery	
R40E		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 331g 150.00 x 79.00 x 20.00 mm Color: Black	08K8218, 92P0987, 92P0988, 92P0989, 92P0990, FX00364	For ThinkPad R40e Series Laptop Battery	

F	OR IBM			
Code	Image	Specification	Part No.	Replacement for
R61i		Cell Type: Li-ion Voltage: 10.8V Capacity: 4800mAh Weight: 329g 220.00 x 61.00 x 17.00 mm Color: Black	42T5225, 42T5227, 42T5262, 42T5264, 42T5229	ThinkPad R61(14-inch wide), ThinkPad T61(14-inch wide), ThinkPad R61i (14-inch wide)
T20		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 317g 137.00 x 79.00 x 19.00 mm Color: Black	02K6620,02K6621,02K6626, 02K6627,02K6649,02K7025, 02K7026,02K702,08K8026, FRU 02K7030, FRU 02K7030	For ThinkPad T20, T21, T22, T23 Series Laptop Battery
Т30		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 314g 136.00 x 78.00 x 18.00 mm Color: Black	02K7034, 02K7037, 02K7038, 02K7050, 02K7051, 02K7072, 02K7073	For ThinkPad T30 Series Laptop Battery
T40		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 304g 200.00 x 54.00 x 16.00 mm Color: Black	08K8192, 08K8193 08K8195, 08K8214 92P1011, 92P1060	For ThinkPad T40, T41, T42, T43, R50 Series (Standard) Laptop Battery
T40(H)		Cell Type: Li-ion Vollage: 10.8V Capacity: 6600mAh Weight: 456g 221.00 x 76.00 x 16.00 mm Color: Black	92P1071, 92P1075 92P1087, 92P1089 92P1091, 92P1101	PULTIMINA U 140, 141, 142, 143, NOU Series (Statudall), Equipp Battery
Т60		Cell Type: Li-ion Voltage: 10.8V Capacity: 4800mAh Weight: 313g 200.00 x 54.00 x 16.00 mm Color: Black	40Y6795 40Y679740Y6799 92P1128,92P1130 92P113292P1138	For ThinkPad Z61e, Z61p / R60, R60e, T60, T60p, Z60m, Z61m Series
T60(H)		Cell Type: Li-ion Voltage: 10.8V Capacity: 7200mAh Weight: 466g 221.00 x 73.00 x 17.00 mm Color: Black	92P114092P1127 92P112992P1131 92P113392P1137 92P113992P1141	10. Thinks at 2016, 2019 (100, 1000, 100), 1009, 200H, 201H 36HS
W700		Cell Type: Li-ion Voltage: 10.8V Capacity: 7200mAh Weight: 467g 203.00 x 86.00 x 15.00 mm Color: Black	FRU P/N 42T4655,42T4558,42T4556 ASM P/N 42T4557,42T4559	ThinkPad W700



	1	1	
()	
_	Į	J	
_	Į	5	
3	2	2	

F	FOR IBM				
Code	Image	Specification	Part No.	Replacement for	
X20		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 313g 204.00 x 46.00 x 17.00 mm Color: Black	02K6651, 02K6652, 02K6678, 02K6712, 02K6837, 02K6838, 02K6839, 02K6850, 08K8024	For ThinkPad X20, X21, X22, X23 Series Laptop Battery	
08X		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 305g 203.00 x 43.00 x 18.00 mm Color: Black	02K7039, 02K7040, 08K8035, 08K8036, 08K8039, 08K8040,	For ThinkPad X30 2672 / X30, X31 Series Laptop Battery	
(H)0EX		Cell Type: Li-ion Voltage: 10.8V Capacity: 6600mAh Weight: 478g 262.00 x 85.00 x 17.00 mm Color: Black	08K8045, 08K8048, 92P1097.		
X40		Cell Type: Li-ion Voltage: 14.4V Capacity: 1900mAh Weight: 185g 203.00 x 42.00 x 10.00 mm Color: Black	92P0998, 92P0999,	For ThinkPad X40, X41 Series Laptop Battery	
X40(H)		Cell Type: Li-ion Voltage: 14.4V Capacity: 4400mAh Weight: 444g 261.00 x 86.00 x 16.00 mm Color: Black	92P1009, 92P1000	Tot Hillian au A-to, A-t i Garas Eaplap Battary	
X41T		Cell Type: Li-ion Voltage: 14.4V Capacity: 4500mAh Weight: 417g 267.00 x 95.00 x 20.00 mm Color: Black	73P5168	For Thinkpad X41 Tablet SERIES	
09X		Cell Type: Li-ion Voltage: 14.4V Capacity: 2400mAh Weight: 222g 156.00 x 64.00 x 19.00 mm Color: Black	FRU P/N 92P1167	For ThinkPad X60 SERIES	
(H)09X		Cell Type: Li-ion Voltage: 14.4V Capacity: 4800mAh Weight: 429g 264.00 x 90.00 x 22.00 mm Color: Black	ASM P/N 92P1168	TO HERN BU AUGUETICO	

F	FOR IBM				
Code	Image	Specification	Part No.	Replacement for	
X61T		Cell Type: Li-ion Voltage: 14.4V Capacity: 1900mAh Weight: 214g 266.00 x 87.00 x 19.00 mm Color: Black	42T5204 42T5205	Thinkpad X60T Thinkpad X61T	
X61T(H)		Cell Type: Li-ion Voltage: 14.4V Capacity: 4800mAh Weight: 305g 202.00 x 50.00 x 20.00 mm Color: Black	4078318	тиширай хоот тиширай хотт	
X200		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 316g 207.60 x 53.20 x 20.10 mm Color: Black	42T4647 42T4534 42T4535 42T4536 42T4537	ThinkPad X200 X200S	
X200(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 453g 226.00 x 73.00 x 22.00 mm Color: Black	42T4540 42T4541 43R9253 43R9254 43R9255	Timina da Albao Albao	
X300		Cell Type: Li-ion Voltage: 10.8V Capacity: 3600mAh Weight: 288g 249.00 x 66.00 x 10.00 mm Color: Black	43R1967 42T4518 42T4519 FRU42T4522 ASM P/N 42T4523	IBM Lenovo X300 X301 Series	
Z60T		Cell Type: Li-ion Voltage: 10.8V Capacity: 4800mAh Weight: 314g 219.00 x 60.00 x 18.00 mm Color: Black	40Y6791, 40Y6793, ASM 92P1122, ASM92P1126, FRU 92P1121, FRU 92P1123, FRU 92P1125.	Replacement for IBM ThinkPad Z60t, Z61t Series Laptop Battery	

FOR LENOVO

Laptop Batteries	Top	UN

F	FOR LENOVO					
Code	Image	Specification	Part No.	Replacement for		
E100		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400MAH Weight: 466g 270.00 x 53.00 x 22.00 mm Color: Black	4CGR18650A2-MSL 442673500002	For Lenovo E100 Series		
E255		Cell Type: Li-ion Voltage: 11.1 V Capacity: 4400MAH Weight: 334g 200.00 x 46.00 x 18.00 mm Color: Black & Sliver	MISL RP-8X81(4400)	For lenova E255/E260 series		
E260		Cell Type: Li-ion Voltage: 11.1 V Capacity: 4400MAH Weight: 334g 200.00 x 46.00 x 18.00 mm Color: Black	MSL BP-8X81(4400)	FOT IE110VO E255/E216U SENES		
F40		Cell Type: Li-ion Voltage: 10.8V Capacity: 4800mAh Weight: 321g 202.00 x 41.00 x 30.00 mm Color: Silver	BATHGT31L6	For Lenovo F40,F41,F50 Series		
G400		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 313g 200.00 x 50.00 x 15.00 mm Color: Black	ASM BAHLOOL6S FRU 121SS080C	Replacement for LENOVO 3000 G400, 3000 G410 Series Laptop Battery		
K42		Cell Type: Li-ion Voltage: 11.1V Capacity: 6600mAh Weight: 463g 200.00 x 64.00 x 16.00 mm Color: Black	D-DST1212 BATF110L61 BATEL80L6 BATCL80L9	LENOVO K42 E42 E42G E42L		
N100		Cell Type: Li-lion Voltage: 10.8V Capacity: 4400MAH Weight: 319g 201.00 x 46.00 x 23.00 mm Color: Silver	40Y8315, 40Y8322, ASM 42T5213, ASM 92P1185 FRU 42T4514, FRU 42T4516 FRU 42T5212, FRU 42T5256 FRU 92P1184, FRU 92P1186	for LENOVO 2000 NOOO / 2000 C200 - 2000 N1100 Coice Lenter Dellary		
N100(H)		Cell Type: Li-ion Voltage: 10.8V Capacity: 7200MAH Weight: 473g 212.00 x 66.00 x 23.00 mm Color: Silver		for LENOVO 3000 N200 / 3000 C200, 3000 N100 Series Laptop Battery		

F	FOR LENOVO					
Code	Image	Specification	Part No.	Replacement for		
S10		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 307g 223.00 x 46.00 x 33.00 mm Color: Black / White	L08S3B21	LENOVO IdeaPad S10C, LENOVO IdeaPad S10, S10e, S9, S9e Series		
S10(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 451g 223.00 x 55.00 x 38.00 mm Color: Black / White				
SQU-202	1	Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 416g 139.00 x 86.00 x 18.00 mm Color: Dark Gray	SQ-1100, SQ-2100, SQU-202	For Lenovo A820 A815 Series		
SQU-504	323	Cell Type: Li-ion Voltage: 10.8V Capacity: 4400MAH Weight: 310g 121.00 x 18.00 x 80.00 mm Color: Black	SQU-504	FOR Advent 700, 7087; For Lenovo 125, E280, E660 laptop Series		
V100	The same	Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 314g 206.00 x 54.00 x 24.00 mm Color: Silver	40Y8321 92P1215 92P1216 92P1219 92P1220	For Lenovo V100,V200,V Series		
Y100		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 316g 204.00 x 45.00 x 18.00 mm Color: Black	BATEFL31L6	Y100 A100 100A 昭阳E370		
Y410		Cell Type: Li-lion Voltage: 10.8V Capacity: 4400mAh Weight: 312g 206.36 x 45.08 x 34.17 mm Color: Black	43R1955 ASM BATIGT30L6 FRU 121TS040Ch	3000 Y400 9454 3000 Y400 Series 3000 Y410 7757 3000 Y410a 7757 3000 Y410a Series 3000 Y410 Series		
Y510		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 315g 203.00 x 48.00 x 15.00 mm Color: Black	121TM030A 121000659 121TS0A0A 121000649	IdeaPad Y710 IdeaPad Y730 IdeaPad Y530 IdeaPad Y510		

	FOR MSI				
U100		Cell Type: Li-lon Voltage: 11.1V Capacity: 4800mAh Weight: 314g 198.00 x 46.00 x 28.00 mm Color: Silver / Black	BTY:S11, BTY:S12	FOR WIND MSI U100	
U100(H)	AL 54 W TH 1888	Cell Type: Li-lon Voltage: 11.1V Capacity: 7200mAh Weight: 460g 199.00 x 46.00 x 33.00 mm Color: Silver / Black	DIT-011, DIT-012	רטה ישוועי הטיז	

F	OR MITAC			
Code	Image	Specification	Part No.	Replacement for
BP8050		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 317g 201.00 x 43.00 x 16.00 mm Color: Black	441681700001 441681760001 441681772101 7035210000	Advent 8050, BlueDisk Artworker 8050, 8050D, Bullman A-Klasse 6 CEN, Packard Bell Easy Note R1004, R2 Series, R2000, R3 Series, R320, R3400, R4 Series, R4250, R4340, R4355, R4360, R4510, R4622, R4650, R5 Series, R6155, R5175, R6 Series, R6512, R7 Series, R7710, R7720, R7725, R7745, R8 Series, R8720, R8740, R8770, R9 Series,
BP8050(H)	Emile Marie 142	Cell Type: Li-ion Voltage: 11.1V Capacity: 6600mAh Weight: 469g 204.00 x 64.00 x 16.00 mm Color: Black	BP-8050 BP-8050i BP-8050(S) BP-8050(S)	R9200, R9252, R9500, QDI M-8050D, QDI Millennium 80500 Slimline Widescreen, Siemens Amilo D1420, L1300, L1310, M1420, Systemax Neotach 3300, Winbook W300 Series (80500), W320, W320, W340, W360, W362, W364, Yakumo 8050, Yakumo Q7M Mobilium Wide II YW, Yakumo Q7M Mobilium Wide YW
BP8089		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 343g 200.00 x 65.00 x 16.00 mm Color: Black	442677000001 442677000003 442677000004 442677000005 442677000007 442677000010 442687000013 44266200001 442682800002 442682800004 442682800003 442682800014 442682800003 442682800018	8089, 8089P, 8389, 8889, NEC Versa E680, M500 ; Fujitsu-Siemens Amilo K7600 Gericom Bellagio 8089 GERICOM - Bellagio 1440 GERICOM Bellagio 1540 ; Packard Bell Easy Note E1, E3, E5, E6, MIT-NYNOZ, MIT-LYNO1 LYNO2 LYNO8, MIT CAIO CAIOS Series. Easy Note E1245 E1260 E1280 E1510, Easy Note E3204
BP8089(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 473g 200.00 x 65.00 x 16.00 mm Color: Black	442682900015 442682800030 442682800077 442682800030 442682840004 442683000001 6903120000 701820000 70188400000 7018440000 7018840000 7038840000 305R1865043 MSL BP-8089 8089P 8089X 8389, BP-LYN	E3208 E3215 E3220 E3225 E3227 E3228 E3240 E3242 E3244 E3245 E3246 E3246 E3246 E3256 E3255 E3256 E3258 E3265 E3266, Easy Note E5138 E5140 E5141 E5142 E5145 E5146 E5147 E5151 LE E51555E E5285 E5412, Easy Note E4710 E4, E6310 E6307 E6300 E6037 E6000 Series.
BP8X81		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 334g 200.00 x 46.00 x 18.00 mm Color: Black	44167730001 441677310001 441677360001 441677360001 441677365001 441677365101 44167739001 441677390001 441677392001 441677393001 441677394002 441677393001 441677397001 441677399001 441677399001 441677399201 441680000034 441680020002 40004227, BP-8381, BP-8X81	Medion: MD41017, MAM2010, 8381 Series Mitac: MiNote 8081, MiNote 8081P, MiNote 8381 Series Winbook: A100, C200, C220, C225, C226, C240 Series Cytron: MD40400
M7521		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 428g 180.00 x 68.00 x 22.00 mm	442670040002 442670060001 ICR-18650G	For MITAC Minote 7321, 7520, 7521, 7521C, 7521P 7521N Laptop series

F	OR MITAC				
Code	Image	Specification	Part No.	Replacement for	
M8100		Cell Type: Li-ion Voltage: 11.1V Capacity: 6600mAh Weight: 424g	442671200001 442671200002 442671200005	For MITAC MINote 8100, 8170, 8170A Laptop series	
M8375		Cell Type: Li-ion Voltage: 11.1V Capacity: 6600mAh Weight: 471g 141.00 x 88.00 x 19.00 mm Color: Cream white / Black	442671700002 442671600002 442671700002 442671700003 442673800003 442673850001 CGR-B/T19SE-MSL	For Mitac MiNote M8375	
M8677		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 466g 270.00 x 53.00 x 22.00 mm Color: Rectangular	4CGR18650A2-MSL 442675900001	For Packard Bell iGo 2000 , 4000 Series; Go 2000er, 4000 4000er 4450 4451 Series ; NEC E400 Series, MITAC M8677 Series	NEC

F	FOR NEC					
Code	Image	Specification	Part No.	Replacement for		
BP60		Cell Type: Li-ion Voltage: 11.1V Capacity: 2400mAh Weight: 167g 200.00 x 30.00 x 17.00 mm Color: Black	D-DST1145,D-DST1146	NEC Versa N1100		
BP60(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 321g 199.00 x 30.00 x 37.00 mm Color: Black				
E400		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 466g 270.00 x 53.00 x 22.00 mm Color: Black	4CGR18650A2-MSL 442675900001	For Packard Bell iGo 2000 , 4000 Series; Go 2000er, 4000 4000er 4450 4451 Series ; NEC E400 Series MITAC M8677 Series		
E600		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 375g 134.00 x 94.00 x 20.00 mm Color: Silver	OP-570-75901 PC-VP-WP44	NEC Versa M300 M500 E600 Series		

F	FOR NEC					
Code	Image	Specification	Part No.	Replacement for		
E2000		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 406g 145.35 x 78.50 x 19.20 mm Color: Black	21-92287-02 21-92287-05 21-92303-01 21-92356-0 21-92368-01 21-92369-0 25-04168-10,APA000079200 0P-570-76610, PC-VP-WP70	NEC Versa E2000		
E6000		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 406g 144.00 x 74.00 x 14.00 mm Color: Dark Grey	110-DE033-10-0,BAT5443 (0R5533,0T5179,312-0292, 312-0326,312-0335,312-0346, 312-0347,99812,H9566,K9343, M5701,0P-570-76901,P5413, PC-VP-WP64,AP*A000084900, 0P-570-76620-01,PC-VP-WP66- 01,T5443,W5543)	For dell Inspiron 2200 Latitude 110L For Packard Bell C3 C3000 For NEC LaVieLavie PC-LL770AD,PC-LL780AD,PC-LL7509D,PC-LL900AD ,PC-LL7709DT ,PC-LL9009D ,PC-LL750AD ,PC-LL9709D ,VersaPro VV16F/ RF-R,VY18F/ RF-R ,VY13M/ RX-R,VY16F/ RX-R,VY13M/ RF-R Versa E6000X ,E6000		
SQU-409		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 315g 199.00 x 50.00 x 15.00 mm Color: Black	SQU-409,SQU409,SQU-416, 916C3330,916-3150 916C3150F,23.20092.011	For Packard Bell Easy Note A7and A8 Series For NEC Versa S940 series;		

F	FOR PACKARD BELL					
Code	Image	Specification	Part No.	Replacement for		
BP8050		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 317g 201.00 x 43.00 x 16.00 mm Color: Black	441681700001 441681760001 441681772101 7035210000 BP-8050 BP-8050 (S) BP-8050)	For PACKARD BELL EasyNole R1, R1000,R1004,R2,R2000,R3,R3320,R3400,R4,R4250, R4340, R4355, R4360, R4510 R4622,R4660.		
BP8050(H)	The Real Property lies	Cell Type: Li-ion Voltage: 11.1V Capacity: 6600mAh Weight: 469g 204.00 x 64.00 x 16.00 mm Color: Black		R5,R5155,R5175,R6,R6512,R7,R7710,R7720,R7725,R7745,R8,R8720, R8740,R8770,R9,R9200,R9252,R9500 Series		
BP8089		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 343g 200.00 x 65.00 x 16.00 mm Color: Black	442677000001 442677000003 442677000005 442677000007 442677000010 442677000013 442682800001 BP-8089 BP-8089P BP-8089X.	For Packard Bell EasyNote E1, E3 and E5 series		
BP8089(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 473g 200.00 x 65.00 x 16.00 mm Color: Black		rui rauvaiu deii Easynviel et, eo ailu eo seiles		

F	OR PACKARD BELL			
Code	Image	Specification	Part No.	Replacement for
C3	Marie Company (1977) Marie Company (1977)	Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 406g 144.00 x 74.00 x 14.00 mm Color: Black	110-DE033-10-0,BAT5443 (0R5533,0T5179,312-0292, 312-0326,312-0335,312- 0346,3120347,G9812,H9566, K9343,M5701,0P-570-76901, F5413,APA000084900, 0P-570-76620-01, PC-VP- WP66-01,T5443,W5543)	For Packard Bell C3 C3000 For dell Inspiron ,1000,2200 Latitude 110L For NEC LaVieLavie PC-LL770AD,PC-LL780AD,PC-LL7509D,PC-LL900AD, PC-LL77090T,PC-LL9009D,PC-LL750AD,PC-LL9709D,VersaPro W16F/RF-R, W18F/ RF-R ,W13M/ RX-R,W16F/ RX-R,W13M/ RF-R Versa E6000X ,E6000
1GO 2000		Cell Type: Li-lion Voltage: 14.8V Capacity: 4400mAh Weight: 466g 270.00 x 53.00 x 22.00 mm Color: Black	4CGR18650A2-MSL 442675900001	For Packard Bell iGo 2000 , 4000 Series;iGo 2000er, 4000 4000er 4450 4451 Series ;Mitac 8677 NEC Versa E400 Series
IGO 3000		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 375g 134.00 x 94.00 x 20.00 mm Color: Silver	OP-570-75901 or PC-VP-WP44.	Pacard Bell iGo 3000 3203 3481 3491 iGo 6000 6204 6208
SQU-409		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 315g 199.00 x 50.00 x 15.00 mm Color: Black	SQU-409 SQU-416 916C3330 916-3150 916C3150F 23.20092.011	For Packard Bell Easy Note A7 and A8 Series For NEC Versa 5940 series;

F	FOR SAMSUNG					
Code	Image	Specification	Part No.	Replacement for		
A10	To but Sa	Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 424g 282.00 x 56.00 x 20.00 mm Color: Gray	CBI0780A	For Samsung A10 ,S690,vm8000,vm8080,vm8100 Series Laptop battery		
NC10	The same of the sa	Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 307g 213.00 x 41.00 x 28.00 mm Color: Black / Silver	AA-PB6NC6W AA-PB8NC6B AA-PB8NC6M	Samsung Nc10 Samsung Nc20 Samsung N110 Samsung N110-12PBK Samsung N120 Series (white)		
NC10(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 450g 213.00 x 41.00 x 41.00 mm Color: Black / Silver		N120 N120-12GBK N120-12GW		
P28		Cell Type: Li-ion Voltage: 10.8V Capacity: 6600mAh Weight: 459g 144.00 x 85.00 x 14.00 mm Color: Black	SSB-P28LS6 SSB-P28LS6/E SSB-P28LS9 SSB-V20CLS/E SSB-V2OKLS ;DR202	Samsung P26 Samsung P27 Samsung P28 Samsung P29 Samsung V20 Samsung V25 Series		

www.iqfuture.com

FOR PACKARD BELL

FOR **SONY**



F	FOR SAMSUNG					
Code	Image	Specification	Part No.	Replacement for		
P30		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 404g 264.00 x 44.00 x 17.00 mm Color: Silver	SSB-P30LS SSB-P30LS/C SSB-P30LS/E	Replacement for SAMSUNG P40, SAMSUNG P30, P35 Series Laptop Battery		
P50		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 307g 199.00 x 43.00 x 15.00 mm Color: Black	AA-PB2NCGB AA-PB4NCGB AA-PB2NCGB/E AA-PB4NCGB/E	For samsung R40,R45,R65 series, P50,P60 series, X60,X60 plus series		
Q1		Cell Type: Li-ion Voltage: 11.1V Capacity: 2200mAh Weight: 167g 214.00 x 26.00 x 20.00 mm Color: Black	AA-PBOUC3B AA-PLOUC6B,	Samsung NP-Q1-M000, Samsung NP-Q1SSD, Samsung Q1 Series		
Q1(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 324g 213.00 x 47.00 x 18.00 mm Color: Black	AA-PLOUCSB/E AA-PLOUCSB/E AA-PLOUCSB/E	Q1-900 Casomii, Samsung NP-Q1, Q1-900 Ceegoo, Q1P, Q1B, Q1P, SSD		
Q1U		Cell Type: Li-ion Voltage: 7.4V Capacity: 3600mAh Weight: 182g 119.00 x 77.00 x 8.00 mm Color: Silver	AA DDIIICAD	Samsung Q1U,Q1U-BPK,Q1U-FP01,Q1U-P01,Q1U-Y02,NP-Q1U,Q1U-000, Q1U-A000,Q1U-BP1,Q1U-EL,Q1U-ELXP,Q1U-K000,Q1U-KY01,Q1U-KY02,		
Q1U(H)		Cell Type: Li-ion Voltage: 7.4V Capacity: 7200mAh Weight: 323g 115.00 x 77.00 x 15.00 mm Color: Silver	AA-PB1UC4B	Q1U-V,Q1U-XP,Q1U-YO4,Q1UP-V,Q1UP-XP,Q1U-CMXP,Q1U-SSDXP		
Q45	Manual Branchist Control of the Cont	Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 323g 204.00x52.20x20.95 mm Color: Black / Silver	AA-PB5NC6B AA-PB5NC6B/E	For SAMSUNG NP-Q35,NP-Q45/Q35,Q35 Pro,Q45,Q70 Series		
R18		Cell Type: Li-ion Voltage: 14.8V Capacity: 4800mAh Weight: 408g 265.00 x 47.00 x 18.00 mm Color: Black	AA-PBONC4B/E AA-PB1NC4B/E AA-PBONC4B AA-PLONC8B/E AA-PLONC8B	For SAMSUNG NP-R20, NP-R25 / NP-X1, NP-X11, NT-X1, R20, R20plus, R25, R25plus, X1 Series Laptop Battery		

F	FOR SAMSUNG					
Code	Image	Specification	Part No.	Replacement for		
X10	The same of the sa	Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 309g 200.00 x 45.00 x 18.00 mm Color:Silver	SSB-X10L53 SSB-X10L53/C SSB-X10L53/E SSB-X10L56/C SSB-X10L56/C SSB-X10L56/E SSB-X10L56/E	For SAMSUNG X05, X10, X10 Plus, X10 XTC Series Laptop Battery		
X15		Cell Type: Li-ion Voltage: 11.1V Capacity: 4800mAh Weight: 311g 199.00 x 42.00 x 17.00 mm Color: Black and Silver	SSB-X15LS6 SSB-X15LS6/E SSB-X15LS9/C SSB-X15LS9/C SSB-X15LS9/E SSB-X15LS9/E SSB-X15LS9/E	SAMSUNG X15 plus, X30 Series X20 Series X25 Series,		
X15(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 465g 199.00 x 61.00 x 21.00 mm Color: Black and Silver		X50 Series, M40 plus Series		
X22	The state of the s	Cell Type: Li-ion Voltage: 14.8V Capacity: 4800mAh Weight: 404g 265.00 x 50.00 x 15.00 mm Color: Dark Grey	AA-PBONC4G AA-PBONC4G/E AA-PLONC8G AA-PLONC8G/E	Replacement for SAMSUNG NP-X22, SAMSUNG X22 Series Laptop Battery		

FOR SONY					
Code	Image	Specification	Part No.	Replacement for	
BP2E		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 306g 142.00 x 61.00 x 14.00 mm Color: Grey	PCGA-BP2E PCGA-BP2EA	A17GP, K76P, VGN-690, VGN-72B/G / GR100, GR200, GR300 Series / VAIO GRX Series / VAIO PCG-GR Series / VAIO PCG-NV Series / VAIO VGN-A, VGN-AS, VGN-E Series Laptop Battery	
BP2NX		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 417g 142.00 x 81.00 x 14.00 mm Color: Grey	PCGA-BP2NX PCGA-BP2NY	PCG-FR130 / VAIO PCG-FR33, PCG-FR55, PCG-FR70, PCG-FR200, PCG-FR300, PCG-FR400, PCG-FR300, PCG-FR800, PCG-FRV, PCG-GR, PCG-GRS, PCG-GRS700, PCG-GRT, PCG-GRT230, PCG-GRT250, PCG-GRT270, PCG-GRT280, PCG-GRT290Z, PCG-GRX500, PCG-GRX500, PCG-GRX600, PCG-GRX500, PCG-GRX600, PCG-GRX700, PCG-GRX500, PCG-GRX600, PCG-RX700, PCG-RX700, PCG-GRX600, PCG-RX700, P	
BP2R		Cell Type: Li-ion Voltage: 14.8V Capacity: 2800mAh Weight: 310g 211.00 x 51.00 x 17.00 mm Color: Purple	PCGA-BP2R PCGA-BPZ51 PCGA-BPZ51A	PCG-ELK, PCG-GRX1P, PCG-Z600LEK, VAIO PCV-P101, PCG-5316 / VAIO PCG-R505, PCG-R600, PCG-Z505 Series Laptop Battery	





F	OR SONY			
Code	Image	Specification	Part No.	Replacement for
BP2S		Cell Type: LI-ion Voltage: 11.1V Capacity: 4400mAh Weight: 319g 201.00 x 50.00 x 18.00 mm Color: Grey	PCGA-BP2S PCGA-BP2S/HI PCGA-BP2SA PCGA-BP2SCE7	PCG-SR, PCG-SRX, PCG-VX, PCG-SR27K, PCG-SRX99, PCG-VX88, PCG- VX89 Series Laptop Battery
ВР2Т		Cell Type: Li-ion Voltage: 11,1V Capacity: 4400mAh Weight: 309g 200.00 x 45.00 x 15.00 mm Color: Grey	PCGA-BP2T	DOG 404N DOG TO Coring Lorden Patters
ВРЗТ		Cell Type: LI-ion Voltage: 11.1V Capacity: 6600mAh Weight: 452g 198.00 x 66.00 x 22.00 mm Color: Silver	PCGA-BP3T	PCG-481N, PCG-TR Series Laptop Battery
BPL1		Cell Type: Li-ion Voltage: 11,1V Capacity: 4200mAh Weight: 277g 149.00 x 97.00 x 13.00 mm Color: Metallic Grey	VGP-BPL1 VGP-BPS1	VGN-U Series,VGN-U50,VGN-U70, VGN-U750P, VGN-U8C ,VGN-U8G Laptop Battery
BPL2		Cell Type: LI-ion Voltage: 11.1V Capacity: 7200mAh Weight: 455g 203.00 x 68.00 x 29.00 mm Color: Black	VGP-BPL2 VGP-BPS2 VGP-BPS2A	PCG-6C1N / VFB-S1-XP / VFN-S90PSY5 / VGN-FE, VGN-FJ, VGN-FS,
BPL2(H)		Cell Type: Li-ion Voltage: 11.1V Capacity: 8800mAh Weight: 603g 204.00 x 73.00 x 32.00 mm Color: Black	VGP-BPS2B VGP-BPS2C	VGN-FT, VGN-S, VGN-S240, VGN-S260, VGN-S270, VGN-SZ, VGN-Y Series Laptop Battery
BPL4		Cell Type: Li-lion Voltage: 11.1V Capacity: 9600mAh Weight: 618g 202.00 x 57.00 x 34.00 mm Color: Black	VGN-BPS4A, VGP-BPL4, VGP-BPL4A, VGP-BPS4, VGP-BPS4A	for SONY VAIO VGN-AX, VGN-BX / VGN-BX Series Laptop Battery
BPL5		Cell Type: Li-ion Voltage: 7.4V Capacity: 11000mAh Weight: 519g 200.00 x 65.00 x 39.00 mm Color: Metallic Grey	VGP-BPL5, VGP-BPL5A, VGP-BPS5, VGP-BPS5A	TX36TP, TX37TP / VGN-TX, VGN-TXN Series Laptop Battery

F	OR SONY			
Code	Image	Specification	Part No.	Replacement for
BPS2		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 303g 204.00 x 46.00 x 15.00 mm Color: black	VGP-BPL2, VGP-BPS2, VGP-BPS2A, VGP-BPS2B, VGP-BPS2C	FS93G, PCG-6C1N, VFB-S1-XP, VFN-S90PSY5 / VGN-AR, VGN-AR11, VGN-C, VGN-AR21, VGN-FE, VGN-FE21, VGN-FE28, VGN-FE31, VGN-FI, VGN-FS, VGN-FS, VGN-S260, VGN-S260, VGN-S270, VGN-SZ, VGN-Y Series Laptop Battery
BPS3		Cell Type: Li-ion Voltage: 7.4V Capacity: 7200mAh Weight: 314g 200.00 x 41.00 x 25.00 mm Color:Silver	VGP-BPS3, VGP-BPS3A	T2, VAIO VGN-T Series Laptop Battery
BPS4		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 298g 202.00 x 47.00 x 15.00 mm Color: Black	VGP-BPS4, VGP-BPS4A	for SONY VAIO VGN-AX, VGN-BX / VGN-BX Series Laptop Battery
BPS5		Cell Type: Li-ion Voltage: 7.4V Capacity: 7200mAh Weight: 322g 201.00 x 52.00 x 18.00 mm Color: Metallic Grey	VGP-BPL5, VGP-BPL5A, VGP-BPS5, VGP-BPS5A	TX36TP, TX37TP / VGN-TX, VGN-TXN Series Laptop Battery
BP2V		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 321g 201.00 x 47.00 x 15.00 mm Color: Metallic Blue	PCGA-BP2V	PCG-N-B90PSYA / VAIO PCG-V505, PCG-Z1, VGN-B Series Laptop Battery
BP4V		Cell Type: Li-ion Voltage: 11.1V Capacity: 8800mAh Weight: 619g 200.00 x 57.00 x 36.00 mm Color: Black	PCGA-BP2V, PCGA-BP4V	PCG-N-B90PSYA / VAIO PCG-V505, PCG-Z1, VGN-B Series Laptop Battery
BP51	TI-WX	Cell Type: Li-ion Voltage: 11.1V Capacity: 2200mAh Weight: 159g 200.00 x 29.00 x 19.00 mm Color: Purple	PCGA-BP51, PCGA-BP51A, PCGA-BP51A/L, PCGA-BP52A/L, PCGA-BP52AIJC	PCG-161L, PCG-6C1N / VAIO PCG-500, PCG-505, PCG-N505, PCG-C1, PCG-C1C, PCG-C1W, PCG-C1V, PCG-C1X, PCG-C2, PCG-GT1, PCG-GT3 Series Laptop Battery
BP52	1	Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 319g 238.00 x 41.00 x 27.00 mm Color: Purple	PCGA-BP51, PCGA-BP51A, PCGA-BP51A/L, PCGA-BP52, PCGA-BP52A, PCGA-BP52A/L, PCGA-BP52A/L,	for SONY POG-6C1N, PCG-6C1N / VAIO PCG-505, PCG-N505, PCG- C1, PCG-C1C, PCG-C1M, PCG-C1V, PCG-C1X, PCG-C2, PCG-GT1, PCG-GT3 Series Laptop Battery
BP71		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 406g 140.00 x 73.00 x 14.00 mm Color: Grey	PCGA-BP1N, PCGA-BP7, PCGA-BP71, PCGA-BP71A, PCGA-BP71AUC, PCGA-BP71CE7	PCG-700, PCG-800, PCG-900, PCG-F, PCG-FR, PCG-FX, PCG-FXA, PCG-QR, PCG-XE, PCG-XG, PCG-XR Series Laptop Battery

FOR TOSHIBA

FOR TSINGHUA TONGFANG FOR TOSHIBA





F	FOR TSINGHUATONGFANG					
Code	Image	Specification	Part No.	Replacement for		
3N09		Cell Type: Li-ion Voltage: 11.1V Capacity: 4400mAh Weight: 446g 198.00 x 48.00 x 35.00 mm Color: Black & White	D-DST1162	Imini S1 Series; Imini S2 Series		

F	OR TOSHIBA			
Code	Image	Specification	Part No.	Replacement for
PA2487U		Cell Type: Li-ion Voltage: 10.8V Capacity: 4500mAh Weight: 319g 170.00 x 65.00 x 14.00?mm Color: Black	B404, PA2487, PA2487U, PA2487UG, PA2487UR, PA2487UR-G, PA2487URG, PA2487URN, PA3107U-1BAS, PA3107U-1BRS, PABAS011	For TOSHIBA Dynabook T2, T3, T4, T5, T6 Series / Satellite 200, 210CDT, 220, 230, 250, 300, 400, 430, 510, 1400, 1410, 1500, 1800, 2000, 2100, 2200, 2400, 2500, 2600, 2700, 2800, 2900, 4000, 4100, 4200, 4300, 4400, 4600, T2100 Series / Satellite Pro 300, 400, 1800, 2100, 4200, 4300, 4600 Series Laptop Battery
PA2522		Cell Type: Li-ion Voltage: 10.8V Capacity: 8800mAh Weight: 619g 201.00 x 88.00 x 19.00 mm Color: Black	PA2522U, PA2522U-1BAS, PA2522U-1BRS	For TOSHIBA Satellite 2450, 2455 Series / Satellite A20-S103 Laptop Battery
PA3084U	THE	Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 300g 122.00 x 65.00 x 18.00 mm Color: Cream White	PA3084U-1BAS, PA3084U-1BRS, PA3176U-1BAS, PA3176U-1BRS, PA3176U-2BRS, PABAS012	For TOSHIBA Portege M100, 4000 Series / Tecra 9000, 9100 Series / DynaBook S Series / Satellite 6000 Series Laptop Battery
PA3166		Cell Type: Li-lion Voltage: 14.8V Capacity: 6600mAh Weight: 612g 132.00 x 125.00 x 23.00 mm Color: Black	PA3166U, PA3166U-1BAS, PA3166U-1BRS	For TOSHIBA Satellite 1900, 1905 Series / Satellite 1900 PS1901-000FS, Satellite 1900 PS192C-00UWN Laptop Battery
PA3191U		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 297g 126.45 x 69.67 x 20.20 mm Color: Black	PA-3191U-3BRS, PA3128U-1BRS, PA3191-2BAS, PA3191U-1BAS, PA3191U-1BRS, PA3191U-2BRS, PA3191U-3BAS, PA3191U-4BAS, PA3191U-4BAS,	For TOSHIBA Portege M205 / Portege M200, M400 Tablet PC, M405 Series / Satellite R10, R15 / Satellite Pro 6000, 6100 Series / Tecra M4, TE2000, TE2100 Series Laptop Battery
PA3250	To the same of the	Cell Type: Li-ion Voltage: 14.8V Capacity: 6600mAh Weight: 603g 133.00 x 120.00 x 20.00 mm Color: Black	PA3239, PA3250, PA3250U, PA3250U-1BAS, PA3250U-1BRS	Toshiba Satellite S2430-A740 Toshiba Satellite 2430 Series Satellite 2430-101 Satellite 2430-301 Satellite 2430-402D Satellite 2430-703 Toshiba Satellite 2435 Series Toshiba Satellite S2430-A620 Satellite 2430-201 Satellite 2430-402 Satellite 2430-502

FOR TOSHIBA				
Code	Image	Specification	Part No.	Replacement for
PA3257		Cell Type: Li-ion Voltage: 11.1V Capacity: 7200mAh Weight: 457g 139.00 x 85.00 x 18.00 mm Color: Black	PA3248 PA3257 PA3248U-1BAS PA3248U-1BRS PA3257U-1BAS PA3257U-1BRS	Tecra S1 Series
PA3258		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 311g 148.00 x 94.00 x 15.00 mm Color: Black	PA3258, PA3258U, PA3259, PA3259U, PA3258U-1BAS,	For TOSHIBA Dynabook V7 / Satellite Pro, Tecra M1 Series Laptop Battery
PA3259		Cell Type: Li-ion Voltage: 10.8V Capacity: 6600mAh Weight: 452g 148.00 x 94.00 x 18.00 mm Color: Black	PA3258U-1BRS, PA3259U-1BAS, PA3259U-1BRS, PABAS034	
PA3285U	i il	Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 316g 125.00 x 67.00 x 16.00 mm Color: Black	PABAS073, PABAS075 PA3284U-1BAS, PA3284U-1BRS, PA3285U-1BAS, PA3285U-1BRS, PA3285U-2BAS, PA3285U-2BRS, PA3285U-3BRS,	For TOSHIBA Dynabook Qosmio G20/590LS / Dynabook Satellite J60, J61, J62, K10, K11, K15, K16, K17 Series / Satellite A10, A15, Pro, Series / Teora A1, A8 Series / Qosmio E10, E15, F10, F15, G10, G15, G20, G25 Series Laptop Battery
PA3291		Cell Type: Li-ion Voltage: 14.8V Capacity: 6600mAh Weight: 636g 146.00 x 127.00 x 19.00 mm Color: Black	PA3291U-1BAS, PA3291U-1BRS	For TOSHIBA Satellite P20, P25 Series Laptop Battery
PA3331U		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 312g 196.00 x 45.00 x 17.00 mm Color: Black	PA3331U-1BAS, PA3331U-1BRS	For TOSHIBA Satellite Pro M30 / Satellite M30, M35 Series Laptop Battery
PA3332U	The last last	Cell Type: Li-ion Voltage: 10.8V Capacity: 8800mAh Weight: 605g 197.00 x 81.00 x 30.00 mm Color: Black	PA3331U-1BAS, PA3331U-1BRS, PA3332U-1BAS, PA3332U-1BRS	For TOSHIBA Satellite M30, M35 Series Laptop Battery
PA3383U		Cell Type: Li-ion Voltage: 14.8V Capacity: 6600mAh Weight: 610g 266.00 x 70.00 x 22.00 mm Color: Black	PA3383, PA3383U, PA3383U-1BRS, PA3383U-1BAS	For TOSHIBA Satellite A70, A75, P30, P35 Series Laptop Battery



F	OR TOSHIBA			
Code	Image	Specification	Part No.	Replacement for
PA3356U	isos mith	Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 308g 202.00 x 45.00 x 16.00 mm Color: Black	PA3356U-1BAS, PA3356U-1BRS, PA356U-2BAS, PA356U-2BRS, PA3356U-3BRS, PA3356U-3BRS,	For TOSHIBA Dynabook Satellite T20 / Tecra S3-S411TD / Satellite M500 / Dynabook Satellite M, T10, T11, T12 Series / Dynabook Oosmio F20 Series / Dynabook SS M36, SS M36, SS M37, SS MX, TX, TX/2, TX3, TX4 Series /
PA3357U	Blin. this	Cell Type: Li-ion Voltage: 10.8V Capacity: 8800mAh Weight: 593g 201.00 x 82.00 x 29.00 mm Color: Black	PA3357U-1BFL, PA3456U-1BFS, PABAS048, PABAS049, PABAS054, PABAS071	Portege M300, M500, S100 Series / Satellite A50, A55, M3, U205, / Tecra A2, A3, M2, M3, M5, M6 Series / Qosmio F20, F25 Series Laptop Battery
PA3382U		Cell Type: Li-ion Voltage: 14.8V Capacity: 6600mAh Weight: 594g 269.00 x 70.00 x 16.00 mm Color: Black	PA3382U-1BAS, PA3382U-1BRS, PA3384U-1BRS,	For Toshiba Dynabook AW2, AX2, AX/3 Series / Satellite A60, A65 Series / Satellite Pro A60 Laptop Battery
PA3384U		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 416g 268.00 x 70.00 x 20.00 mm Color: Black	PA3384U-1BAS, PABAS052	P10 Hou Lapiup battery
PA3395U		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 415g 135.00 x 84.00 x 15.00 mm Color: Black	PA3395U-1BRS, PA3421U-1BRS	TOSHIBA Satellite Pro M40X-131 / Satellite M30X, M30X-S, M35X, M35X-S, M40X Series Laptop Battery L584
PA3399U	Same to	Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 306g 203.00 x 50.00 x 18.00 mm Color: Black		
PA3399U(H)	The late	Cell Type: Li-ion Voltage: 10.8V Capacity: 6600mAh Weight: 471g 201.00 x 64.00 x 18.00 mm Color: Black	PA3399U-1BAS, PA3399U-1BRS, PA3399U-2BAS, PA3399U-2BRS, PA3400U-1BRS, PA3478U-1BRS, PABAS076	For TOSHIBA Dynabook CX, TX, VX Series / Satellite A80, A100, A105-S4000, M40, M45, M50, M55, M100-ST5000, M105-S3000, M110-ST1000, M115-S3000 Series / Tecra A3, A4, A5, A6, A7, S2 Series Laptop Battery
PA3399U(HH)		Cell Type: Li-ion Voltage: 10.8V Capacity: 8800mAh Weight: 595g 201.00 x 86.00 x 18.00 mm Color: Black		

FOR TOSHIBA

F	OR TOSHIBA			
Code	Image	Specification	Part No.	Replacement for
PA3400	Marita 1980 158	Cell Type: Li-lon Voltage: 14.8V Capacity: 2400mAh Weight: 232g 203.00 x 50.00 x 18.00 mm Color: Black		
PA3400(H)	Alexander Marie	Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 306g 203.00 x 50.00 x 18.00 mm Color: Black	PA3399U-1BAS, PA3399U-1BRS, PA3399U-2BAS, PA3399U-2BRS, PA340U-1BRS, PA3478U-1BRS, PABAS076	For TOSHIBA Dynabook CX, TX, VX Series / Satellite A80, A100, A105-S4000, M40, M45, M50, M55, M100-ST5000, M105-S3000, M110-ST1000, M115-S3000 Series / Tecra A3, A4, A5, A6, A7, S2 Series Laptop Battery
PA3400(HH)		Cell Type: Li-ion Voltage: 14.8V Capacity: 6600mAh Weight: 471g 20.00 x 64.00 x 18.00 mm Color: Black		
PA3450		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 499g 201.00 x 63.00 x 19.00 mm Color: Black	PA3420U-1BAC PA3420U-1BAS PA3420U-1BRS PA3450U-1BRS PA3506U-1BAS PA3506U-1BRS PABAS059	For Toshiba Satellite L15, L20, L25, Pro L10, Pro L20 Series / Tecra L2 Series Laptop Battery
PA3451		Cell Type: Li-ion Voltage: 14.8V Capacity: 2400mAh Weight: 238g 207.00 x 46.00 x 20.60 mm Color: Black		
PA3451(H)		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 401g 202.00 x 68.00 x 18.00 mm Color: Black	PA3457U-1BRS, PA3465U-1BRS, PABAS069	For TOSHIBA Dynabook M45, M50, M55-S1xxx, M70, M105-S10xx, M115-S10xx, Pro Series Laptop Battery
PA3451(HH)	The state of the s	Cell Type: Li-ion Voltage: 14.8V Capacity: 6600mAh Weight: 622g 201.00 x 87.00 x 22.00 mm Color: Black		
PA3634		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 315g 200.00 x 45.00 x 15.00 mm Color: Black	PA3634U-1BAS PA3635U-1BAM PA3635U-1BRM PA3636U-1BRL PA3636U-1BAL PA3638U-1BAP PABAS117	TOSHIBA Equium U400, Portege M800, Satellite L310, M300, M305, U400, U405, U405D, Satellite Pro M300, U400 Series



F	OR TOSHIBA			
Code	Image	Specification	Part No.	Replacement for
PA3465U	All the Hills of the State of t	Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 310g 202.00 x 49.00 x 17.00 mm Color: Black		
PA3465(H)		Cell Type: Li-ion Voltage: 10.8V Capacity: 6600mAh Weight: 460g 201.00 x 64.00 x 18.00 mm Color: Black	PA3457U-1BRS, PA3465U-1BRS, PABAS069	For TOSHIBA Dynabook M45, M50, M55-S1xxx, M70, M105-S10xx, M115-S10xx, Pro Series Laptop Battery
РА3465(НН)		Cell Type: Li-ion Voltage: 10.8V Capacity: 8800mAh Weight: 611g 201.00 x 87.00 x 22.00 mm Color: Black		
PA3534U		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 310g 200.00 x 47.00 x 15.00 mm Color: Black	PA3534U-1BAS, PA3534U-1BRS, PA3535U-1BAS,	Replacement for TOSHIBA Equium A200 series, TOSHIBA Satellite A200, A205, A210, A215, A300, L200, M200, M205 Series, TOSHIBA Satellite Pro A200, A210,
PA3534U(H)		Cell Type: Li-ion Voltage: 10.8V Capacity: 7200mAh Weight: 460g 270.00 x 46.00 x 36.00 mm Color: Black	PA3535U-1BRS, PABAS098, PABAS099	A300, L300 Series Laptop Battlery
PA3536U		Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 327g 202.00 x 68.00 x 15.00 mm Color: Black	PA3536U-1BRS, PA3537U-1BRS, PA3537U-1BRS,	TOSHIBA L350-S1001X, Satellite L350-ST2121, L355-S7811, L355-S7812, P300-ST3014, Satellite-P200-143, TOSHIBA Equium P200, Satellite P200,
PA3537U		Cell Type: Li-ion Voltage: 10.8V Capacity: 6600mAh Weight: 454g 203.00 x 69.00 x 16.00 mm Color: Black	PABAS101, PABAS101,	Satellite P2000, Satellite P205, Satellite P2050, Satellite P305, Satellite P3050, Satellite Pro P200, Satellite Pro P300, Satellite X200, Satellite X205 Series
T3000		Cell Type: Li-ion Voltage: 14.8V Capacity: 4400mAh Weight: 421g 132.00 x 90.00 x 18.00 mm Color: Dark Grey	PA3098U, PA3098U-1BAS, PA3098U-1BRS	For TOSHIBA Satellite 1200, 3000, 3005 Series Laptop Battery

F	OR TOSHIBA			
Code	Image	Specification	Part No.	Replacement for
T5100	WE WILL	Cell Type: Li-ion Voltage: 10.8V Capacity: 4400mAh Weight: 300g 120.00 x 63.00 x 15.00 mm Color: Dark Grey	PA3123-1BAS, PA3123U-1BRS, PA3178U-1BAS, PA3178U-1BRS, PA3211U-1BAS, PA3211U-1BRS	TOSHIBA Portege A100 Series / Satellite 5000, 5005, 5100, 5105 Series Laptop Battery
T8000		Cell Type: Li-ion Voltage: 10.8V Capacity: 4500mAh Weight: 338g 165.00 x 96.00 x 16.00 mm Color: Dark Grey	PA2510, PA2510U, PA2510UR, PA3010U-1BAR	For TOSHIBA Tecra 8000 Series Laptop Battery
T8100		Cell Type: Li-ion Voltage: 10.8V Capacity: 4500mAh Weight: 337g 217.00 x 69.00 x 15.00 mm Color: Dark Grey	PA3009, PA3009U, PA3009U-1BAR, PA3009U-1BAT, PA3009UR, PA3009UR-1BAR, B411	For TOSHIBA Tecra 8100 Series Laptop Battery
T8200		Cell Type: Li-lion Voltage: 10.8V Capacity: 4400mAh Weight: 331g 216.00 x 56.00 x 16.00 mm Color: Grey	B412. PA3062U-1BAR, PA3062U-1BAT	For TOSHIBA Tecra 8200 Series Laptop Battery




UNIVERSAL CAR AND HOME CHARGER FOR LAPTOPS AND DIGITAL TECHNICS

UNIVERSAL EXTERNAL BATTERY FOR LAPTOPS AND DIGITAL TECHNICS



Functions and features:

- 2 inputs: from car cigarette charger and from home electricity network
- slim size (113 \times 64 \times 25 mm) with high powerful output (up to the 100W)
- 11 changeable tips which are compatible with most popular laptop brands
- 6 automatic protection functions:
 - input under-voltage protection
 - output over-voltage protection
 - output short-circuit protection
 - output over-current protection
 - output overload protection
 - over temperature protection
- · low energy consumption during "without load" mode (less 1W)
- · additional USB port for digital technics (5V power)
- · stylish metallic case with advanced heat exchange
- · conform to CE, RoHS and UL Certifications
- · easy to plug and use



Functions and features:

- · 13mm depth and 500g weight. Can be charged while discharge
- · high capacity battery provides up to 20 hours of extra work time
- · wide compatibility range for various laptop models
- · 6 automatic protection functions:
 - input under-voltage protection
 - output over-voltage protection
 - output short-circuit protection
 - output over-current protection
 - output overload protection
 - over temperature protection
- · stylish metallic case with advanced heat exchange
- additional USB port for digital technics (5V power)
- · conform for CE, RoHS and UL Certifications
- · easy to plug and use

FOR	
DELTA	

Code	Image	Specification	Power	Part No.	Replacement for
Code	illiage	Specification	rowei	Pait NO.	Replacement for
IBF001	Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 16V-3.36A Size (mm): 110*44*24	60W	02K6543, 02K6555,02K6545,02K6548,02K6549, 02K6550, 02K6553, 02K6555, 02K66496. 02K6491, 12H1441, 11J8956, 83H6339,11J8626,12J0538, 02K6545, 11J8702,02K6496,02K6543,8566698, 8566695, 02K6557,02K6556,02K7010,02K6555, 02K7016,02K7011,02K6559,02K6500,02K6580, 01H6136,11J8966,12J1441,A350,LPAIB3,LPAIB4, LPAIB5,LPAIB6,02K7010,02K7006,02K7007, IBPS240,IBPS310,IBPS380,IBPS380X,IBPS3805,IBPS380,IBPS380X,IBPS380X,IBPS380X,IBPS380X,IBPS380X,IBPS380X,IBPS380X,IBPS380X,IBPS380X,IBPS380X,IBPS380X,IBPS380X,IBPS380X,IBPSS60X,IBPSS770,IBPS770,IBPS1700.	IBMThinkPad240,310,360,380,385XD,390,390E,770,600,600E,600X,500,560,570,A20,A20M,A21,A22,A22M,A30,A31,A31P,R30,R31,R32,R33,T20,T21,T22,T23,T24,T30,T40,T41,X20,X21,X22,X23,X30,X31,X40,i1200Series,i1300Series,i1400Series,i1500Series,i1700Series
IBF002	Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 16V-3,5A Size (mm): 110°45°25 Weight (g): 214	60W	02K0077, 02K5669, 02K6542, 02K6543, 02K6544, 02K6545, 02K6547, 02K6548, 02K6549, 02K6550, 02K6554, 02K6554, 02K6555, 02K6554, 02K66554, 02K66554, 02K66555, 02K66554, 02K66657, 02K66661, 02K6669, 02K6669, 02K6669, 02K6661, 02K6669, 02K6670, 02K6671, 02K6673, 02K6674, 02K6677, 02K6709, 02K6700, 02K6701, 02K6702, 02K6703, 02K6704, 02K6705, 02K6705, 02K6707, 02K6708, 02K6709, 02K6704, 02K67544, 02K6747, 02K6749, 02K6757, 02K6809, 02K6810, 02K6813, 02K6813, 02K6813, 02K6813, 02K6814, 02K6751, 02K6750, 02K6757, 02K6707, 02K6709, 02K6707, 02K6709, 02K6751, 02K6753, 02K6819, 02K6813, 02K6814, 02K6815, 02K6816, 02K6811, 02K6818, 02K6881, 02K6881, 02K6881, 02K6881, 02K6881, 02K6811, 02K602, 08K8203, 08K8204, 08K8205, 08K8203, 08K8204, 08K8205, 08K8204, 08K8205, 08K8206, 08K8207, 08K8208, 08K8204, 08K8205, 08K8203, 08K8204, 08K8205, 08K8204, 08K8205, 08K8201, 08K8205, 08K8207, 08K8208, 08K8209, 08K8211, 08K8212, 08K8203, 08K8204, 08K8205, 08K8204, 11,38956, 11,38954, 12,11443, 12,11444, 22P7091, 22P7092, 22P9003, 22P9009, 22P9010, 22P9021, 24P0151, 31P3975, 36H6340, 40Y7682, 59G798, 59G7991, 73G3393, 73G3411,73P4485,	A Series:A20, A20, A20M, A20P, A21, A21E, A21M, A21P, A22E, A22M, A22P, A30, A30P, A31, A31P E Series:E530I Series:i-1200, i-1210, i-1211, i-1241, i-1241, i-1251, i-1271, i-1300, i-1321, i-1340, i-1351, i-1351, i-1351, i-1418, i-1420, i-1421, 1441, i-1442, 1460, 1480, i-1421, 1441, i-1442, 1460, 1480, i-1421, i-1351, i-1361, i-1391 R series:R30, R31, R32, R40, R40E, R50, R50E, R50E, R50P, R51, R52 T Series:T20, T21, T22, T23, T30, T40, T40P, T41, T41P, T42, T42P,T43 X Series:Y20, X21, X22, X23, X24, X30, X31, X40, X41Panasonic CF CF-1 Series,CF-R1, Panasonic CF CF-R Series,CF-R4, CF-R4GC5AXS, CF-R4GWSAXR, CF-R4GWCXZBR, CF-
IBF003	Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 16V-4.5A Size (mm): 123°45°26 Weight (g): 260	72W	02K0077, 02K5669, 02K6542, 02K6543, 02K6544, 02K6545, 02K6547, 02K6548, 02K6549, 02K6550, 02K6554, 02K6654, 02K6655, 02K6654, 02K66657, 02K6654, 02K66669, 02K66669, 02K66669, 02K66670, 02K6671, 02K6673, 02K6674, 02K6677, 02K6670, 02K6701, 02K6702, 02K6703, 02K6704, 02K6700, 02K6701, 02K6702, 02K6703, 02K6704, 02K6705, 02K6706, 02K6707, 02K6704, 02K6704, 02K6706, 02K6707, 02K6708, 02K6751, 02K6753, 02K6747, 02K67809, 02K6751, 02K6751, 02K6753, 02K6814, 02K6813, 02K6814, 02K6815, 02K6816, 02K6880, 02K6881, 02K6881, 02K6889, 02K6884, 02K6881, 02K6888, 02K6889, 02K6880, 02K6881, 02K60880, 02K6881, 02K6081, 02K60	Panasonic CF CF-1 Series CF-18, Panasonic CF CF-1 Series CF-18, Panasonic CF CF-1 Series CF-18, Panasonic CF CF-8 Series CF-R1, Panasonic CF CF-R4 Series CF-R4, Panasonic CF CF-R4-R4-R4-R4-R4-R4-R4-R4-R4-R4-R4-R4-R4-
IBI004	Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-4,2A Size (mm): 123*45*27 Weight (g): 273	80W	IBM 02K6699, 02k6753, 08K8204 08K8205, 02K6657, 02K6673 02K6561, 02K6555, 02K6749 02K6756, 02K6677, 02K6665	IBM Thinkpad A Series: A20, A20E, A20M,A20PA21 A21E,A21M,A21P A22E,A22M,A22P,A30E,A30M,A30P, A31E,A31M,A31P Thinkpad i Series: 1200, 1210, 1211, 1230, 1241, 1250, 1251, 1271, 1300, 1321, 1340, 1351,1361, 1391, 1418, 1420, 1421, 1441, 1442, 1460 1480, 1482, 1500,1700, 1720, 1721 Thinkpad R Series: R30, R31, R32, R40, R40, R50, R50P, R51 Thinkpad T Series: T20 T21, T22, T23, T30, T40, T40P, T41, T41P, T42, T42P, T43, T43P Thinkpad X Series: X20, X21, X22, X23, X24, X2660, X2661, X2662, X30, X31, X40 Other Thinkpadmodels: 240, 240, X310, 365, 365CD, 365CD, 365CD, 365CD, 365CD, 365CD, 365CD, 380D, M8V, 380CD, 380D, 380D, 380D, 380D, 380D, 390D, 390V, 535, 560, 560C,

F	FOR IBM				
Code	Image	Specification	Power	Part No.	Replacement for
1BF005	4 pins	Input: AC100V - 240V Frequency: 50-60Hz Output: 16V-7.5A	120W	02K7091 02K7092 02K7085 02K7086	IBM ThinkPad G40 & G41 Series Notebook
IBK006	Tip size (mm) 7.7*5.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 20V-3.25A Size (mm): 110"44"24 Weight (g): 227	65W	FRU 92P1104, FRU 92P1106, FRU 92P1108, FRU 92P1110, FRU 92P1112, FRU 92P1114, FRU 92P1153, FRU 92P1157	IBM / Lenovo ThinkPad X60 Series IBM / Lenovo ThinkPad T60, Type 1951, Model 44x Series IBM / Lenovo ThinkPad 760, Top 1951, Model 44x Series IBM / Lenovo ThinkPad 760, T60, Z60 Series (integrated graphics only). IBM / Lenovo 3000 Series (with integrated graphics only). IBM / Lenovo ThinkPad Sesential Port Replicator. Notebook IBM ThinkPad X60 1703-xxx Notebook IBM ThinkPad X60 1703-xxx Notebook IBM ThinkPad X60 1709-xxx Notebook IBM ThinkPad X60 1709-xxx Notebook IBM ThinkPad X60 1703-xxx Notebook IBM ThinkPad X60 1702-xxx Notebook IBM ThinkPad X60 1703-xxx Notebook IBM ThinkPad X60 2503-xxx Notebook IBM ThinkPad X60 2503-xxx Notebook IBM ThinkPad X60 2533-xxx
IBK007	Tip size (mm) 7.7*5.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 20V-4.5A Size (mm): 124*44*25 Weight (g): 252	90W	92P1105 92P1109 92P1113 92P1110 92P1114 92P1106 PA-1900-171	IBM LENOVO N100 IBM LENOVO V100 IBM Lenovo Z60M IBM Thinkpad R60 IBM LENOVO 3000 IBM LENOVO C100 IBM LENOVO Z60M IBM LENOVO Z60M IBM LENOVO Z60T IBM Thinkpad T60 IBM Thinkpad X60 IBM Thinkpad Z60

f	OR DELTA				
Code	Image	Specification	Power	Part No.	Replacement for
DT1001	Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-2 64A Size (mm): 132*54*29 Weight (g): 208	50W	48W-DT01	For Dell Latitude L/ LS/ LS400 and Inspiron 2000/2100 Series NEC Versa VX GatewaySolo1100/2100/2150/2200/23000 /2300L8/2500XL/25005500XL/2500SE/ 2500XL/2550/5100/5100XL/5150LS/515 0SE/5150XL/9100/9100LS/9100SE/9100 XL/9150/9300/9300CX

	FOR SONY				I
Code	Image	Specification	Power	Part No.	Replacement for
SYF002	Tip size (mm) 6.0°4.4 (900° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 16V-4A Size (mm): 105*46*26 Weight (g): 217	65W	PCGA-AC16V1 PCGA-AC16V PCGA-AC51	For sony Vaio PCG-SR, PCG-SRX, PCG-VX, PCG-SRZTK, PCG-SRX99, PCG-VX89, PCG-VX89 Series PCG-ELK, PCG-GRX1P, PCG-Z600LEK, VAIO PCV-P101, PCG-S316 / VAIO PCG-R505, PCG-R600, PCG-Z505 Series PCG-N-B90PSYA / VAIO PCG-V505, PCG-Z1, VCN-B SeriesT2, VAIO VCN-T Series, SONY VAIO VGN-UX380 VGN-UX280P7 VGN-UX280P
SYJ003	Tip size (mm) 6.0*4.4 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19,5V-2.15A Size (mm): 105'46'26 Weight (g): 207	45W	PCGA-ACX1, PCGA-AC19V2	Sony VAIO PCG-505 Series PCG-505E, PCG-505EX, PCG-605F, PCG-505EX, PCG-605F, PCG-505EX, PCG-605EX, PCG-605EX, PCG-605EX, PCG-61MV, PCG-C11MV, PCG-C1MW, PCG-C1MW, PCG-C1MW, PCG-C1MW, PCG-C1MW, PCG-G1MY, PCG-
SYJ004	Tip size (mm) 6.0*4.4 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19.5V-3A Size (mm): 105*46*26 Weight (g): 218	60W	PCGA-AC19V1	PCG-700 Series: PCG-705, PCG-707, PCG-717, PCG-719, PCG-729, PCG-731, PCG-735, PCG-748, PCG-800 Series: PCG-808, PCG-812, PCG-818, PCG-808, PCG-812, PCG-818, PCG-838, PCG-816, PCG-8160,
SYJ005	Tip size (mm) 6.0*4.4 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19.5V-4.1A Size (mm): 128*53*26 Weight (g): 285	80W	PCGA-AC19V, PCGA-AC19V1, PCGA-AC19V2, PCGA-AC19V3, PCGA-AC71, PCGA-ACX1,	Sony Compatible Models:Sony Vaio PCG-5000 Series PCG-5201, PCG-5202, PCG-5211, PCG-5212, PCG-5212, PCG-5222, PCG-5222, PCG-5223, Sony Vaio PCG-6000 Series PCG-6112, PCG-6122, PCG-6132, Sony Vaio PCG-600x SeriesPCG-6114, PCG-6132, PCG-6134, PCG-6211, PCG-6231, PCG-6241, PCG-6134, PCG-6211, PCG-6231, PCG-6241, PCG-6134, PCG-707, PCG-707 OS EriesPCG-700, PCG-707,
SYJ006	Tip size (mm) 6.0°4.4 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19.5V-4.7A Size (mm): 128*53*27 Weight (g): 289	90W	PCGA-AC19V10, PCGA-AC19V11, VGP-AC19V10, VGP-AC19V11, VGP-AC19V12, VGP-AC19V19	SONY VAIO VGN-BX541B SONY VAIO VGN-FS500P12 SONY VAIO VGN-BS520B SONY VAIO VGN-FS530B SONY VAIO VGN-FS540P SONY VAIO VGN-FS530B SONY VAIO VGN-FS6540P SONY VAIO VGN-FS630B SONY VAIO VGN-FS650 SONY VAIO VGN-FS670 SONY VAIO VGN-FS625B/W SONY VAIO VGN-FS635B/W SONY VAIO VGN-FS640/W SONY VAIO VGN-FS645P/H SONY VAIO VGN-FS660/W SONY VAIO VGN-FS645P/H SONY VAIO VGN-FS680/W SONY VAIO VGN-FS746/W SONY VAIO VGN-FS742/W SONY VAIO VGN-FS746/H SONY VAIO VGN-FS760/W SONY VAIO VGN-FS745P/H SONY VAIO VGN-FS780/W SONY VAIO VGN-FS776P/H SONY VAIO VGN-FS780/W SONY VAIO VGN-S380 SONY VAIO VGN-FS780/W SONY VAIO VGN-S460P/B SONY VAIO VGN-S470P/S SONY VAIO VGN-S460P/B SONY VAIO VGN-550P/S SONY VAIO VGN-S560 SONY VAIO

F	FOR SONY				
Code	Image	Specification	Power	Part No.	Replacement for
SYJ007	Tip size (mm) 6.0*4.4 (90° right-angle)	Weight (g): 289 Input: AC100V - 240V Frequency: 50-60Hz Output: 19.5V-5.13A Size (mm): 128°53°26 Weight (g): 248	100W	PCGA-AC19V7, PCGA-19V7, PCGA-AC19V4, PCGA-19V4	SONY WAIO PCG-GRT Series, SONY VAIO PCG-GRT100, SONY VAIO PCG-GRT1002A, SONY VAIO PCG-GRT1002A, SONY VAIO PCG-GRT170, SONY VAIO PCG-GRT170, SONY VAIO PCG-GRT120, SONY VAIO PCG-GRT250, SONY VAIO PCG-GRT250, SONY VAIO PCG-GRT250, SONY VAIO PCG-GRT250PL, SONY VAIO PCG-GRT260G, SONY VAIO PCG-GRT270, SONY VAIO PCG-GRT2702P1, SONY VAIO PCG-GRT270G, SONY VAIO PCG-GRT715, SONY VAIO PCG-GRT715, SONY VAIO PCG-GRT715B, SONY VAIO PCG-GRT715B, SONY VAIO PCG-GRT716S, SONY VAIO PCG-GRT715B, SONY VAIO PCG-GRT716S, SONY VAIO PCG-GRT796SP, SONY VAIO PCG-GRT796SP, SONY VAIO PCG-GRT96SP, SONY VAIO PCG-GRT931, SONY VAIO PCG-GRY616S, SONY VAIO PCG-GRV616S,
SYJ008	Tip size (mm) 6.0*4.4	Input: AC100V - 240V Frequency: 50-60Hz Output: 19.5V-6.15A Size (mm): 164*79*38 Weight (g): 523	120W	PCGA-AC19V7, PCGA-19V7, PCGA-AC19V4, PCGA-19V4	Sony VAIO PCG-1/7/8/9 Series: Sony VAIO PCG-109MSony VAIO PCG-7A2LSony VAIO PCG-64109MSony VAIO PCG-7A2LSony VAIO PCG-8A1R, 8L2L, 803L, 8S4L, 8C2M, 8L3M, 806L, 8T2LSony VAIO PCG-9J1L, 9L1L, 9J3M, 9J5L Sony VAIO PCG-FR Series:Sony VAIO PCG-FRV25, FRV26, FRV27, FRV28, FRV31, FRV34, FRV37 Sony VAIO VGN-8 Series:Sony VAIO VGN-4100, A115B, A115M, A170, A170B1, A170B12, A200, A215M, A215Z, A290, A295, A295HP, A300, A317, A317M, A317S, A70P, A130P21, A600, A60GP, A60PS, A60S, A63, A130P25Sony VAIO VGN-AR100, AR500, AR50C, AR710F/B, AR41E, AR31MR, AR570N, AR790U Sony VAIO VGN-K Series:Sony VAIO VGN-K30, K31B, K45, K50B SONY VAIO PCG-GRT Series:PCG-GRT25F, PCG-GRT35F, PCG-GRT100P, PCG-GRT102P, PCG-GRT150, PCG-GRT1100P, PCG-GRT1100P, PCG-GRT1100P, PCG-GRT150, PCG-GRT150, PCG-GRT250P,
600LYS	Tip size (mm) 6.0*4.4	Input: AC100V - 240V Frequency: 50-60Hz Output: 19.5V-7.7A Size (mm): 164*79*38 Weight (g): 599	150W	PCGA-AC19V7, PCGA-AC19V9	Sony PCG-GRT280ZG Series, Sony PCG-GRT290Z Series, Sony PCGGRT290ZP27 Series, Sony PCG GRT360ZG Series, Sony PCG- GRT380ZG Series, Sony PCG-GRT390Z Series, Sony PCG-K13 Series, Sony PCG-H12P Series, Sony PCG-K13 Series, Sony PCG-H25 Series, Sony PCG-K17 Series, Sony PCG-K25 Series, Sony PCG- K25 Series, Sony PCG-K33 Series, Sony PCG-K35 Series, Sony PCG-K37 Series, Sony PCG-K45 Series, Sony PCG-K47 Series

ŀ	FOR GATEWAY				
Code	Image	Specification	Power	Part No.	Replacement for
GWI001	Tip size (mm) 5.5*2.5 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-3,68A Size (mm): 105*46*26 Weight (g): 214	70W	SA70-3105, 6500175	Gateway Solo 1100 SERIES Gateway Solo 2100 SERIES Gateway Solo 2200 SERIES Gateway Solo 2200 SERIES Gateway Solo 2500 SERIES Gateway Solo 2500 SERIES Gateway Solo 5500 SERIES Gateway Solo 5100 SERIES Gateway Solo 5300 SERIES Gateway Solo 5300 SERIES Gateway Solo 9100 SERIES Gateway Solo 9150 SERIES Gateway Solo 9300 SERIES

FOR HP/COMPAQ

	FOR HP/COMPAQ				
Code	Image	Specification	Power	Part No.	Replacement for
CPH001	Tip size (mm) 4.8*1.7	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-2.7A Size (mm): 106*46*26 Weight (g): 209	50W	101880-001 / 120765-001 / 146594-001 / 159224-001 / 159224-002 / 163444-001 / 163244-021 / 179725-002 / 179725-003 / 209124-001 / 293427-001 / 239427-004 / 239427-001 / 239427-001 / 239427-001 / 239704-291 / 239705-001 / 265602-001 / 285288-001 / 285546-001 / 338136-001 / 367760-001 / 37790-001 / 371790-86 / 380467-001 / 371790-01 / 371790-86 / 380467-001 / 393494-001 / 393494-001 / 393494-001 / 393561-002 / 387661-001 / 391172-001 / 393954-001 / 39155068 / 265662-001 / 402018-001	Compaq Armada Series: Armada 110, Armada E300, Armada 1500, Armada E500S, Armada M700, Armada E500S, Armada M700, Armada V300, Compaq Evo Series: Evo N110, Evo N150, Evo N200, Evo N400, Evo N400C, Evo N800C, Evo N600C, Evo N800, Evo N800C, Evo N600C, Evo N800, Evo N800C, Evo N600W Series, Evo Notebook N410C, Evo Notebook N610C, Compaq Prosignia Series: Prosignia 170, Prosario X1000, Presario Series: Presario X1001US, Presario X1001, Presario X1001US, Presario X1002, Presario X1010US, Presario X1010US, Presario X1015, Presario X1015US, Presario X1015, Presario X1015US, Presario X1028, Presario X1015US, Presario X1028, Presario
CPH002	Tip size (mm) 4.8*1.7	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-3.8A Size (mm): 106*46*26 Weight (g): 221	70W	101880-001, 101898-001, 120765-001, 159224-001, 163444-001, 179725-002, 209124-001, 209126-001, 338136-001, 386315-002, 387661-001	Compaq Armada 100 Series: 100, 100S, 110, 150Compaq Armada E Series: E300, E500, E500S, 5700 Compaq Armada M Series: M300, M500, M700 Compaq Armada V Series: V300 Compaq Armada V Series: V300 Compaq Armada V Series: V300 Compaq Armada 1500 Series: 1500, 1505, 15050M, 1510, 1510M, 1520D, 1520DM, 1530DM, 1530DM, 1540DM, 1550DM, 1571DM, 1573DM, 1580DMT, 1580DMT, 1580DMT, 1580DMT, 1580DMT, 1592DMT, 1598DMT Compaq Evo N200 Series: N200 Compaq Evo N200 Series: N400C, N410C Compaq Evo N400 Series: M400C, N410C Compaq Evo N400 Series: M400C, N410C Compaq Evo N400 Series: M400C, N410C Compaq Evo N400 Series: N400C, N400C, N600C, N610C, N610C, N610C, N610C, N610C, N100OC, N100C, N100C
CPH003	Tip size (mm) 4.8*1.7	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-4.5A Size (mm): 129°53°26 Weight (g): 247	85W	101880-001 101898-001 120765-001 146594-001 159224-001 163444-001 179725-003 209124-001 209126-001 239427-001 239427-003 239704-001 239705-001 265602-001 285288-001 338136-001 386315-002 387661-001 AC-C14 Da265 LPACQ3 P-0K065B13 PA-1651-02C Pp1006	HP Armada 110 HP Armada E500 HP Armada E500S HP Armada E700 HP Armada M300 HP Armada M700 HP Armada W300 HP Evo 1640 HP Evo N350 HP Evo N110 HP Evo N150 HP Evo N200 HP Evo N600C HP Evo N410C HP Evo N600C HP Evo N800C HP EVO N800V HP Prosignia 140 HP Prosignia 150 HP Prosignia 160 HP Prosignia 165 HP Prosignia 170SMB HP Prosignia 190SMB
CPH004	Tip size (mm) 4 pins	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-4.5A Size (mm): 128*53*26 Weight (g): 315	85W	401882-001, 401095-001	Compaq Armada 1500 Series:1500C, 1505, 1505DM, 1510, 1510DM, 1520, 1520D, 1520DM, 1530D, 1530DM, 1540DDM, 1550DM, 1550DMT, 1560DM, 1571DM, 1573DM, 1580DMT, 1590DMT, 1592DMT, 1598DMT

F	OR HP/COMPAQ				
Code	Image	Specification	Power	Part No.	Replacement for
CPH005	Tip size (mm) (4.2+4.8)*1.7	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-4.9A Size (mm): 128°53°26 Weight (g): 286	90W	324816-003 325112-001, PPP014S	HP Pavilion DV2000 Series:DV2000, DV2000t, DV2000ct, DV2000ct, DV2000ct, DV2000ct, DV2000ct, DV2000ct, DV2000ct, DV2000cs, EZ643UA, EZ728UAR, DV2020, DV2020cs, DV2025NR, EZ644UA, DV2035, DV2035US, EZ725UA, EZ725UAR, DV2037, DV2037US, EZ725UA, DV2040, DV2040cA, DV2040ck, EZ717UA, EZ723UA, EZ723UA, EZ723UA, DV2050, DV2050US, EZ718UA, EZ723UA, DV2050, DV2050US, EZ718UA, EZ718UAR, DV2109, DV2109NR, DV2110, DV2110RS, RG415UA, DV2116, DV2116WM, RG414UA, DV2120, DV2120CA, DV2125NR, RG406UA, DV2170, DV2171CA, RG407UA, RG4171, DV2171C, DV2171CA, RG407UA, RG412UA, DV2174, DV2174CL, RG406UA, DV2174, DV2174CL, RG406UA, DV2174, DV2174CL, RG406UA, DV2174, DV2174CL, RG406UA, DV2174CL,
CP1006	Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-4.9A Size (mm): 129°53°26 Weight (g): 262	90W	325112-001, F5104A, DC895B, F4813A, 324816-001, 324816-002, 324816-003, 25112-001,324815-001 ,324815-002	Compaq Presario Notebooks 2100 Series: 2175EA 2100AP, 2100CA, 2100CA, 2100LA, 2100US, 2100US, 2100US, 2100US CTO AMD, 2100US CTO INT, 2101AP, 2101US, 2101US, 2102AP, 2102EA, 2102US, 2103AP, 2103EA, 2104AP, 2105AP, 2105CA, 2105CA, 2105CA, 2105CA, 2105CA, 2105US, 2107AP, 210FA, 210FA, 210FA, 210FA, 210FA, 2110CA, 2110US, 2110CA, 2110CA, 2110CA, 2110US, 2110CA, 212CAD, 212CA
CPH007	Tip size (mm) 7.4*5.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-4.9A Size (mm): 129*53*26 Weight (g): 255	90W	391173-001 384020-001 384021-001 ED495A4 409992-001 384020-003 382021-002 PPP012L-S PPP012S-S PPP014L-S PPP014H-S PA-1900-08H2 PA-1900-18H2 HP-AP091F13LF SE	HP Pavillon ze5500/ze5600/ze5700 HP 2133 Mini-Note PC HP 2533t Mobile Thin Client HP Compaq 2230s Notebook PC HP Compaq 2510p Notebook PC HP Compaq 2710p Notebook PC HP Compaq 6510b Notebook PC HP Compaq 6515b Notebook PC HP Compaq 6530b Notebook PC HP Compaq 6535b Notebook PC HP Compaq 6710b Notebook PC HP Compaq 6715b Notebook PC HP Compaq 6720s Notebook PC HP Compaq 6720t Mobile Thin Client HP Compaq 6730b Notebook PC HP Compaq 6730s Notebook PC HP Compaq 6735b Notebook PC HP Compaq 6735s Notebook PC HP Compaq 6730b Notebook PC HP Compaq 6830s Notebook PC HP Compaq 6830s Notebook PC HP Compaq 6820s Notebook PC HP Compaq 6830s Notebook PC HP Compaq 8510w Notebook PC HP Compaq 8510w Notebook PC HP Compaq 8710w Mobile Workstation HP Compaq 8710 Notebook PC HP Compaq nc4101 Notebook PC HP Compaq nc4200 Notebook PC HP Compaq nc4200 Notebook PC





	OR HP/COMPAQ				
Code	Image	Specification	Power	Part No.	Replacement for
HPH001	Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-1.1A Size (mm): 105'46'2 Weight (g): 95	20W	48W-HP01	HP/COMPAQ 710C HP/COMPAQ 712C HP/COMPAQ 720C HP/COMPAQ 722C HP/COMPAQ 810C HP/COMPAQ 810C HP/COMPAQ 810C HP/COMPAQ 810C HP/COMPAQ 810C HP/COMPAQ 820C HP/COMPAQ 820C HP/COMPAQ 820C HP/COMPAQ 820C HP/COMPAQ 820C HP/COMPAQ 840C HP/COMPAQ 841C HP/COMPAQ 841C HP/COMPAQ 841C HP/COMPAQ 843C HP/COMPAQ 845C HP/COMPAQ 845C HP/COMPAQ 855CX HP/COMPAQ 850CX HP/COMPAQ 850CX HP/COMPAQ 870CSE HP/COMPAQ 870CSE HP/COMPAQ 890CSI HP/COMPAQ 90CSI
HPH003	Tip size (mm) 7.4*5.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-3.5A Size (mm): 105°46°26 Weight (g): 229	65W	ED494AA#ABA Spares #391 172-001	HP Compaq Mobile Workstation nw8440 HP Compagne2400,E15ne4400,ne6120, ne6140,ne6220,ne6230,ne6320,ne6400, ne8430,nx6110,nx6115,nx6125,nx6310, Nx6325,
HPH004	Tip size (mm) 4.8*1.7	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-3.5A Size (mm): 105°46°26 Weight (g): 225	65W	239427-003, 239704-001, HP-0K065B13, PPP009H,	Compaq Presario M2000 Series M2000, M2001, M2005, M2005US, M2007, M2007US M2010, M2010CA, M2010US, M2015, M2015CL, M2070, M2070US, M2090 M2100, M21016, M2101, M2101US, M2105, M2105US, M2108, M2108US M2105, M2105US, M2108, M2108US M2200, M2300, M2400, M2401, M2401XT Compaq Presario 2800 Series 2800, 2800CA, 2800T, 2800US, 2801, 2801CL, 2805, 2805US, 2806, 2806CL 2810, 2810CA, 2810EA, 2811, 2811CA, 2811CL, 2811EA, 2815, 2815EA, 2816, 2816EA 2878, 2878CL, 2879, 2879CL, 2880, 2880CL, 2881, 2881CL Compaq Presario V2000 Series V2000, V2000t, V2000t, V2002, V2003, V2004, V2005, V2006, V2007, V2008, V2009 V2010, V2010US, V2016, V2017, V2012, V2026, V2027, V2028, V2029, V2021, V2022, V2023, V2024, V2025, V2026, V2027, V2028, V2029, V2030, V2030, V2037, V2038, V2039, V2040US, V2011, V2069CL Compaq Presario V2100 Series V2100, V2110, V2110US, V2110CA, V2130, V2135, V2135US, V2140, V2140US, V2146CL, V2150,
HP1005	Tip size (mm) 7.4*5.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-4,74A Size (mm): 128*53*27 Weight (g): 287	90W	391173-001, 391172-001, 384019-001, 384020-003, 384020-001, 384021-001, 382021-002, ED494AA#ABA, PPD09H, PPP009L, PPP012L-S, PPP012L-S, PPP014L-S, PPP014L-S, PPP014L-S, PPP014L-S, PA-1900-08H2, PA-1900-18H2, HP-AP091F13LFSE	HP Business Notebook PC 6510b Series HP Business Notebook PC 6515b Series HP Business Notebook PC 6710b Series HP Business Notebook PC 6710b Series HP Business Notebook PC 6715b Series HP Business Notebook PC 6715s Series HP Compaq Business Notebook PC 6715s Series HP Compaq Business Notebook nc62400 Series HP Compaq Business Notebook nc6320 Series HP Compaq Business Notebook nc6300 Series HP Compaq Business Notebook nc6400 Series HP Compaq Business Notebook nc6400 Series HP Compaq Business Notebook nc6410 Series HP Compaq Business Notebook nc6410 Series HP Compaq Business Notebook nc6110 Series HP Compaq Business Notebook nc6115 Series HP Compaq Business Notebook nc6120 Series HP Compaq Business Notebook nc6130 Series HP Compaq Business Notebook nc6130 Series HP Compaq Business Notebook nc6310 Series HP Compaq Business Notebook nc6310 Series HP Compaq Business Notebook nc6310 Series HP Compaq Business Notebook nc6315 Series HP Compaq Business Notebook nc6325 Series HP Compaq Business

FOR HP/COMPAQ

F	FOR HP/COMPAQ				
Code	Image	Specification	Power	Part No.	Replacement for
900HAH	Tip size (mm) 5.5°2.5 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-4.9A Size (mm): 128°53°26 Weight (g): 285	90W	HP 180676-001, HP 198713-001, HP 2201452, HP 298239-001, HP 310925-001, HP 324816-001, HP 325112-001, HP 55522, HP F14614, HP F17814, HP F4813A, HP F4814A, HP 5104A, HP 5104B, HP 5104A, HP 5104A, HP 5104B, HP 5104B, HP 5104A, HP 5104A, HP 5104A, HP 5104A, HP 5104A, HP 5104A, HP 5104B,	HP & COMPAQ HP Pavilion xt276, Business Notebook nx9000, nx9005, NX9008, NX9010, NX9905, Business EV0 n1050x, COMPAQ Compaq 2940A Compaq NX900, Compaq Armada 2924 Series, Compaq Presario 1000 Series, Compaq Presario 18XL Series Compaq Evo Series Evo N105, Evo N115, Evo N160, Evo N180, Evo 18XL, Evo 800XL, Evo 2700, Evo 2700T ;Evo N1050 Compaq Presario 700 Series Presario 700CA, Presario 700LA, Presario 701CL, Presario 701LA, Presario 710CL, Presario 701LA, Presario 710CA, Presario 710, Presario 710CA, Presario 710, Presario 710CA, Presario 710US, Presario 715CA, Presario 715US,
НРН007	Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-6.5A Size (mm): 128*53*26 Weight (g): 512	120W	394209-001 / 394211-001 / 394210-001 / 375125-001 / 375126-001 / 375126-002 / 375143-001 / 374427-002 / 378768-001 / 394208-001 / 394903-001 / 375126-001 / HSTNN-HAD1 / HP-0W121713 / PPP016L / PPP017L / PA-1121-02HD / EA350A	HP Pavilion ZV6000 Series:ZV6000 / ZV6000 CTO / ZV6001 / ZV6001 XX / ZV6002 / ZV6002XX / ZV6003 / ZV6003XX / ZV6002 / ZV6004EA / ZV6003XX / ZV6005 / ZV6005US / ZV6006 / ZV6006EA / ZV6005US / ZV6007US / ZV6008 / ZV6008CL / ZV6007 ZV6009EA / ZV6009US / ZV6010 / ZV6010EA / ZV6010US / ZV6011 / ZV6011EA / ZV6011US / ZV6011 / ZV6011EA / ZV6015US / ZV6013 / ZV6015EA / ZV6020 / ZV6020EA / ZV6024 / ZV6026 / ZV6025EA / ZV6026 / ZV6028 / ZV6028 / ZV6026 / ZV6028 / ZV6028 / ZV6061EA / ZV6062 / ZV6065EA / ZV6064 / ZV6066 / ZV6065EA / ZV6066 / ZV6066 / ZV6066EA / ZV6066 / ZV6066 / ZV6066EA / ZV6067 / ZV6066 / ZV6068EA / ZV6068 / ZV6066 / ZV6066EA / ZV6068 / ZV6066 / ZV6068EA / ZV6068EA /
HP1008	Tip size (mm)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-9.5A Size (mm): 164'79"37 Weight (g): 609	180W	5189-2784 HSTNN-LA03 PA-1181-02	HP TouchSmart IO500.es Desktop PC (EMEA) KQ523AA HP TouchSmart IOS00.fr Desktop PC (EMEA) KQ517AA HP TouchSmart IQ500.it Desktop PC (EMEA) KQ521AA HP TouchSmart IQ500.me Desktop PC (EMEA) KQ526AA HP TouchSmart IQ500.wb Desktop PC (EMEA) KQ526AA HP TouchSmart IQ501.be Desktop PC (EMEA) KQ519AA HP TouchSmart IQ501.be Desktop PC (AP) KT533AA HP TouchSmart IQ5021xr Desktop PC (AP) KT533AA HP TouchSmart IQ5021xr Desktop PC (AP) KT534AA HP TouchSmart IQ504 Desktop PC (AP) KQ436AA HP TouchSmart IQ504 Desktop PC KQ436AA HP TouchSmart IQ505 Desktop PC KQ436AA HP TouchSmart IQ505 Desktop PC KY887AV HP TouchSmart IQ505 Desktop PC KZ631AA HP TouchSmart IQ505 Desktop
600НДН	Tip size (mm) 7.4*5.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-6.5A Size (mm): 164'62'35 Weight (g): 559	120W		

FOR HP/COMPAQ

Laptop Adapter Top UN

FOR MSI

Laptop Adapter Top UN

F	OR HP/COMPAQ						F	OR HP/COMPAQ				
Code	Image	Specification	Power	Part No.	Replacement for	С	ode	Image	Specification	Power	Part No.	Replacement for
HPH010	Trp size (mm) 7.4*5.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-7.1A Size (mm): 170°85°44 Weight (g): 755	130W				HP1014	Tip size (mm) 5.5*1.7	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-4.74A Size (mm): 128°53°27 Weight (g): 286	90W	ACER Part Number ADT01.008, AP09006.004, AP09003.009, AP09001.005, AP.09001.003, AP09000.001 Delta Part Number ADP-90SB BB Liteon Part Number PA-1900-04, PA-1900-04AC, PA-1900-04QB Li Shin Part Number LSE0202C1990	Acer Aspire 3020 Series: AS3020LMi, AS3020WLM, AS3021WLM, AS3022WLMi, AS3022WLMi, AS3022LMI, AS3022WLMi, AS3022WLMi, AS3023WLMi, AS3025WLMi, AS3025WLMi, AS3025WLMi, AS3025WLMi, AS5021WLMi, AS5021LMi, AS5021LMi, AS5021LMi, AS5021WLMi, AS5021WLMi, AS5022WLMi, AS502WLMi, AS502WLMi, AS502WLMi, AS502WLMi, AS502WLMi, AS502WLMi, AS502WLMi, AS502WLMi, AS502WLMi, AS502WLMi
HPH011	prolate nose	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-6.5A Size (mm): 167*62*36 Weight (g): 529	120W	PPP003SD, 394211-001, 394210-001, 374429-001, 394211-001, 375118-001, 394210-001, 374429-002, PPP014LL, HP-0L091B132, PA-1900-15HD, PPP014H	HP Compaq Business Notebook nx9600 Series: Business Notebook nx9600HP Pavilion zd8000 Series: zd8000, zd8001ap, zd8001xx, zd8002ap, zd8002XX, zd8004ap, zd8003xx, zd8004ap, zd8004xx, zd8004ap, zd8005ea, zd8007ea, zd8004ap, zd8004ap, zd8005ea, zd8010baz, zd8011xx, zd8015ea, zd8016a, zd8019ea, zd802ea, zd802ea, zd8045ea, zd8045ea, zd8046a, zd8046a, zd8046a, zd8050a, zd8105a, zd815a, zd815a, zd812a, zd8116a, zd8110a, zd8110a, zd815a, zd815a, zd815a, zd812a, zd815a, zd815a			Tip size (mm) 4.2+4.8)*1.7	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-3.5A Size (mm): 105°46°26 Weight (g): 224	65W	239427-003, 239704-001, НР-ОКО65В13, РРРОО9Н,	V2022, V2023, V2024, V2025, V2026, V2027, V2028, V2029, V2030, V2030, V2031, V2032, V2033, V2034, V2035, V2036, V2032, V2033, V2033, V2034, V2036, V2036, V2032, V2038, V2039, V2040, V2040US, V2041, V2069, V2069CL Compaq Presario V2100 Series V2100, V2110, V2110US, V2110CA, V2130, V2135, V2135US, V2146, V2140, V2140US, V2140CA, V2146, V2146, V2150, V2150US Compaq Presario V2200 Series V2200, V2205, V2205US, V220US, V220US, V2210US, V2210CA, V2220US, V2210US, V2210US, V2210US, V2210CA, V2250US, V2304, V2230US, V2304, V2304US, V2305, V2305C6, V2305US, V2305, V2305C6, V2305US, V2305, V2305US, V2310, V2310CA, V2310US, V2310, V2310CA, V2310US, V2310, V2310CA, V2310US, V2320, V2320, V2321, V2311US, V2312, V2312US, V2330, V2335, V2335US Compaq Presario V2400 Series V2400, V2400 CTO, V2401, V2401CL, V2402, V2402US, V2403, V2403NR, V2403us, V2404, V2404US, ****
HPH012	prolate nose	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-7.1A Size (mm): 165°80°37 Weight (g): 752	135W	DR910A, DR910A#ABA, Series PPPOXXL, PA-1131-08H HP Compaq Part No: 345312-001. Spare No: 346958-001 361072-001,	HP Compaq Business Notebook nx8220, nx9100, nx9105, nx9500 notebooks Compaq Presario R4000 Series Compaq Presario R4200 Series HP Pavilion zx6000 Series HP Pavilion zx6000 Series HP Pavilion zx6000 Series HP Pavilion Xx6000 Series		HP1016	Tip size (mm) (4.2+4.8)*1.7	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-4,74A Size (mm):105*46*26 Weight (g): 284	90W	394224-001, 393954-001, PPP012L-S, 283884-001 239428-001, 374791-001,410321-001, PPP012L, PPP014S, 101880-001, 101898-001, 120765-001, 146594-001, 159224-001, 159224-002, 163444-001, 179725-002, 179725-003, 209124-001, 209126-001, 239427-001, 239427-001, 239427-001, 239427-001, 23928-001, 287515-001, 239428-001, 285288-001, 287515-001, 0220A1890, 102576, 102577, 239425-002, 239704-291, 239428-001, 239428-002, 239704-291, 265602-021, 2	39424-001, 393954-001, PPP012L-S, 283884-001 239428-001, 374791-001,410321-001, PPP012L, PPP014S, 101880-001, 101898-001, 120765-001, 146594-001, 159224-001, 159224-001, 159224-001, 159224-001, 239427-001, 239427-001, 239427-001, 239427-001, 239427-001, 239428-001, 237615-001, 239428-001, 293704-001, 265602-001, 285288-001, 287615-001, 239428-001, 293705-001, 386315-002, 337661-001, 202041890, 102576, 102577, 239425-002, 239428-001, 259264, 265602-011, 265602-021, 265602-021, 265602-011, 265602-016, 238348-01, 28575-001, 287515-001, 293428-001, 293705-001, 325112-021, 374473-002, 374474-001, 374474-002, 380467-003, 381090-001, 393954-001, 393954-002,
					HP Pavilion ZD8000 Series Replacement Laptop AC Adapter HP Pavilion ZD8100 CTO, ZD8000 CTO, ZD8000		F	OR MSI				
					CTO, ZD8001 MV IUR, ZD8002 MV IUR, ZD8003 MV IUR, ZD8004 MV IUR, ZD8004 MV IUR, ZD80110 MV IUR, ZD8015, ZD8055, ZD8055, ZD8050, ZD8060, ZD80600, ZD8080US, ZD8105, ZD8105CA, ZD8060US, ZD8105, ZD8105CA,	С	ode	Image	Specification	Power	Part No.	Replacement for
HP1013	prolate nose	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-9.5A Size (mm): 170*85*44 Weight (g): 609	180W	344500-001, 366165-001, 374743-001, 394902-001, DC68BA, DR911A, DR911A#ABA, HSTNN-DA03, PA-1181-08H	ZD8110, ZD8110US, ZD8115, ZD8115US, ZD8120, ZD8120, ZD8120CL, ZD8125, ZD8125CL, ZD8200 CT0, ZD8225, ZD8225CA, EC299UARZD8230, ZD8230US, ZD8300, ZD8310, ZD8315, ZD8315CA, ZD8430, ZD84300, ZD8310, ZD8315, ZD8315CA, ZD84300, ZD84300A Series Compaq Presario X6000 Series Replacement Laptop AC Adapter Compaq Presario X6000, X6001 MV IUR, X6000 CT0, X6002 MV IUR, X6030 MV IUR, X6050, X6050CA, X6050US, X6070, X6070US, X6100, X6105, X6105, X6105, X6110, X6110US, X6125, X6125CL Series HP Compaq Business NoteBook NX9600 Series Replacement Laptop AC Adapter		MSI001	4 pins	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-7.89A	150W	150W-MS01	ViewSonic Viewbook 1500S ViewSonic Viewbook 1500P Acer Aspire 1700 Series Laptop Acer Aspire 1703, 1703SC, 1703SM Series Laptop Allenware AREA-51M 5500 Series Laptop, Model 766 FSP Group FSP150-1ADE11

F	FOR DELL				
Code	Image	Specification	Power	Part No.	Replacement for
DL1001	3 pins	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-2.64A Size (mm): 104"42"24 Weight (g): 200	50W	09834T	Dell Inspiron 2000 Inspiron 2100 series Dell Latitude L Latitude L400 Dell Latitude LS Latitude LS400
DLK002	3 pins	Input: AC100V - 240V Frequency: 50-60Hz Output: 20V-3.5A Size (mm): 128°53*27 Weight (g): 243	70W	PA-6, 9364U, AA20031 ,4983D	Dell Inspiron 2500 Dell Inspiron 2600 Dell Inspiron 2650 Dell Inspiron 3700 Dell Inspiron 3800 Dell Inspiron 4000 Dell Inspiron 4100 Dell Inspiron 4150 Dell Inspiron 5000 Dell Inspiron 5000 Dell Inspiron 5000 Dell Inspiron 5000 Dell Inspiron 3100 Dell Latitude CPic CPic Dell Latitude CPic Dell Lat
DLK003	3 pins	Input: AC100V - 240V Frequency: 50-60Hz Output: 20V-4.5A Size (mm): 128*53*27 Weight (g): 274	90W	310-1093, 310-1461, 310-1650, 310-2993, 66356, 3K360, 9R733, PA-9, 310-7500, 4983D, 7E109, 85391, 9364U, AA 20031, PA-6, PA6, EA10953-56, 9R733, 4983D, 8725P	" Inspiron " Series - 1100, 2500, 2600, 2650, 3700, 3800, 4000, 4100, 4150, 4200, 5000, 5100, 7500, 8000, 8100, 8200 " Latitude " Series - c500, c510, C540, c600, c610, C640, c800, c810, C840, CP, CPi, CPt, CPx, CS, CSx " Precision " Series - M60, M70 Workstation
DLJ104	7.4*5.0 27.4mm 25.0mm 20.6mm	Input: AC100V - 240V Frequency: 50-60Hz Output: 19.5V-3.34A Size (mm): 132°53°26 Weight (g): 235	65W	PA-12, PA12, 9T215, NADP-90KB, 00001, 310-2860, 310-3149, 310-4408, 310-7251, 310-7696, 310-7697, 310-7866, 310-3963, 310-8941, 310-9048, 310-9438, 310-9249, 310-9438, 310-9439, 51092, DF263, F7970, HF991, MK911, N2765, N2768, NF642, PA-1650-05D, PC531, XD733, XD802, YR733	Dell Inspiron 300M, 500M, 505M, 600M, 630M, 640M, 700M, 710M Dell Inspiron 1401, 1410, 1420, 1501, 1520, 1521, 1525, 6000, 6400 Dell Inspiron E1405, E1505 Dell Latitude 120L, 131L Dell Latitude D400, D410, D420, D430 Dell Latitude D500, D505, D510, D520, D530, D531, D531N Dell Latitude D600, D610, D620, D630, D630N, D631N Dell Latitude D800, D810, D830, D830N Dell Latitude X300, E4300 Dell Precision M20, M60, M65, M70 Dell XPS M1210, M1330, M140 Dell Vostro 1000, 1400, 1500

F	FOR DELL				
Code	Image	Specification	Power	Part No.	Replacement for
DLJ105	Tip size (mm) 7.4*5.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 19.5V-4.62A Size (mm): 150"51"29 Weight (g): 309	90W	310-7699 310-7712 310-7743 310-7744 310-7860 320-1389 310-2862 310-3399450-11111 450-11116 4500-11275 450-11282 450-11344 7W104 9T 215 C 2894 CF989 DF266 UC473 XD 757 YD 644 2H098 DF398 FF 313 M 5068 NF599 NADP-90KB PA-1900-02D 310-6325 310-4002 310-6557 310-7743 310-7774 310-7501 310-7698 450-10458 450-10462 450-10463 450-11061 450-11064 450-11493	DELL VOSTRO500, 1000, 1200, 1310, 1400, 1500, 1510, 1700, 1710 Dell Precision M 65 M 70 M 20 M 60 M 4300 Dell Inspiron 600mcr 630m 640m 6000 6400 700m 1150 1501 1705 1720 1721 300m 500m 510m 600m 710m 8500 8600 86000CR 9200 9300 9400 DELL LATITUDE D400, D410, D420, D430, D500, D505, D510, D520, D530, D531, D600, D610, D620, D630, D830, D801, D820, D830, 100L, X300 and D-Series Docking Stations DELL XPS M1210, M1310, M140, M1530, M170 DELL STUDIOStudio 15, Studio 17
DLJ006	Tip size (mm) 20.6mm 7.4*5.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 19.5V-6.7A Size (mm): 172'67*41 Weight (g): 561	130W	9Y819, K5294, NADP-130AB B, PA-1131-02D, 310-4180, D1078, HP-AD130B13P, TC887, W1828, 09Y819, 0W1828, 310-6580, 9Y8193, 0K5294	DELL Inspiron: 5150, 5160, 300M, 500M, 505M,600M, 700M, 6000, 6000D, 8500,9100, 9200, 9300 DELL Latitude: D400, D410, D500, D505, D510, D600, D610, D620, D800, D810, D820, X300 and D-Series Docking Stations
DLJ007	Tip size (mm) 7.4*5.0 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19.5V-7.7A Size (mm): 164'79"38 Weight (g): 714	150W	9Y819, K5294, NADP-130AB B, PA-1131- 02D, 310-4180, D1078, HP-AD130B13P, TC887, W1828, 09Y819, 0W1828, 310- 6580, 9Y8193, 0K5294	XPS 9100 9200 AND PARTS N3834, D2746, D1404, 320-2746, PA-15, ADP-150EB, PA-1151-06D, AP11
600ITG	octagonal connector	Input: AC100V - 240V Frequency: 50-60Hz Output: 13V-3,42A Size (mm): 132'54'26 Weight (g): 236	65W	PA-1650-02DW	XPS M1330/ 1318/LATITUDE X1

65

F	FOR FUJI				
Code	Image	Specification	Power	Part No.	Replacement for
FJF001	Tip size (mm) 6.0*4.4 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 16V-3.36A Size (mm): 105*46*26 Weight (g): 217	60W	CA01007-0740 FMV-AC304B	Fujitsu Lifebook C-4120 Fujitsu C-6235 Fujitsu C-6130 Fujitsu C-5235 Fujitsu C-6130 Fujitsu C-6320 Fujitsu C-6330 Fujitsu C-6320 Fujitsu C-6335 Fujitsu C-6537 Fujitsu C-6537 Fujitsu C-6557 Fujitsu C-6577 Fujitsu C-6571 Fujitsu C-6575 Fujitsu C-6571 Fujitsu C-6575 Fujitsu C-65
FJ1002	Tip size (mm) 6.0*4.4 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-3.16A Size (mm): 119*50*32 Weight (g): 207	60W	FMV-AC312	A4100, A4170, A4177, A4178, A4187, A4190
FJ1004	Tip size (mm)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-6.32A Size (mm): 172*72*41 Weight (g): 552	120W	FMV-AC316 , FPCAC36 , CP163061-02	Fujitsu Lifebook Fujitsu Lifebook N3000 N3010 Series Fujitsu Lifebook N5000 N5010 Series Fujitsu Lifebook N6000 N5010 Series Fujitsu Lifebook N04, N53, N58, N61 Asus A2D Series: A2D, A2000D Asus A2H Series: A2H, A2000H Asus A2H Series: A2H, A2000K Asus A2S Series: A2K, A2000K Asus A2S Series: A2K, A2000S Asus A7 Series: A7K, A7TAsus C90 Series: C90, C90S Asus F7 Series: F7SeAsus G2 Series: G2Sg Asus G50 Series: G50V, G50V Asus G71 Series: G716, G71VAsus Z81 Series: Z81D, Z81K, Z8100D, Z8100K American Sunrex Corp Geforce 4 8600 8200, 2800, F10503-A, Prostar 9870
FJ1005	Tip size (mm) 6.0*4.4 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 16V-2.5A Size (mm): 172*72*41 Weight (g): 552	40W		

	FOR ASUS				
Code	Image	Specification	Power	Part No.	Replacement for
AS1001	Tip size (mm) 4.8*1.7	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-2.64A Size (mm): 105°46°26 Weight (g): 226	50W	ASS5NE ADP-50SB ACDCADAP	AsusM5N/S5N/S3N/L1B /M2A/S1A/S200/A1/A2/ F7/L1/L7/L8/L84D/L84 K/M1/M2/M3/M5/M6/M 8/S1/S5/S8/T9

F	FOR ASUS				
Code	Image	Specification	Power	Part No.	Replacement for
ASC002	Tip size (mm) 4.8*1.7	Input: AC100V - 240V Frequency: 50-60Hz Output: 12V-3A Size (mm): 89*37*24 Weight (g): 172	36W	ADP-36EH C, R33030	Asus: Eee 900 901 900HA 900HD 900SD 901 904HA 1000 1000H 1002HA 1000XP S101ASUS R2 Series R2E R2H R2Hv
ASA003	Tip size (mm) 4.8*1.7	Input: AC100V - 240V Frequency: 50-60Hz Output: 9.5V-2.315A	22W	AD59230 90-0A00PW9100 24W-AS03	Eee PC 700 Eee PC 701 Eee PC 701SD Eee PC 701SDX Eee PC 900 Eee PC 26 Surf Eee PC 46 Eee PC 4G Surf Eee PC 4G Surf

F	FOR LITEON				
Code	Image	Specification	Power	Part No.	Replacement for
LT1004	Tip size (mm)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-6A Size (mm): 164*61*36 Weight (g): 520	115W	Liteon PA-1131-08 EA11202B PA-1900-05	Acer91.49V28.002LC.T3001.001Co mpaq 308745-001 309241-001 310925-001 316688-001 317188-001 316687-002 344895-001 346958-001 350221-001HP DR9124#ABA DR910A DR910A#ABA Toshiba PA3336U-1ACA PA3290E-1ACA PA3290U-1ACA
LT1006	4 pins	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-6,2A		AVERATEC 6100 NOBILIS A2500H	
LTI007	4 pins	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-9.5A Size (mm): 170°85°44 Weight (g): 609	180W	AP.18001.001, AP.18003.001, PA-1181-08, FSP180-ABAN1, etc	Gateway M675 series: M675, M675CS M675E, M675E Plus, M675X, M675XL Gateway M350 series: M350, M350WVNAcer Aspire 1700 Series Acer Aspire 1710 Series

-	Т	1
(\subseteq	
	J	
	_	ŀ

F	OR APPLE				
Code	Image	Specification	Power	Part No.	Replacement for
APL001	Tip size (mm) 9.5*3.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 24V-1.875A Size (mm): 105°46°26 Weight (g): 214	45W	ADP-45LB B M4402 M4895 M4896 M5937 M6384 M6384LL/A M6384LLA M6548G/A M7332 M7332LL/A M7332LLA M7387LL/A	Apple iBook (1999 model - original) Apple iBook (2000 model - original) Apple iBook (Blueberry) Apple iBook (Graphite) Apple iBook (Indigo) Apple iBook (Lime Green) Apple iBook (Tangerine) Apple PowerBook 1400 Apple PowerBook 14000 Apple PowerBook 14000 Apple PowerBook 2400 Apple PowerBook 2400 Apple PowerBook 3400 Apple PowerBook G3 1997 Apple PowerBook G3 1998 Apple PowerBook G3 1998 Apple PowerBook G3 Simple PowerBook G3 Lombard Apple PowerBook G3 Pismo Apple PowerBook G3 Wall Street
APL002	Tip size (mm) 7.7*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 24V-1.875A Size (mm): 105°46°26 Weight (g): 209	45W	611-0226, 611-0228, 611-2101, 661-3048, 661-3049, 922-1202, A1021, ACAPP-D56, ACG4, AG28016CM01, M82437/a, M82437a, M8457LIA, M8457ZIA, M8457ZIA, M8457ZA, M8482, M8576, M8576LL, M8576LIA, M8942, M8942LL M8942LL/A, M8942LL M8943, M8943GA, M8943LL, M8943GA, M8943LL,	IBook (Dual USB) iBook (Late 2001) iBook (14.1 LCD) 32 VRAM) iBook (14.1 LCD) 900MHz 32 VRAM) iBook (800MHz 32 VRAM) iBook (800MHz 32 VRAM) iBook (900MHz 32 VRAM) iBook (Opaque 16 VRAM) iBook (32 VRAM) iBook (32 VRAM) iBook 60 (M8860LL/A) iBook 64 (90M861LL/A) iBook 64 (90M861LL/A) iBook 64 (Early 2004) iBook 64 (14-inch Early 2004) iBook 64 (Early 2004) iBook 64 (14-inch Early 2004) iBook 64 (16Hz (M9165LL/A) iBook 64 (18Hz (M9165LL/A) iBook 64 iBanium 550 (M8362LL/A) iBook 64 iBanium 667 (M8363LL/A) iBook 64 iBanium 667 (M8591LL/A) iBook 64 iBanium 667 (M8691LL/A) iBook 64 iBanium 647 (M8691LL/A) iBook 64 iBanium 647 (M8691LL/A) iBook 64 iBanium 647 (M8691LL/A)
APL003	Tip size (mm) 9.5*3.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 242-65A Size (mm): 105*46*26 Weight (g): 200	65W	M4402, M4895, M4896, M5159, M5397, M6384, M6384LLA, M6548, M6548G/A, M7387, M7387LL/A, M7332	Apple iBook with G3 processor LESS than 500MHz Apple iBook (1999 model - original) Apple iBook (2000 model - original) Apple iBook (Blueberry) Apple iBook (raphte) Apple iBook (Indigo) Apple iBook (Lime Green) Apple iBook (Indigo) Apple iBook (Lime Green) Apple iBook (Tangerine) Apple PowerBook 1400 Apple PowerBook 1400 Apple PowerBook 2400 Apple PowerBook 2400 Apple PowerBook 2400 Apple PowerBook G3 1997 Apple PowerBook G3 1999 Apple PowerBook G3 1999 Apple PowerBook G3 Lombard Apple PowerBook G3 Pismo Apple PowerBook G3 Syple Syple PowerBook G3 Syple Sypl
APL004	Tip size (mm) 7.7*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 24V-2.65A Size (mm): 105°46°26 Weight (g): 216	65W	Apple A1021, Apple ACAPP-D56, Apple ACG4, Apple M7332/PBG4//Book2USB), Apple m8243z/a, Apple M84457LL/A, Apple M8457Z/A, Apple M8452, Apple M8576LL/A, Apple M8942LL/A, Apple M8943LL/A, NEC A1021, NEC	PowerBook G4 (1GHz/867MHz)PowerBook G4 (15-inch PV800)PowerBook G4 (15-inch 1.5/1.33GHz) PowerBook G4 (17-inch)PowerBook G4 (17-inch 1.33GHz)PowerBook G4 (17-inch 1.5GHz).PowerBook G4 (12-inch 1)PowerBook G4 (12-inch)PowerBook G4 (13-inch)PowerBook G4 (15-inch)PowerBook G4 (15-inch)Pow

F	FOR APPLE				
Code	Image	Specification	Power	Part No.	Replacement for
A1184	magnetic tip	Input: AC100V - 240V Frequency: 50-60Hz Output: 16:5V-3:65A	60W	MA538LL/A, 661-0443, 661-4269, 661-4485, 661-4259, 661-4339	Apple MacBook 13.3-inch 2.0GHz MB061LL/B Apple MacBook 13.3-inch 2.2GHz MB062LL/B Apple MacBook 13.3-inch 2.2GHz MB063LL/B Apple MacBook 13.3-inch 2.0GHz MA70DL/A Apple MacBook 13.3-inch 2.0GHz MA70TLL/A Apple MacBook 13.3-inch 2.0GHz MA70TLL/A Apple MacBook 13.3-inch 2.6Hz MA70TLL/A Apple MacBook 13.3-inch 2.6Hz MA472LL/A Apple MacBook 13.3-inch 2.6Hz MA472LL/A Apple MacBook 13.3-inch 2.6Hz MA255LL/A Apple MacBook 13.3-inch 2.0Hz M250LL/A Apple MacBook 13.3-inch Late 2.00 Core 2 Duo Apple MacBook 13.3-inch Late 2.00 Core 2 Duo Apple MacBook 13.3-inch Santa Rosa Late 2.007 Apple MacBook 13.3-inch Core 2 Duo Mid 2.007
A1172	magnetic tip	Input: AC100V - 240V Frequency: 50-60Hz Output: 18.5V-4.6A	85W	A1172, A1222, 661-3994, ADP-90UB, 611-0377, 661-4259, MA357LL/A	Apple Mac Book: MA463LL/A, MA464LL/A, MA090LL, MA600LL, MA601LL, MA092LL/A, MA609LL, MA610LL, MA092LL/A, MA896LL, MA896LL, MA895LL, MA897LL/A, Core Duo 1.67 15-inch, 15.4-inch Glossy, 17-inch, tate 2006, Mid 2007 17-inch Santa Rosa, Most Apple MacBook 13" 15" 17" Laptops Most Apple MagSafe MacBook PNO LaptopsMost Apple MacBook Pro 13" Laptops MacBook Pro 13" Laptops MacBook 13" 1.83/2.16 GHz Core 2 Duo

F	OR TFT				
Code	Image	Specification	Power	Part No.	Replacement for
TFC001	Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 12V-3A Size (mm): 105*46*26 Weight (g): 206	36W	NL30-120300-l1, EA1050F-120, LSE0107A1236, EA1050F, SAD3612SE	ACER LCD MONITOR: ACS01, AC711, AC915, AF705, AL506, AL511, AL512, AL532, AL712, AL713, AL715, AL716, AL716, AL722, AL732, AL922 ADI LCD MONITOR: A2304, A500, A500, A500, A500, A500, A701, A704, A707, A904, I600, I610, MJ15, MJ175, MX15, S500 AG Neovo LCD MONITOR: E-417, F-419, M-15, S157, S15VAOC LCD MONITOR: LM520, LM720, LM729, LM800, LM914 BENQ LCD MONITOR: FP2081, FP450, FP547, FP553, FP557, FP563, FP567, FP581, FP591, FP731, FP747, FP757, FP761, FP794, FP855, FP991 CTX LCD MONITOR: P2008, PV500B, PV700, PV720, PV7201, PV7204, PV722E, PV721, PV910MD, PV910MDB, S500, S501Ba EMachines: E1513, E151G, E151G-R, E1717HITACHI LCD MONITOR: R92, FS50, RAD-7C, RAD-9P MITSUBISHI LCD MONITOR: DV150 NCC LCD MONITOR: TF5000 PROVIEW LCD MONITOR: DV150 NCC LCD MONITOR: LCD MONI
TFC002	Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 12V-4A Size (mm): 129°53°27 Weight (g): 205	48W	NL30-120300-11, EA1050F-120, LSE0107A1236, EA1050F, SAD3612SE	ACER LCD MONITOR: AC501, AC711, AC915, AF705, AL506, AL511, AL512, AL532, AL712, AL713, AL715, AL716, AL722, AL732, AL922 ADI LCD MONITOR: A2304, A500, A5000, A501, A502, A505, A700, A701, A704, A707, A904, I600, I610, MJ15, MJ175, MJ175, MJ15, S500 AG Neovo LCD MONITOR: F-417, F-419, M-15, S151, S15VACC LCD MONITOR: HM520, LM720, LM729, LM800, LM914 BENQ LCD MONITOR: FP281, FP450, FP547, FP563, FP567, FP563, FP567, FP561, FP794, FP794, FP7977, FP757, FP761, FP794, FP855, FP991 CTX LCD MONITOR: P922, PV500BT, PV500B, PV520, PV5500B, PV700, PV700B, PV70MDV, PV720, PV7201, PV720A, PV722E, PV722I, PV910MD, PV910MDB, S500, S501BA EMachines: E15T3, E15TG, E15TG-R, E17TRHITACHI LCD MONITOR: EM, MV140, MV151, MV170, MV171, MV173 KDS LCD MONITOR: DV150 NEC LCD MONITOR: DV150 NEC LCD MONITOR: DV150 NEC LCD MONITOR: DV150 NEC LCD MONITOR: FIF15000 PROVIEW LCD MONITOR: PL566, PL566, PL566, PL566 Sampo LCD



FOR **SAMSUNG**



top Adapter	Top UN

F	OR TFT				
Code	Image	Specification	Power	Part No.	Replacement for
TFC003	Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 12V-5A Size (mm): 132'54'20 Weight (g): 221	60W	BRA-6012WW, CH-1205, 1050F, EA1050A-120, EA1050F, HASU12FB60, LAD6019AB5, SA165A-1250V-3, SYS1126-6012 ADP-15HB, PSA31U 120, HP 0950-3415, LSE9901B1250, LSE9802A1240, HP F1044B, F1044A, ADPC12350BB	Acer LCD MonitorAcer AC501, Acer AC711, Acer AC915, Acer AF705, Acer AL506, Acer AL511, Acer AL512, Acer AL506, Acer AL511, Acer AL512, Acer AL522, Acer AL713, Acer AL715, Acer AL716, Acer AL712, Acer AL713, Acer AL922 AG Neovo LCD MonitorAG Neovo F-415, AG Neovo F-417, AG Neovo LCD MonitorAG Neovo S-10, AG Neovo S-17, AG Neovo S157, AG Neovo S157, AG Neovo S157, AG Neovo S157, AG Neovo S-19, AG Neovo S-174, AG Neovo S-18, AG Neovo S-19, AG Neovo S-19, BenQ FP540, BenQ FP547, BenQ FP553, BenQ FP567, BenQ FP567, BenQ FP567, BenQ FP5681, BenQ FP567, BenQ FP567, BenQ FP571, BenQ FP567, BenQ
TFC004	Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 12V-1A Size (mm): 105*46*26 Weight (g): 197	12W		
TFC005	Tip size (mm) 5.5°2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 12V-2A Size (mm): 87"35"24 Weight (g): 138	24W	NL30-120300-H, EA1050F-120, LSE0107A1236, EA1050F, SAD3612SE, DA-	ACER LCD MONITOR: AC501, AC711, AC915, AF705, AL506, AL511, AL512, AL532, AL712, AL713, AL715, AL716, AL716, AL722, AL732, AL732, AL713, AL715, AL716, AL722, AL732, AL922ADI LCD MONITOR: A2304, A500, A500, A500, A500, A500, A500, A701, A704, A707, A904, I600, I610, MJ15, MJ175, MJ15, S300 A6 Neovo LCD MONITOR: L417, F-419, M-15, S15T, S15VAOC LCD MONITOR: LM520, LM720, LM729, LM800, LM914BEND LCD MONITOR: FP2081, FP450, FP547, FP553, FP557, FP563, FP563, FP581, FP591, FP731, FP747, FP757, FP761, FP794, FP855, FP991 CTX LCD MONITOR: P202, FV500BT, FV505B, FV509, FV500B, FV700, FV700BP, FV700
TFC006	Tip size (mm)	Input: AC100V - 240V Frequency: 50-60Hz Output: 12V-6A Size (mm): 129*53*26 Weight (g): 266	72W	LSE0111B1275, LSE0111B1260, 0219B1280	Phillips 180MT LCD TV Siemens CMTC1515 15-inch LCD Monitor Siemens CMTC1715 17-inch LCD Monitor ACER LCD MONITOR AD LCD MONITOR AG NEOVO LCD MONITOR ADC LCD MONITOR BENQ LCD MONITOR CTX LCD MONITOR HITACHI LCD MONITOR KDS LCD MONITOR MITSUBISHI LCD MONITOR PROVIEW LCD MONITOR SAMPO LCD MONITOR VIEWSONIC LCD MONITOR
TFC007	71p size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 12V-7A	85W	LSE0111B1275, LSE0111B1260, 0219B1280	Phillips 180MT LCD TV Siemens CMTC1515 15-inch LCD Monitor Siemens CMTC17515 17-inch LCD Monitor ACR LCD MONITOR ADI LCD MONITOR AG NEOVO LCD MONITOR ADC LCD MONITOR BENO LCD MONITOR CTX LCD MONITOR HITACHI LCD MONITOR KDS LCD MONITOR MITSUBISHI LCD MONITOR PROVIEW LCD MONITOR SAMPO LCD MONITOR VIEWSONIC LCD MONITOR VIEWSONIC LCD MONITOR

F	FOR SAMSUNG						
Code	Image	Specification	Power	Part No.	Replacement for		
SAI001	Tip size (mm) \$2.5*3.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-3.15A Size (mm): 105*46*26 Weight (g): 224	60W	AD-6019, SPA-830E	Samsung Sens 630 Samsung Sens 820 Samsung Sens Pro 680 Samsung Sens Pro 850 Samsung Wh-6000 MetroBook MetroBook LT MetroBook VL MPC (formerly MicronPC) TransPort GX MPC (formerly MicronPC) TransPort GX series MPC (formerly MicronPC) TransPort GX2 MPC (formerly MicronPC) TransPort GX3 MPC (formerly MicronPC) TransPort LT MPC (formerly MicronPC) TransPort VX MPC (formerly MicronPC) TransPort XT MPC (formerly MicronPC) TransPort XT2 MPC (formerly MicronPC) TransPort XT2 MPC (formerly MicronPC) TransPort ZX Samsung Aquila X05 Series, Aquila X10 Series, Corona P30 Series, GT8000, 8100, GT8600, GT8600XT, GT8650, GT8650XT, GT8700, GT8700XT, GT8750, GT8750XT, GT8750XV,		
SAF002	Tip size (mm) 5.5*3.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 16V-3.75A Size (rmm): 105*46*26 Weight (g): 205	60W	PSCV600104A	Samsung NoteMaster 486S/25N Series Notebook Samsung 1500FP series Samsung 17", 19" LCD Samsung 1701FP Samsung 1702FP Samsung 1900FP Samsung LTM1565 Samsung LTM1565 Samsung LTM1565 Samsung LTM1565 Samsung LTM1566 15" LCD monitors Samsung LTM1566 15" LCD monitors SyncMaster 150MP SyncMaster 152B SyncMaster 175U SyncMaster 172T LCD monitors SyncMaster 172B SyncMaster 172B SyncMaster 172F LCD monitors SyncMaster 192B VincMaster 172F SyncMaster 192T SyncMaster 192T 19" LCD monitors SyncMaster 570S TFT SyncMaster 570V TFT 15" LCD monitors SyncMaster 760V TFT SyncMaster 770 TFT, 17" LCD monitors Compatible OEM Part Number: PSCV420102A		
SAD003	Tip size (mm) 6.0°4.4 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 14V-3A Size (mm): 105*46*'26 Weight (g): 209	42W	AD-4214N, GH17P, AD-4214L, BN44-00080A, SCV420108 and BN44-00058A	1701FP / 1702FP / 1900FP / 1500FP series and 17" / 19" LCDSamsung LTM1555, SamsungLTN1565 LCD 15" LCD monitorsSamsung LTM1555, Samsung LTN1565 15" LCD monitorsSyncMaster 1501MP SyncMaster 152B, SyncMaster 1520 TMP SyncMaster 152B, SyncMaster 152T, SyncMaster 170T, SyncMaster 172B, SyncMaster 172E, SyncMaster 170T, SyncMaster 172B, SyncMaster 172E, SyncMaster 172T, SyncMaster 171P 17" LCD monitors SyncMaster 172T, LCD monitorsSyncMaster 191T, SyncMaster 192T, 19" LCD monitors SyncMaster 760V TFT, SyncMaster 770 TFT, 17" LCD monitors		
SAI004	Tip size (mm) 5.5*3.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-4.74A Size (mm): 128*52*28 Weight (g): 291	90W	AD8019, AD9019, SPA-V20	Samsung A10 series Samsung P series Samsung P10 series Samsung P20 NP20 Samsung P25 series Samsung P30 series Samsung P35 NP25 Samsung P40 series Samsung T10 series Samsung V20 Series Samsung V25 series Samsung X20 series Samsung X25 series Samsung X50 series		

FOR TOSHIBA

	FOR TOSHIBA				
Code	Image	Specification	Power	Part No.	Replacement for
TSE001	Tip size (mm) 6.3*3.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 15V-3A Size (mm): 105*46*26 Weight (g): 207	45W	PA3241U-2ACA PA2450U PA3049U-1ACA PA3080U-1ACA PA3153U-1ACA PA3241U-1ACA	Toshiba Libretto U100Toshiba Libretto U105Toshiba Satellite 200Toshiba Satellite 220Toshiba Satellite 300Toshiba Satellite 320Toshiba Satellite 300Toshiba Satellite 310Toshiba Satellite 320Toshiba Satellite 320Toshiba Satellite 210Toshiba Satellite 210Toshiba Satellite 210Toshiba Satellite 210Toshiba Satellite 210COTToshiba Satellite 220Toshiba Satellite 2250Toshiba Satellite 2250Toshiba Satellite 2250Toshiba Satellite 2550Toshiba Satellite 2590XDVToshiba Satellite 2590XDVToshiba Satellite 2590XDVToshiba Satellite 2670Toshiba Satellite 2670Toshiba Satellite 2750Toshiba Satellite 2805Toshiba Satellite 2805Toshiba Satellite 2805Toshiba Satellite 2805Toshiba Satellite
TSE003	Tip size (mm) 6.3*3.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 15V-5A Size (mm): 129*53*27 Weight (g): 284	75W	PA3283U PA3201U PA3215U PA3083U PA3282U PA2444UI PA3048U PA2444U PA2450U	Toshiba Tecra 8000Toshiba Tecra 8100Toshiba Tecra 8200 Toshiba Tecra 9000Toshiba Tecra 9100 Toshiba Tecra 84Toshiba Tecra AUToshiba Tecra AUToshiba Tecra AUToshiba Tecra AUToshiba Tecra M2Toshiba Tecra M3Toshiba Tecra M4 Toshiba Tecra M2Toshiba Tecra M3Toshiba Tecra M4 Toshiba Tecra M2VToshiba Tecra S2Toshiba Tecra E2000Toshiba Satellte 18200Toshiba Satellte 18200Toshiba Satellte 18300Toshiba Satellte 18300Toshiba Satellte 18300Toshiba Satellte 18300Toshiba Satellte 18300Toshiba Satellte 18300Toshiba Satellte 18305Toshiba
TSE004	Tip size (mm) 6.3*3.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 15V-6A Size (mm): 129*53*27 Weight (g): 289	90W	PA2501U PA2521U PA3201U- 1ACA	Satellite 1400 Series Satellite 1800 Series Satellite 2500 Series Satellite 5000 Series Satellite 5100 Series Satellite 5110 Series Satellite 2400 Series Satellite Pro 6000 Series Satellite 2400 Series Portege 2000 Series Portege 3500 Series Portege 4000 Series Tecra 9000 Series Tecra 9100 Series
TSE005	Tip size (mm) 6.3*3.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 15V-8A Size (mm): 167*62*36 Weight (g): 510	120W	PA3237, PA3237U, PA3237U-1ACA, PA3237U-2ACA	Toshiba Equium A60 Series:A60-152, A60-155, A60-156, A60-157, A60-158, A60-173, A60-181, A60-191, A60-199, A60-692Toshiba Satellite A30 Series:A30, A30-203Toshiba Satellite A35 Series:A30, A35-S1591, A35-S1592, A35-S1593, A35-S1593, A35-S209, A35-S2091Toshiba Satellite A60 Series:A60, A60-CJW, A60-CJW, A60-CJW, A60-LUR, A60-JL16, A60-S156, A60-S1561, A60-S156, A60-S1561, A60-S156, A60-S1561, A60-S156, A60-S166, A60-S1661, A60-S1662, A60-S1691, A60-S1691, A65-S1052, A60-S1691, A65-S1062, A65-S1063, A65-S1064, A65-S1069, A65

F	FOR TOSHIBA				
Code	Image	Specification	Power	Part No.	Replacement for
rseoo6		Input: AC100V - 240V Frequency: 50-60Hz Output: 15V-8A Size (mm): 167*62*36 Weight (g): 518	120W	PA3237U-1ACA, PA3237U	Toshiba Satellite A20 series: A20-S259Toshiba Satellite A25 series: A25-S207, A25-S208, A25-S2791, A25-S2791, A25-S2792, A25-S308 Toshiba Satellite A40 series: A40-S161, A40-S1611, A40-S200, A40-S200SM, A40-S2001, A40-S270, A40-S2701, A40-VH3 Toshiba Satellite A45 series: A45-S120, A45-S1201, A45-S1202, A45-S121, A45-S1211, A45-S1204, A45-S1511, A45-S1511, A45-S1511, A45-S1511, A45-S1511, A45-S1501, A45-S1511, A45-S1501, A45-S1511, A45-S1501, A45-
	4 pins				A45-S2501, A45-S2502 Toshiba Qosmio G15 SeriesToshiba Qosmio G25 Series
TS1007	Tip size (mm) 6.3*3.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-3-16A Size (mm): 105'46'26 Weight (g): 206	60W	PA3032U-1ACA TSPS1600 PA3097U-1ACA	DynaBook SS425DynaBook SS 425Satellite 1000Satellite 1000-S157Satellite 1000-S158Satellite 1000-S25atellite 1000-S158Satellite 1000-S158Satellite 1000-S158Satellite 1100 seriesSatellite 1005-S157Satellite 1005-S158Satellite 1200-S121Satellite 1200-S121Satellite 1200-S122Satellite 1200-S121Satellite 1605CDSSatellite 1605CDSSatellite 1605CDSSatellite 1605CDSSatellite 1620CDSSatellite 1659Satellite 1675CDSSatellite 1670CDSSatellite 1675CDSSatellite 1670CDSSatellite 1675CDSSatellite 1700Satellite 1700Satellite 1700Satellite 1700Satellite 1700Satellite 1700Satellite 1730CDT Satellite 1755CSSatellite 1755CSSatellite 1755CSSatellite 1755CSSatellite 1755CDSSatellite 1755CSSatellite 1755CSSatellite 1755CSSatellite 1755CSSatellite 1755CSSatellite 1755CSSatellite 1755CSSatellite 1755CSSatellite 1955-S803Satellite 1955-S804Satellite 1955-S804Satellite 214Satellite 3000Satellite 3000 514Satellite 3000 G65 1.0 GHzSatellite 3000 Series Satellite 3000-400Satellite
TS1008	Tip size (mm) 6.3*3.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-6:3A Size (mm): 172*72*41 Weight (g): 509	120W	PA3290U-2ACA / PA3290E-2ACA	Toshiba Equium A60 Series:A60-152, A60-155, A60-156, A60-157, A60-158, A60-173, A60-181, A60-191, A60-199, A60-692Toshiba Satellite A30 Series:A30, A30-203Toshiba Satellite A30 Series:A35, A35-S159, A35-S159, A35-S159, A35-S159, A35-S159, A35-S159, A35-S159, A35-S209, A35-S2091Toshiba Satellite A60 series:A60, A60-CJW, A60-CJW, A60-JW, A60-JW, A60-JW, A60-JW, A60-JW, A60-JW, A60-JW, A60-S1691ST, A60-S1661, A60-S1666, A60-S1661, A60-S1662, A60-S1691ST, A60-WM1, A60-WM1FToshiba Satellite A65 Series:A65, A65-S1066, A65-S1067, A65-S1068, A65-S1069, A65-S1069, A65-S1069, A65-S109, A65-S109, A65-S109, A65-S109, A65-S109, A65-S109, A65-S109, A65-S109, A65-S1081, A65-S1361, A65-S1362, A65-S1662, A65-S1361, A65-S1361, A65-S1362, A65-S1361, A65-S1361, A65-S1362, A65-S1361, A65-S1361, A65-S1362, A65-S1361, A65-S1361, A65-S1362, A65-S1361, A65-S1361, A65-S1361, A65-S1362, A65-S1361, A65-S1361, A65-S1362, A65-S1361, A65-S1361, A65-S1362, A65-S1361, A65-S13

	FOR ACER				
Code	Image	Specification	Power	Part No.	Replacement for
AC1005	Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-7.9A Size (mm): 164*79*37 Weight (g): 601	150W	ADT05.001,AP.15001.001, AP.15003.003,Delta P/N: ADP-150CB	Aspire 1800 series Gateway M675 Gateway M350WVN

Laptop Adapter Top UN



FOR Other

	FOR ACER				
Code	Image	Specification	Power	Part No.	Replacement for
ACI008	Tip size (mm) 5.5*1.7 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-1.58A Size (mm): 96*43*31 Weight (g): 171	30W	PA-1300-04, HP-A0301R3 B1LF REV:01, HP-A0301R3 B1LF REV:02	AOD150-1044, AOD150-1125, AOD150-1165, AOD150-1186, AOD150-1197, AOD150-1240, AOD150-1322, AOD150-1462, AOD150-1462, AOD150-1587, AOD150-1606, AOD150-1462, AOD150-1669, AOD150-187, AOD150-1609, AOD150-187, AOD150-1809, AOD150-1809, AOD150-1809, AOD150-1809, AOD150-1809, AOD150-1809, AOD150-1809, AOD150-1920, AOD150-1920, AOD150-1049, AOA110-1831, AOA110-1834, AOA110-1983, AOA150-1049, AOA150-1068, AOA150-1039, AOA150-1049, AOA150-1668, AOA150-1346, AOA50-1329, AOA50-1329, AOA50-1348, AOA150-1350, AOA150-1346, AOA50-1350, AOA150-1400, AOA150-1405, AOA150-1405, AOA150-1405, AOA150-150-1504, AOA150-1504, AOA150-1679, AOA150-1672, AOA150-1679, AOA150-1679, AOA150-1679, AOA150-1706, AOA150-1742, AOA150-1777, AOA150-1784,
ACI007	Tip size (mm) 5.5*1.7	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-3.42A Size (mm): 105'46'26 Weight (g): 215	65W	LC-ADT01-003 Li Shin 0335A1965 Delta Electronics ADP-65DB REVE AC Power Adapter Delta Electronics SADP-65KB B LITE-0N PA-1700-02	Acer Aspire Series:1410, 1640, 1640Z, 1650, 1650Z, 1680, 1690, 1690-II, 2020, 2420, 2920, 3000, 3030, 3050, 3100, 3200, 3500, 3510, 3610, 3620, 3630, 3650, 3660, 3670, 3680, 4220, 4310, 4320, 4520, 4710, 4710Z, 4720, 4920, 5000, 5030, 5050, 5100, 5310, 5315, 5500, 5500Z, 5510, 5520S, 5570, 5570Z, 5580, 5710, 5710Z, 5715Z, 5720, 5920S, 7100, 9400 Acer Ferrar Series: 1000, 1100Acer TrievelMate Series: C200, C210, 380, 2300, 2310, 2350, 2400, 2410, 2420, 2450, 2460, 2470, 2480, 3000, 3010, 3020, 3030, 3040, 3200, 3210, 3220, 3230, 3250, 3260, 3270, 3300, 4000, 4010, 4020, 4050, 4060, 4070, 4080, 4100, 4100-II, 4650, 4720, 5100, 5210, 5220, 5310, 5320, 5510, 5520, 5600, 5710, 5720, 6000, 6231, 6291, 6292, 6492, 6592, 7320, 7720, 8000, 8100, 8100A
				<u> </u>	
Code	Image	Specification	Power	Part No.	Replacement for
GATEWAY / TOSHIBA / LITEON O HP / COMPAQ / DELTA D	Image LTI002 Tip size (mm) 5.5°2.5 (90° right-angle)	Specification Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-4,74A Size (mm): 128*53*27 Weight (g): 284	Power 90W	Part No. DELTA ADP-90SB BB	Replacement for ASUS U3: series: U3S ASUS U5: series: U5A U5F ASUS U6 series: U6S U6V U6E ASUS V1 series: V1S V1.Jp V1J ASUS V2 series: V2S V2.Je ASUS W1 series: W1 Carbon W1Ga W1Gc W1Jb- W1Jc Carbon- W1N W1Na W1Vb W1Vc ASUS F5 series: F5V F5VL F5R ASUS F6 series: F6A F6V ASUS F8 series: F8Va F8Sn F8Sv F8P ASUS F9 series: F9Dc F9S F8Sg ASUS G1 series: G1S G15n ASUS G2 series: G2K G2S G2 G2Pc G2Pb ASUS M50 series: M60Sv M50Vm M50Sr M50Sa ASUS M51 series: M51Sn M51Sr M51Kr M51Se ASUS VX series: LAMBORGHINI VX3 VX2S VX2 ASUS W2 series: W2.Jb W2P W2Jc W2Vb W2Vc W2W ASUS W3 Series: W3.Jb W3A W3N W3W W3Z ASUS W5 Series: W5F W5V ASUS W7 Series: V7S W7F W7J-ASUS A6 series: A6V A6Km A6Rp A6U A6Vc ASUS A7 series: A75 A75v A7K A7C A7J A7T ASUS A8 series: A8Sc A8Js A8Je A8Jp A8Jr K4AIN A8T A8m A8F ASUS F3 series: F3E F3Sc F3Sv F3Ka F3Sa F3Jv F3Ja F3Jc F3Jm F3Jp F3T F3M ASUS M6 Series: M6000N M6700N M6800N M600NM6N M6V M6VA ASUS M70 series: M70sa M70Vm

Code	Image	Specification	Power	Part No.	Replacement for
FUJI / SONY	Tip size (mm) 6.0*4.4 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 16V-3.75A Size (mm): 105*46*26 Weight (g): 226	60W	PCGA-AC16V1, PCGA-AC16V3,1007-0600 FMW-AC317 FMW-AC7 FMWACCA FPCAC02 FPCAC05 FPCAC06 FPCAC07 FPCAC08 FPCAC14 FPCAC14A FPCAC23 FPCAC14A FPCAC23 FPCAC28AP PSCV480103A PSCV600104A CA01007-0850 CA01007-0870	PCG-TR1A / PCG-TR1AP / PCG-TR1F / PCG-TR1MP / PCG-TR2A / PCG-TR2A / PCG-TR2AP1 / PCG-TR2AP3 / PCG-TR2AP / PCG-TR2AP1 / PCG-TR2AP3 / PCG-TR2AP PCG-TR3AP PCG-TR3AP1 / PCG-TR3AP2 PCG-TR3AP2 PCG-TR3AP2 PCG-TR3AP2 PCG-TR5AP2 / PCG-TR5AP2 / PCG-TR5AP2 / PCG-TR5AP2 / PCG-TR5AP2 / PCG-TR5AP3 / PCG-TA1A / PCG-TA1AP / PCG-TA1A / PCG-TA1AP / PCG-TA1
TOSHIBA \ NEC	Tip size (mm) 6.3*3.0	Input: AC100V - 240V Frequency: 50-60Hz Output: 15V-4A Size (mm): 134*59*33 Weight (g): 298	60W	PA3092U-1ACA PA3048U-1ACA PA2444U-1ACA	Satellite 220Satellite 220CDSSatellite 225Satellite 225CDSSatellite 230CDSSatellite 230CDSSatellite 230CDSSatellite 230CDSSatellite 230CDSSatellite 230CDSSatellite 230Satellite 305CDTSSatellite 305CDTSSatellite 305CDTSSatellite 305CDTSSatellite 310CDTSatellite 310CDTSatellite 315CDTSatellite 315CDTSatellite 315CDTSatellite 315CDTSatellite 315CDTSatellite 320CDTSatellite 330CDTSatellite 3555CDTSSatellite 2066CDSSatellite 2066CDTSatellite 2066CDTSAtellite 2100CDTSAtellite 2100CDTSAtellite 2105CDSSatellite 2105CDTSAtellite 2105CDTSAtellite 2115Satellite 2115CDTSSatellite
DELTA \ LITEON	Tip size (mm) 5.5*2.5 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-3.42A Size (mm): 105*46*26 Weight (g): 225	65W	Toshiba PA3396U-1ACA ACBEL API2AD03 ADP-65DB LC-ADT01-003 LC-ADT01.003 LC-T2801-006 LC-T2801-006 LC-ADT01.001 AP:T3503.002	Toshiba PA3396U-1ACA, PA3467 PA3467U PA3467U-1ACAACER PA-1650-02Gateway PA-1650-01 ACER TravelMate and Aspire Notebooks:TM211T, 212T, 213TX, TM340T, TM 341T, TM342T, TM345T, TM347T, TM351TE, TM350TE, TM352TE, TM352TE-N, TM353TE, TM353TEV, TM354TE, TM354TEV, TM521TE, TM524TXV, TM525TE, TM525TXV, TM528TE, TM551XV, TM600TER, TM602TER, TM603TER, TM604TER, TM 610TXV, TM610TXVI, TM610TXC, TM611TXV, TM611TXC, TM612TXV, TM612TXC, TM613TXV, TM613TXC, TM730TX, TM732TX, TM734TL, TM735TLV, TM738TLV, TM739TLV
COMPAQ / TOSHIBA DELTA / NEC / ACER	ACI003 Tip size (mm) 5.5°2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-6.3A Size (mn): 164*61*36 Weight (g): 520	120W	Gateway PA-1121-08 6500918 2521757	NEC PA-1121-03 AcerTravellMate 240, 250, 2000, 2100, 2200, 2500, 2600, 2700 AND 3000250PE series, Travelmate C110 , TM252PE, Acer TravellMate 290, TM291LOI, TM291LMI, TM301XOI, Aspire 1710, Ferrari 3000, Ferrari 3000LMI, Aspire AS2003LMI, TM240, TM250 series, ACER ASPIRE1360, 1500, 1520, 1600, 1610, 1620, 1660, 1670 AND 1680 ARMArmNoteD470WCompaq Presario3000 R3000 3050, ZD7000, HP Pavlion zd7012EA, DN730AV, DP263E, DP763E, DM739AR, DM739A, DP48UR, DP48U, DR089UR, DR089U, DR768E, DR340U, DP764E, DM789AR, DM788A, DP769E, DR59U, DP765E, DM790AR, DM790A, DP766E, DR761E, DR770E, DM791AR, DM791A, DP766E, DP447U, DP446U, DR769E, 3005US, 3008CU, 3015CA, 3015US, 3017CL, 3019CL, 3020US, D0924AR, D0925AR, D0925AR, D0925A, DG956AR, DG956A, DG956AR, DG956AR, DG956A, DG959A, DG958AR, DG958A, Compaq Presario 3080US,
LS / HIPRO / ACER	ACI004	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-7.1A Size (mm): 164*79*37 Weight (g): 588	135W	Liteon PA-1131-08, Acer AP.13503.001, AP.13503.002, 308745-001, 309241-001, 310925-001, 316688-001, 317188-001, 316687-002, 344895-001, 346958-001, 350221-001, PA-1131-08H, 345312-001, 346958-001, 361072-001, 361072-061, DR912A#ABA, DR910A,	Acer AP.13503.001 compatibles with the following models: Travelmate 2000, Travelmate 2100, Travelmate 2200, Travelmate 2500, Travelmate 2500, Travelmate 2500, Travelmate 2500, Travelmate 2600, Travelmate 2700, Travelmate 4050, Aspire 1360, Aspire 1510, Aspire 1520, Aspire 1670, Compaq Presario R3000 series, HP Pavilion zd7000 Series, HP Pavilion zv5000 Series

Laptop Adapter Top UN



Code	Image	Specification	Power	Part No.	Replacement for
LITEON / ACER	Tip size (mm) 5.5*2.1	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-3.16A Size (mm): 105°46°26 Weight (g): 207	60W	TravelMate Notebooks PA-1600-02: ADP-75FB F1454 F1454A F1718 F1718A F1781 F1781A F4600 F4600A F4814 F4814A	AcerTravelMateseriesTM345T/TM347T/TM351TE/TM350 TE/TM352TE/TM241T/Z12T273TX/TM340T/TM341T/T M342/TM352TEVTM353ETE/TM353ETE/TM354TE/TM3 54TEV/TM521TE/TM524TXV/TM525TE/TM525TXV/TM5 28TE/TM529TX/TM529TX/TM525TXV/TM600TEYTM60 ZTER/TM602TEYTM604TER/TM610TXV/TM60TEXV/TM6 610TXC/TM611TXV/TM611TXC/TM612TXV/TM612TXC/ TM613TXV/TM613TXC/TM730TX/TM732TX/TM734TL/T M735TLV/TM738TLV/TM739TLV
HP / COMPAQ TOSHIBA / LITEON	Tip size (mm) 5.5*2.5 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-3.95A Size (mm): 128*53*27 Weight (g): 274	75W	AP14AD33 (PA3468E-1AC3) PA3468E-1AC3 PA-1750-09 (EXACT PART NUMBER) PA3467U-1ACA PA3396U-1ACA	PA-1900-05 PA-1900-06ALIENWARE 20217-1038LSE9901A2070 ASUS ADP-650B AVERATEC LSE9802B2060 PA-1600-05PA-1750-01 COMPAQ CQPS1200AC-C10 ADP-75FBF1377AF4814AF17811A F145A4309241-001308745-001310025-001 298239-001222113-001198713-001180676-001 177626-001247051-001247050-001246437-002 246437-001196345-B22 Dell PA-1600-0601F9710 FUJITSU HIW-AG315SFPCAG34APFPCAG34FPCAG33AP FPCAG33FPCAG26APFPCAG26FPCAG25 CA01007-0960CA01007-0930CA01007-0920 CA010070890GATEWAYSA801311565000976500723650 0714 GREAT QUALITY PA-1600-06 IBM 11J862702K6900 NEC 0P-520-75601 TADPOLE API-7629US-ACID-AC TOSHIBA PA31651-1ACA PA3097U-1ACAPA3032U-1A CAPA3399U-1BRSSPA3221U-1BRS VIEWSONIC VSACC24666TPC-PCA-002SDH-ADPT-001PA-1500-01
GATEWAY / HP COMPAQ DELL / FUJI / NEC	Tip size (mm) 5.5°2.5 (90° right-angle)	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-3.16A Size (mm): 105*46*26 Weight (g): 211	60W	SA70-3105, NEC OP-520-73701 NEC OP-520-75601 NEC OP-520-67501 NEC OP-520-67501 NEC OP-520-67501 NEC OP-520-70001 NEC OP-520-7001 NEC OP-520-7001	4150 Series XE2-DB Series 4150B Series XE2-DC Series 500 Series (F2xxx) XE2-DD Series 500 D&T BTO Special (F2448x) XE2-DE Series 500B Series (F3xxx) XE2-DI Series 500B D&T BTO Special (F3751x) XE3 Series (pto F2298y) 6000 Series (pto F20xx) XE3B Series (from F2300x to F2329x) 6000B Series (pto F20xx) XE3B Series (from F2300x to F2329x) 6000B Series (F2100x to F2187x) XE3C Series (from F2330x to F2998x) 6000C Series (F2188x to F2971x) XE-DA Series XE3-GD Series, AMD (F24xx, F3xxx) 6000 D&T BTO Special (F2444x) XE3-GE Series, AMD (F43xx) 6000 D&T BTO Special (F2444x) XE3-GE Series, AMD (F43xx) 6000 D&T BTO Special (F2444x) XE3-GE Series, AMD (F43xx) 6000 D&T BTO Special (F2444x) XE3-GE Series, AMD (F43xx) 6000 D&T BTO Special (F2444x) XE3-GE Series, AMD (F43xx) 6000 D&T BTO Special (F2445x) HP Pavillion Series Notebook ZU1155 N53 / 5400 & XH4xx Series Notebooks (AMD) Notebook ZU1155 N53 / 5400 & XH4xx Series Notebooks (AMD) N3000 Series Notebooks N6100 Series Notebooks (AMD) N3000 Series Notebooks N6100 Series Notebooks Seateway Soll 1100Gateway Sollo 1200Gateway Sollo 1400Gateway Sollo 1100Gateway Sollo 1200Gateway Sollo 1400Gateway Sollo 2300Cateway Sollo 2300LSgateway Sollo 2300XL Gateway Sollo 2300LSgateway Sollo 2300XL Gateway Sollo 2500Gateway Sollo
FUJI / SAMSUNG	FJI003 Tip size (mm) 5.5*2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 19V-4,22A Size (mm): 128*52*27 Weight (g): 270	80W	FUJITSU FMV-AC314, FPCAC33, CA01007-0920, CA01007-0890, CP145081-01, FMV-AC314, FPCAC33, FPCAC34, Toshiba PA3037U-1ACA, Toshiba PA3165U-1ACA ALIEMWARE20217-1038, LSE9901A2070, ASUS ADP-65DB, AVERATEC LSE9802B2060, PA-1600-05, PA-1750-01, COMPAQCOPS1200, AC-C10, ADP75FB, F1377A, F4814A, F1781A, F1454A, 309241-001, 308745-001, 310925-001, 298239-001, 222113-001, 198713-001, 180676-001, 177626-001, 24705-1001,	Fujitsu Siemens Amilo A SeriesA1600, A1640, A1645, A16456, A1650, A16506, A16506, A1667, A16676, A1840, A2200+, A6600, A6660, A7600, A7620, A7640, A7645, A8600, A8620, A8625, Fujitsu Siemens Amilo L SeriesL1300, L13006, L13106, L6810, L6820, L6825, L7300, L7310, L7320, Fujitsu Siemens Amilo M SeriesM1425, M7405, Fujitsu Siemens Amilo Pro V1Series V1000, Fujitsu Siemens Amilo Pro V1Series V1000, Fujitsu Siemens Amilo Pro V2SeriesV2000, V2010, V2020, V2030, V2035, V2040, V2045, V2055, V2060, V2065, V2085, Fujitsu Siemens Amilo Pro V3 SeriesV32005, V30405, V2085, Fujitsu Siemens Amilo Pro V3 SeriesV3010, V3015, Fujitsu Siemens Celcius Pro V3 SeriesV3010, V8210, Fujitsu Siemens Celcius Mobile SeriesM2010, V8210, Fujitsu Siemens Celcius Mobile SeriesM2010, V8210, Fujitsu Siemens Celcius Mobile SeriesM2010, V8210, Fujitsu Siemens Celcius Mobile SeriesM2011, H230, H240, Fujitsu Siemens Celcius Mobile SeriesM2001, V8210, Fujitsu Siemens LifeBook Celcius Celciu

Code	Image	Specification	Power	Part No.	Replacement for
LITEON / LS	LTK005 Tip size (mm) 5.5°2.5	Input: AC100V - 240V Frequency: 50-60Hz Output: 20V-6A Size (mm): 172*72*41 Weight (g): 556	120W	344500-001, 366165-001, 374743-001, 394902-001, D688A, DR911A, DR911A#ABA, HSTNN-DA03, PA-1181-08H, PA-1121-02	Acer Aspire 1360, 1500, 1510, 1520, 1522, 1524 WLMI, 1500, 1610, 1620, 1660, 1670, 1680 seriesAcer TravelMate 240, 250, 2000, 2100, 2200, 22011.0, 2500, 2500, 2700, 3000 Series HP Business Notebook NW3105, NW3100, NW3110, NW3500Compaq Presario 3000, R3000 Series Acer TravelMate C110, IM252PE, TravellMate 244LC, TravelMate 290, TM291LC, ITM291LM, ITM301XCI, Aspire 1710, Ferrari 3000LMI, Aspire AS2003LMI, TM240, TM250 & 250PE series, 803L GFujitsu Siemens AMILO " D SFRIES" LAPTOPFujitsu Siemens Amilo-D8830, Amilo-M7405, Amilo-D7830, A

f	FOR Universal Adapter							
Code	Image	Specification	Power	Part No.	Replacement for			
USN01	Tip size (mm) 8 IIPS	Input: AC100V - 240V Frequency: 50-60Hz Output: 90W Size (mm): 120*61*38 Weight (g): 304	90W	90W-US01	IBM : Thinkpad A20, A21, A21e - 2628, A21e - 2632, A22, 11800 - 2628, 11800 - 2632 Series			
USN002	Tip size (mm)	Input: AC100V - 240V Frequency: 50-60Hz Output: 120W	120W	120W-US01				

AC Cable (for customer's option)



Global agent and cooperator are under seeking.....

*TopON reserves the right to upgrade the product's appearance and function. Please refer to the real object if there is any upgrade information without any advanced notification.